

## RINGKASAN

Masalah yang di hadapi oleh PT. Bara Anugrah Sejahtera pada saat ini adalah belum adanya kajian hidrogeologi untuk menunjang rencana kegiatan penambangan.

Penelitian ini bertujuan untuk mengetahui karakteristik curah hujan, menghitung debit air limpasan, mengetahui karakteristik akuifer, potensi air tanah dan kualitas air di daerah penelitian. Metode penelitian yang dilakukan dalam kajian ini yaitu dari studi literatur, observasi langsung di lapangan untuk melakukan pengambilan data primer dan sekunder. Data yang diperoleh dilakukan pengolahan dan analisis data selanjutnya pembuatan *draft* skripsi.

Berdasarkan data curah hujan 10 tahun (2008-2017), diperoleh periode ulang hujan tahunan ke 5 dengan curah hujan rata-rata 121,33 mm/hari dan resiko hidrologi sebesar 89,26%. Intensitas curah hujan ( $I$ ) di daerah penelitian yaitu 20,22 mm/jam. Luas daerah tangkapan hujan di daerah penelitian dibagi menjadi 2 daerah tangkapan hujan dengan luas  $2,82 \text{ km}^2$  dan  $3,69 \text{ km}^2$ . Debit air limpasan yang masuk kedalam daerah penelitian berkisar antara  $6,34 \text{ m}^3/\text{detik}$  –  $8,29 \text{ m}^3/\text{detik}$ .

Pengujian akuifer di lapangan dilakukan pada 3 titik bor dengan metode *slug test*. Dari hasil uji *slug test* yang dilakukan diketahui nilai konduktivitas hidrolik ( $K$ ) di daerah penelitian berkisar antara  $1,06 \times 10^{-6} \text{ m/detik}$ - $1,92 \times 10^{-6} \text{ m/detik}$ , nilai transmisivitas ( $T$ ) di daerah penelitian berkisar antara  $1,16 \times 10^{-5} \text{ m}^2/\text{detik}$ - $8,66 \times 10^{-5} \text{ m}^2/\text{detik}$  dan koefisien penyimpanan ( $S$ ) di daerah penelitian berkisar antara  $1,97 \times 10^{-4}$ - $1,81 \times 10^{-5}$  maka karakteristik akuifer di daerah penyelidikan termasuk akuifer produktivitas sedang dan terdapat akuifer tertekan.

Kata Kunci : Curah Hujan, Debit Air, *Slug Test*, dan Akuifer

## SUMMARY

*The problems in case by PT. Bara Anugrah Sejahtera at this time is there are no hydrology and hydrogeological study to support the fluency implementation of the next steps of mining activities.*

*This research aims to knowing the characteristics of rainfall, calculate runoff water discharge, determine aquifer characteristics, groundwater potential and water quality in existing research areas. The research method conducted in this study is from literature studies, direct observation in the field to carry out primary and secondary data. The data obtained were processed and analyzed further by drafting data.*

*Based on data rainfall along 10 years (2084-2017), obtained fifth repetition rain period with rainfall plan is 121,33 mm/day and hydrogrolgy risk amount 89,26%. The intensity of rainfall ( $I$ ) at research area is 20,22 mm / hour. Wide of rain catchment area at research area divided into 2 rain catchment areas with area  $2,82 \text{ km}^2$  and  $3,69 \text{ km}^2$ . The runoff water discharge that enter into research area are  $6,34 \text{ m}^3/\text{second}$  and  $8,29 \text{ m}^3/\text{second}$ .*

*Test of aquifer in research area was done in 3 test wells using slug test method. From the results of the slug test, was found the value of hydraulic conductivity ( $K$ ) in research area range from  $1,06 \times 10^{-6} \text{ m/sec}$ - $1,92 \times 10^{-6} \text{ m/sec}$ , the transmissivity value ( $T$ ) in research area range from  $1,16 \times 10^{-5} \text{ m}^2/\text{sec}$ - $8,66 \times 10^{-5} \text{ m}^2/\text{sec}$  and the storage coefficient ( $S$ ) in research area range from  $1,81 \times 10^{-5}$ - $1,97 \times 10^{-4}$  so the characteristic of aquifer in the research area included moderate productivity aquifer and confined aquifer.*

*Keywords:* Rainfall, water discharge, slug test, and Aquifer