

ISBN: 978-1-7281-2379-0  
IEEE Catalog Number: CFP19B09-USB

 **IEEE**  
INDONESIA SECTION



# PROCEEDING

## 2019 5th International Conference on Science in Information Technology (ICSTech)



# October

23-24, 2019

Hotel Grand Inna Malioboro  
Yogyakarta, Indonesia

Hosted by:



Jointly organized with:



# **2019 5<sup>th</sup> International Conference on Science in Information Technology (ICSITech)**

October 23-24, 2019  
Yogyakarta, Indonesia

## **COPYRIGHT AND REPRINT PERMISSION:**

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For reprint or republication permission, email to IEEE Copyrights Manager at : [pubs-permissions@ieee.org](mailto:pubs-permissions@ieee.org).

**All rights reserved. Copyright ©2019 by IEEE.**

IEEE Catalog Number : CFP19B09-USB  
ISBN : 978-1-7281-2379-0

Editor : Awang Hendrianto Pratomo, Andri Pranolo, Bagus Muhammad Akbar, Shoffan Saifullah, Ahmad Taufiq Akbar, Rochmat Husaini, Heriyanto, Andiko Putro Suryotomo, Vynska Amalia Permadi, Sylvert Prian Tahalea

Publisher : IEEE

Secretariat : Department of Informatics Engineering  
Universitas Pembangunan Nasional Veteran Yogyakarta  
Jln. Babarsari no. 2, Yogyakarta 55281  
Special Region of Yogyakarta, Indonesia

# **PROCEEDING**

2019 5th International Conference on Science  
in Information Technology (ICSITech)

**"Embracing Industry 4.0 : Towards Innovation in Cyber  
Physical System"**

Version: 2019-10-20

October 23-24, 2019  
Yogyakarta, Indonesia

## Introduction

---

Welcome to ICSITech 2019. Universitas Pembangunan Nasional “Veteran” Yogyakarta is honored to be the host of this year’s International Conference on Science in Information Technology (ICSITech). The ICSITech is jointly organized with Universitas Ahmad Dahlan, Universitas Mulawarman, Universitas Pembangunan Nasional “Veteran” Yogyakarta, Universiti Teknologi Malaysia (UTM) Big Data Centre, Universitas Pendidikan Indonesia, Universitas Muhammadiyah Surakarta, Universiti Putra Malaysia, Universiti Malaysia Sabah, Universitas Budi Luhur, Politeknik Negeri Samarinda, Politeknik Negeri Padang, Universitas Negeri Malang, Universiti Teknikal Malaysia Melaka(UTeM), and ITSA University Colombia.

Since this is the Fifth conference, we wish to repeat the success of the four previous conferences. We do hope this annual conference will continue to be held in the next coming years (2020 in Malaysia, 2021 in Surakarta - Indonesia, etc.) with increasing quality. For this year’s conference, we proudly present the theme of ICSITech 2019, “**Embracing Industry 4.0 : Towards Innovation in Cyber Physical System**”. The theme is taken from our university identity as a university which consistently takes part in education and responds to the development of science, technology, art, society demands, and global change. It is also our university vision to be actively involved and acted as a leader and initiator in research and development in order to achieve academic excellence.

We are pleased to inform you that the ICSITech 2019 has been approved by IEEE for technical co-sponsorship; therefore, the papers which are accepted and presented will be further considered to be published in the IEEE Xplore Digital Library. I wish to extend a warm welcome to Prof. Dr. Wisnu Jatmiko, S.T., M.Kom., as IEEE Indonesia Section Chair. There are 118 papers from 17 countries submitted to the ICSITech 2019 with 48.28% acceptance ratio. Congratulations for all authors and presenters whose papers are accepted.

Thank you for choosing ICSITech 2019 and disseminating your research here.

Today, we are lucky to have two keynote speakers who will broaden our insights about Big Data Era in IT perspective. They will talk about their expertise and we do hope this event could bring many benefits, especially in the fields of education, industry, and society. We are honored for the presence of Prof. Dr. Leonel Hernandez (ITSA Colombia) and Assoc. Prof. Dr. Mohammad Shanuddin bin Zakaria (Universiti Kebangsaan Malaysia), thank you very much.

The previous conferences were held in Bandung-Indonesia and Melaka – Malaysia, respectively. This year, the ICSITech 2019 is taking place in Yogyakarta. Our city nickname is The City of Education. Yogyakarta is one of the favorite travel destinations, especially in Java, with many wonderful heritage tourism destinations and delightful culinary creations. Please enjoy your stay in Yogyakarta.

Finally, we would like to thank all of keynote speakers, participants, sponsors, associations, and partners for being a part of this conference. On behalf of the organizing committee, we wish to express our highest appreciation and sincere thanks to all of you who attend this event and we wish you have valuable discussion and networking. I also thank the committee for all efforts to make ICSITech 2019 successful.

Thank you.

General Chair

Dr. Awang Hendrianto Pratomo, S.T., M.T.

Department of Informatics Engineering

Universitas Pembangunan Nasional “Veteran” Yogyakarta, Indonesia

## **Welcome Message from Rector of Universitas Pembangunan Nasional Veteran Yogyakarta**

---

Greetings to all distinguished guests, keynote speakers, and conference participants of the fifth (5<sup>th</sup>) International Conference on Science in Information Technology ICSITech 2019. It is our honor and pleasure to be the host of this year's ICSITech.

Ladies and gentlemen,

Universitas Pembangunan Nasional Veteran Yogyakarta has been taking part in organizing ICSITech since the first conference back in 2015. Since its inception ICSITech is jointly organized by Universitas Ahmad Dahlan, Universitas Mulawarman, Universitas Pembangunan Nasional "Veteran" Yogyakarta, Universiti Teknologi Malaysia (UTM) Big Data Centre, Universitas Pendidikan Indonesia, Universitas Muhammadiyah Surakarta, Universiti Putra Malaysia, Universiti Malaysia Sabah, Universitas Budi Luhur, Politeknik Negeri Samarinda, Politeknik Negeri Padang, Universitas Negeri Malang, Universiti Teknikal Malaysia Melaka (UTeM), and ITSA University Colombia. And this year, for the first time, our university got the opportunity to be the host of ICSITech 2019. In this occasion, I want to personally congratulate our Department of Informatics Engineering for their commitment and hard work to ensure the success of ICSITech 2019.

Ladies and gentlemen,

ICSITech 2019 was held to provide as an event for IT academic and IT expert to disseminate their knowledge on the development of computer science education and expand the network connection on the research activities. Furthermore we intend to make this conference as a motivation for researchers to publish their ideas about theory and application of IT for education, society, and industry in order to support the development and quality improvement of local, regional, and global researches, in line with Universitas Pembangunan Nasional Veteran Yogyakarta vision to be the pioneer of national development based on the spirit of patriotism.

Finally, on behalf of the organizing committee, we wish to express our highest appreciation and sincere thanks to all of our distinguished participants who attend this event and we wish you have valuable discussion and networking. Welcome to Yogyakarta and we hope all of our guests enjoying the services we provide.

Thank you.

Rector of Universitas Pembangunan Nasional Veteran Yogyakarta,  
Dr. Mohamad Irhas Effendi, M.S.

## Welcome Message from IEEE Indonesia Section

---



**Prof. Dr. Eng Wisnu Jatmiko, SMIEEE**  
Chairman, IEEE Indonesia Section



**Dr. Kurnianingsih, SMIEEE**  
Vice Chair, IEEE Indonesia Section

Dear Distinguished Guests, Colleagues, researchers, professionals, ladies and gentlemen,  
Good morning, a prosperous, warm, and spirited greeting.

On behalf of IEEE Indonesia Section, we would like to extend our warmest welcome to all keynote speakers, presenters, and participants to 2019 International Conference on Science in Information Technology (ICSITech). The conference theme is: **“Embracing Industry 4.0 : Towards Innovation in Cyber Physical System”**.

ICSITech is an annual international conference technical co-sponsored by IEEE Indonesia Section and this year conference is hosted by Universiti Pembangunan Nasional “Veteran” Yogyakarta in collaboration with Universiti Teknologi Malaysia (UTM) Big Data Centre, Universitas Ahmad Dahlan, Universitas Mulawarman, Universitas Pendidikan Indonesi, Universitas Muhammadiyah Surakarta, Universiti Putra Malaysia, Universiti Malaysia Sabah, Universitas Budi Luhur, Politeknik Negeri Samarinda, Politeknik Negeri Padang, Universitas Negeri Malang, Universiti Teknikal Malaysia Melaka(UTeM), and ITSA University Columbia. The conference aims to bring together researchers and experts in information systems to share their ideas, experiences and insights.

IEEE Indonesia Section has conducted many activities over 32 years in Indonesia. In terms of collaboration, IEEE Indonesia section has a good and mutual relationship with ICT organizations, Industries, Government, Universities as well as the Community in Indonesia. IEEE Indonesia Section has contributed in about 58 different International conferences annually. As the fifth year of ICSITech, this conference shows its sustainability due to the hard work of the conference organizers, well organized conference and high-quality papers. We do hope in the near future some high-quality conferences will be continued and strengthened, so the result will give more benefit and positive impact to the human being, especially to Indonesian people.

In this occasion, I would also like to say welcome to Yogyakarta, which serves beautiful heritages, culture, with warm, polite and friendly people, a vibrant culture and lifestyle. Finally, we do hope all of you will have enjoyable and valuable experience during this event. You may share your best knowledge in your area of research and professional activities. Thank you.

Yogyakarta, 23<sup>rd</sup> October 2019  
IEEE Indonesia Section

## Organization

---

### Steering Committee

- Munir (Universitas Pendidikan Indonesia)
- Dwi Hendratmo W. (Institut Teknologi Bandung)
- Satriyo Dharmanto (IEEE Indonesia Section)
- Shi-Jinn Horng (National Taiwan University Science and Technology, Taiwan)
- Hj. Siti Mariyam Shamsudin (Universiti Teknologi Malaysia)
- Amelia Ritahani Ismail (International Islamic University Malaysia)
- Rafal Drezewski (AGH University of Science and Technology)
- Rodziah Atan (Universiti Putra Malaysia)
- Rayner Alfred (Universiti Malaysia Sabah)
- Heui Seok Lim (Korea University)
- Goutam Chakraborty (Iwate Prefectural University)
- Didi Sukyadi (Universitas Pendidikan Indonesia)
- Tsukasa Hirashima (Hiroshima University)
- Halimah Badioze Zaman (Universiti Kebangsaan Malaysia)

### Scientific Committee

- Agus Pratondo (Telkom University)
- Abderrafiaa Koukam (UTBM, France)
- Abdul Samad Shibghatullah (Universiti Teknikal Malaysia Melaka)
- Ade Gafar Abdullah (Universitas Pendidikan Indonesia)
- Adiwijaya (Telkom University)
- Ag Asri Ag Ibrahim (Universiti Malaysia Sabah)
- Agus Harjoko (Universitas Gadjah Mada)
- Agus Setiabudi (Universitas Pendidikan Indonesia)
- Agus Setiawan (Universitas Pendidikan Indonesia)
- Aji Wibawa (Universitas Negeri Malang)
- Alejandro Rosales (INAOE, Mexico)
- Amer Farea (Taiz University, Arab Saudi)
- Anca Ralescu (University of Cincinnati Ohio)
- Andria Arisal (Indonesia Institute of Science)
- Anhar Risnumawan (Politeknik Elektronika Negeri Surabaya)
- Anton Satria Prabuwo (King Abdulaziz University, Saudi Arabia)
- Anton Yudhana (Universitas Ahmad Dahlan)
- Arda Yuniarta (King Abdulaziz University)
- Ari Barmawi (Telkom University)
- Armin Lawi (Hasanuddin University)
- Awang Hendrianto Pratomo (UPN "Veteran" Yogyakarta)
- Azhari SN (Universitas Gadjah Mada)
- Azizi Abdullah (Universiti Kebangsaan Malaysia)
- Azuraliza Abu Bakar (Universiti Kebangsaan Malaysia)
- Bana Handaga (Universitas Muhammadiyah Surakarta)
- Cepy Riana (Universitas Pendidikan Indonesia)
- Chin Kim On (Universiti Malaysia Sabah)
- Danial Hooshyar (Korea University)
- Dedi Rohendi (Universitas Pendidikan Indonesia)
- Deris Stiawan (Universitas Sriwijaya)
- Dewi Octaviani (Korea University)
- Didi Rosiyadi (Research Center for Informatics LIPI)
- Didin Wahyudin (Universitas Pendidikan Indonesia)
- Edi Kurniawan (Research Center for Informatics LIPI)
- Eko Aribowo (Universitas Ahmad Dahlan)

- Engkos Kosasih (Universitas Indonesia)
- Esa Prakasa (Research Center for Informatics LIPI)
- Faaizah Shahbodin (Universiti Teknikal Malaysia Melaka)
- Fajar Suryawan (Universitas Muhammadiyah Surakarta)
- Ford Lumban Gaol (Bina Nusantara University)
- Gede Pramudya Ananta (Universiti Teknikal Malaysia Melaka)
- Gunawan Ariyanto (Universitas Muhammadiyah Surakarta)
- Habib Shah (Universiti Tun Hussein Onn Malaysia)
- Halizah Basiron (Universiti Teknikal Malaysia Melaka)
- Hamzah bin Ahmad (Universiti Malaysia Pahang)
- Hanung Adi Nugroho (Universitas Gadjah Mada)
- Herlina Jayadianti (UPN Veteran Yogyakarta)
- Heru Supriyono (Universitas Muhammadiyah Surakarta)
- Hidayah Rahmalan (Universiti Teknikal Malaysia Melaka)
- Husni Thamrin (Universitas Muhammadiyah Surakarta)
- I Wayan Mustika (IEEE Inonesia Section)
- Ibrahim Ahmad (Universiti Teknikal Malaysia Melaka)
- Igi Ardiyanto (Universitas Gadjah Mada)
- Intan Ermahani A. Jalil (Universiti Teknikal Malaysia Melaka)
- Ito Wasito (Universitas Indonesia)
- Iwan Tri Riyadi Yanto (Universitas Ahmad Dahlan)
- Jazi Istiyanto (Universitas Gadjah Mada)
- Joey M. Suba (University of The Assumption)
- Kamarul Hawari bin Ghazali (Universiti Malaysia Pahang)
- Keng-Yap Ng (Universiti Putra Malaysia)
- Khabib Mustofa (Universitas Gadjah Mada)
- Lala Septem Riza (Universitas Pendidikan Indonesia)
- Lau Hui Keng (Universiti Malaysia Sabah)
- Leonel Hernandez (ITSA University)
- Lian Duan (New Jersey Institute of Technology, USA)
- Lili Wulandhari (Bina Nusantara University)
- Lizawati Salahuddin (Universiti Teknikal Malaysia Melaka)
- Maizatul Akmar Ismail (Universiti Malaya)
- Maman Abdurohman (Telkom University)
- Mar Yah Said (Universiti Putra Malaysia)
- Marzanah Abdul Jabar (Universiti Putra Malaysia)
- Masayu Leyla Khodra (Institut Teknologi Bandung)
- Masrah Azrifah Azmi Murad (Universiti Putra Malaysia)
- Mohammad Syafrullah (Universitas Budi Luhur, Jakarta)
- Mohd Hanafi Ahmad Hijazi (Universiti Malaysia Sabah)
- Mohd Sazali Khalid (Universiti Sains Malaysia)
- Mohd Shahizan Bin Othman (Universiti Teknologi Malaysia)
- Moslem Yousefi (UNITEN, Malaysia)
- Muh. Nursalman (Universitas Pendidikan Indonesia)
- Muhammad Hakim Othman (Universiti Teknikal Malaysia Melaka)
- Muhammad Said Hasibuan (IBI Darmajaya)
- Muhammad Zarlis (Universitas Sumatera Utara)
- Munir (Universitas Pendidikan Indonesia)
- Mustafa Kaiali (Mevlana University, Turkey)
- Nana Suryana Herman (Universiti Teknikal Malaysia Melaka)
- Nataniel Dengen (Universitas Mulawarman)
- Nazri Nawawi (Universiti Tun Hussein Onn Malaysia)
- Ngo Hea Choon (Universiti Teknikal Malaysia Melaka)
- Nita Solehati (Chonbuk National University)
- Noel Lopes (Polytechnic of Guarda, Portugal)



- Noor Aida Husaini (Universiti Tun Hussein Onn Malaysia)
- Nor Fazlida Mohd Sani (Universiti Putra Malaysia)
- Nor Haslinda binti Ismail (Universiti Teknikal Malaysia Melaka)
- Noraini Che Pa (Universiti Putra Malaysia)
- Noraini Ibrahim (Universiti Tun Hussein Onn Malaysia)
- Norashikin Ahmad (Universiti Teknikal Malaysia Melaka)
- Norazah Mohd Nordin (Universiti Kebangsaan Malaysia)
- Norhalina Senan (Universiti Tun Hussein Onn Malaysia)
- Norhayati Harum (Universiti Teknikal Malaysia Melaka)
- Norhayati Mohd Ali (Universiti Putra Malaysia)
- Nurgiyatna (Universitas Muhammadiyah Surakarta)
- Nurul Amelina Nashruddin (Universiti Putra Malaysia)
- Nurul Azma Zakaria (Universiti Teknikal Malaysia Melaka)
- Oki Wicaksono (Universitas Gadjah Mada)
- Omar Al Jadaan (MHSU, Uni Arab Emirates)
- Omid Motlagh (CSIRO, Australia)
- Othman Mohd (Universiti Teknikal Malaysia Melaka)
- Ouri Wolfson (University of Illinois, USA)
- Parman Sukarno (Politeknik Pos Indonesia)
- Per Johan Runeson (System Lund University, Sweden)
- Prima Vitasari Hj. Purwadi (Universiti Malaysia Pahang)
- Raden Bagus Fajriya Hakim (Universitas Islam Indonesia)
- Rafah Mohamed Almuttairi (University of Babylon, Iraq)
- Rafal Drezewski (AGH UST, Poland)
- Ramadiani (Universitas Mulawarman)
- Rani Megasari (Universitas Pendidikan Indonesia)
- Rasim (Universitas Pendidikan Indonesia)
- Rayner Alfred (Universiti Malaysia Sabah)
- Reza Firsandaya Malik (Universitas Sriwijaya)
- Reza Pulungan (Universitas Gadjah Mada)
- Rifki Sadikin (Research Center for Informatics LIPI)
- Rimba Widhiana Ciptasari (Telkom University)
- Rinaldi Munir (Institut Teknologi Bandung)
- Riyanarto Sarno (Institut Teknologi Sepuluh Nopember)
- Rodina binti Ahmad (Universiti Malaya)
- Rodziah Atan (Universiti Putra Malaysia)
- Ronny Mardiyanto (Institut Teknologi Sepuluh Nopember)
- Rusli Abdullah (Universiti Putra Malaysia)
- Rusydi Umar (Universitas Ahmad Dahlan)
- Sa'adah Hassan (Universiti Putra Malaysia)
- Sabrina Ahmad (Universiti Teknikal Malaysia Melaka)
- Salfarina Abdullah (Universiti Putra Malaysia)
- Sarina Sulaiman (Universiti Teknologi Malaysia)
- Sarni Suhaila Rahim (Universiti Teknikal Malaysia Melaka)
- Shafaatunnur Hasan (Universiti Teknologi Malaysia)
- Shah Nazir (University of Swabi, Pakistan)
- Shahril bin Parumo (Universiti Teknikal Malaysia Melaka)
- Shaik Shakeel Ahamad (K.G. RCET, Hyderabad, India)
- Sharifah Sakinah Syed Ahmad (Universiti Teknikal Malaysia Melaka)
- Shi-Jinn Horng (NUST, Taiwan)
- Sigit Yuwono (Telkom University)
- Siti Mariyam Shamsuddin (Universiti Teknologi Malaysia)
- Siti Nurul Mahfuzah Mohamad (Universiti Teknikal Malaysia Melaka)
- Siti Sophiyati Yuhani (Universiti Teknologi Malaysia)
- Slamet Riyadi (Universitas Muhammadiyah Yogyakarta)

- Songhoua Xu (New Jersey Institute of Technology, USA)
- Sri Kusumadewi (Universitas Islam Indonesia)
- Suhirman (Universitas Teknologi Yogyakarta)
- Sukrisno Mardiyanto (Institut Teknologi Bandung)
- Sultan Noman Qasem (Taiz University, Arab Saudi)
- Sunardi (Universitas Ahmad Dahlan)
- Sunu Wibirama (Universitas Gadjah Mada)
- Sutarman (Universiti Malaysia Pahang)
- Suyanto (Telkom University)
- Suyoto (Universitas Atma Jaya Yogyakarta)
- Teguh Bharata Adji (Universitas Gadjah Mada)
- Teo Susnjak (Massey University, New Zealand)
- Tony Dwi Susanto (Institut Teknologi Sepuluh Nopember)
- Tutut Herawan (Universiti Malaysia Pahang)
- Ummi Rabaah Hashim (Universiti Teknikal Malaysia Melaka)
- Vimala Balakrishnan (Universiti Malaya)
- Waleed Ali Ahmed Abdullah (King Abdulaziz University, Arab Saudi)
- Wan Nurhayati Wan Ab Rahman (Universiti Putra Malaysia)
- Warusia Yassin (Universiti Teknikal Malaysia Melaka)
- Wawan Setiawan (Universitas Pendidikan Indonesia)
- Wendi Usino (Universitas Budi Luhur, Jakarta)
- Younes Saadi (Universiti Tun Hussein Onn Malaysia)
- Yudi Wibisono (Universitas Pendidikan Indonesia)
- Yusmadi Yah Jusoh (Universiti Putra Malaysia )
- Zakiah Ayop (Universiti Teknikal Malaysia Melaka)
- Zuwairie bin Ibrahim (Universiti Malaysia Pahang)

## **Organizing Committee**

### **Patron**

Rector of Universitas Pembangunan Nasional “Veteran” Yogyakarta

### **Advisor**

- Vice Rector of Universitas Pembangunan Nasional “Veteran” Yogyakarta
- Dean of Faculty of Industrial Engineering Universitas Pembangunan Nasional “Veteran” Yogyakarta
- Head of Informatics Engineering Department Universitas Pembangunan Nasional “Veteran” Yogyakarta

### **General Chair**

Awang Hendrianto Pratomo (Universitas Pembangunan Nasional “Veteran” Yogyakarta)

### **General Co-chair**

- Haviluddin (Universitas Mulawarman)
- Aji Prasetya Wibawa (Universitas Negeri Malang)
- Bambang Yuwono (Universitas Pembangunan Nasional “Veteran” Yogyakarta)
- Hidayatullah Himawan, Universitas Pembangunan Nasional “Veteran” Yogyakarta

### **Secretary**

- Oliver Samual Simanjuntak (Universitas Pembangunan Nasional “Veteran” Yogyakarta)
- Hari Prapcoyo (Universitas Pembangunan Nasional “Veteran” Yogyakarta)
- Rifki Indra Perwira (Universitas Pembangunan Nasional “Veteran” Yogyakarta)
- Sylvert Prian Tahalea (Universitas Pembangunan Nasional “Veteran” Yogyakarta)

### **Technical Program Chair**

- Lala Septem Riza (Universitas Pendidikan Indonesia)
- Andri Pranolo (Universitas Ahmad Dahlan)
- Ramadiani (Universitas Mulawarman)
- Muhammad Syafrullah (Universitas Budi Luhur)
- Gunawan Ariyanto (Universitas Muhammadiyah Surakarta)
- Aji Prasetya Wibawa (Universitas Negeri Malang)
- Ummi Raba'ah Hashim (Universiti Teknikal Malaysia)
- Awang Hendrianto Pratomo (Universitas Pembangunan Nasional "Veteran" Yogyakarta)

### **Layout TPC**

- Haviluddin Sukirno (Universitas Mulawarman)
- Yudi Wibisono (Universitas Pendidikan Indonesia)
- Hamdani (Universitas Mulawarman)
- Iwan Tri Riyadi Yanto (Universitas Ahmad Dahlan)
- Krisna Adiyarta (Universitas Budi Luhur)
- Adhi Prahara (Universitas Ahmad Dahlan)
- Oki Wicaksono (Universitas Mulawarman)
- Indra Riyanto (Universitas Budi Luhur)

### **Publication**

- Simon Pulung Nugroho (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Budi Santoso (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Herlina Jayadianti (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Shoffan Saifullah (Universitas Pembangunan Nasional "Veteran" Yogyakarta)

### **Treasury, Financial, & Sponsorship**

- Wilis Kaswidjanti (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Yuli Fauziah (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Vynska Amalia Permadi (Universitas Pembangunan Nasional "Veteran" Yogyakarta)

### **Publicity & Website**

- Dessyanto Boedi Prasetyo (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Bagus Muhammad Akbar (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Frans Richard Kodong (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Ahmad Taufiq Akbar (Universitas Pembangunan Nasional "Veteran" Yogyakarta)

### **Registration, Certificate & Gift**

- Herry Sofyan (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Yuli Fauziah (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Rochmat Husaini (Universitas Pembangunan Nasional "Veteran" Yogyakarta)

### **Technical, Facility & Logistic**

- Agus Sasmito A. (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Andiko Putro Suryotomo (Universitas Pembangunan Nasional "Veteran" Yogyakarta)
- Riza Prapascatama Agusdin (Universitas Pembangunan Nasional "Veteran" Yogyakarta)

### **Event Management (Program & Protocol)**

- Herry Sofyan (Universitas Pembangunan Nasional "Veteran" Yogyakarta)

## Keynote Speakers Biography

---

Leonel Eduardo Hernandez Collantes received both his undergraduate degree in System Engineering and his postgraduate degree with Computer Networks specialization from Universidad del Norte, Barranquilla. He holds a masters degree in Strategic Management in Telecommunications from Universidad Internacional Iberoamericana. He has been a reviewer for scientific journal IJAIN since 2017 and an active member of IEEE Colombia section. He is an active researcher of the Telematics Engineering program, Faculty of Engineering, University Institution ITSA.

Assoc. Prof. Mohamad Shanudin Zakaria received his B.Sc. and M.Sc. titles from Northrop University, California. He holds a Ph.D. degree from University of Reading, United Kingdom. He is an Associate Professor in the Fakulti Teknologi dan Sains Maklumat, Universiti Kebangsaan Malaysia. He is part of a team taking a systemic approach and applying ICT to the conservation of Lake Chini biodiversity and the improvement of its ecosystem. His research interest are application of System Thinking in ICT, architecting IT solutions, Business-IT alignment and ICT Governance.

## Table of Contents

---

<b>Problem Event Extraction to Develop Causal Loop Representation from Texts</b>	1
<i>Chaveevan Pechsiri; Intaka Piriyaikul; Narongdech Keeratipranon</i>	
<b>Implementation MQTT-SN Protocol on Smart City Application based Wireless Sensor Network</b>	7
<i>M. Udin Harun Al Rasyid; Ferry Astika Saputra; Fadlul Fikri</i>	
<b>Performance of SVM in Classifying the Quartile of Computer Science Journals</b>	13
<i>Sandika Maulana Putra; Aji P Wibawa; Triyanna Widiyaningtyas; Ilham A. E. Zaeni</i>	
<b>General Formula for Finding Optimize Hologram Reflector Dimension to Project Images on Screen</b>	18
<i>Nur Ezha Vidawati; Syaiful Adala; Nugroho Pratama; Simon Pulung Nugroho</i>	
<b>Image-Based Processing for Ripeness Classification of Oil Palm Fruit</b>	23
<i>Anindita Septiarini; Hamdani Hamdani; Anita Ahmad Kasim</i>	
<b>Accurate and Low-cost Fingerprint Classification via Transfer Learning</b>	27
<i>Latifah Listyalina; Ikhwan Mustiadi</i>	
<b>A Prediction Model for Human Happiness Using Machine Learning Techniques</b>	33
<i>Piyanuch Chaipornkaew; Takorn Prexawanprasut</i>	
<b>An Analytical Study on Email Classification Using 10-Fold Cross-Validation</b>	38
<i>Takorn Prexawanprasut; Piyanuch Chaipornkaew</i>	
<b>Morphological Feature Extraction from Low Quality of Thick blood Smear Microphotographs</b>	44
<i>Umi Salamah; Anto Nugroho; Ismail Eko Prayitno Rozi; Puji Budi Setia Asih</i>	
<b>Friendly and Progressive Visual Secret Sharing with Lossless Reconstruction</b>	49
<i>Heri Prasetyo; Jing-Ming Guo; Hsia Chih-Hsien</i>	
<b>Blind Color Image Denoising Using Low Rank Matrix Minimization</b>	55
<i>Heri Prasetyo; Umi Salamah; Wiranto Wiranto; Sari Sihwi; Winarno Winarno</i>	
<b>Analysis Accuracy of Random Forest Model for Big Data - A Case Study of Claim Severity Prediction in Car Insurance</b>	60
<i>Kartika Chandra Dewi; Hendri Murfi; Sarini Abdullah</i>	
<b>Vowel Sound Analysis in the Indonesian Language using Multilevel Wavelet Entropy</b>	66
<i>Risanuri Hidayat; Achmad Rizal; Agus Bejo; Sujoko Sumaryono</i>	
<b>Analysis Accuracy of XGBoost Model for Multiclass Classification - A Case Study of Applicant Level Risk Prediction for Life Insurance</b>	71
<i>Widya Fajar Mustika, Hendri Murfi, Yekti Widyarningsih</i>	
<b>Seizure Detection Based on EEG Signals Using Katz Fractal and SVM Classifiers</b>	78

*Inung Wijayanto; Achmad Rizal; Annisa Humairani*

<b>K-Nearest Neighbor (K-NN) based Missing Data Imputation</b>	83
<i>Della Murbarani Prawidya Murti; Aji P Wibawa; Muhammad Akbar; Utomo Pujiyanto</i>	
<b>Comparison of Performance Support Vector Machine Algorithm and Naïve Bayes for Diabetes Diagnosis</b>	89
<i>Dominikus Boli Watomakin; Andi Wahyu Rahardjo Emanuel</i>	
<b>Hybrid approach redefinition with SMOTE-CSELM in handling class imbalance problem</b>	95
<i>Hartono Hartono; Erianto Ongko; Dahlan Adbullah</i>	
<b>Adaptive Localization and Segmentation of Optic Disc using K-means and Active Contour</b>	100
<i>Hanung Adi Nugroho; Augustine Herin Hutami; Eka Frannita; Rizki Nurfauzi</i>	
<b>A Scalable Approach for Improving Implementation of a Frequent Pattern Mining Algorithm using MapReduce Programming</b>	106
<i>Md. Abed Hasan; Naima Hassan; Md. Hasibuzzaman; Mohammad Rezwanul Huq</i>	
<b>Comparison Performance of C4.5, Naïve Bayes and K-Nearest Neighbor in Determination Drug Rehabilitation</b>	112
<i>Islamiyah Islamiyah; Nataniel Dengen; Anisa Afiyah; Medi Taruk</i>	
<b>Impact of Different Degree of Smoothing on Non-Local Means based Filter for Retinal Vessel Modeling</b>	118
<i>Kartika Firdausy; Oyas Wahyunggoro; Hanung Adi Nugroho; Muhammad Bayu Sasongko; Risanuri Hidayat</i>	
<b>Cosine Similarity for Title and Abstract of Economic Journal Classification</b>	123
<i>Putri Yuni Ristanti; Aji P Wibawa; Utomo Pujiyanto</i>	
<b>The Multi Layer Auto Encoder Neural Network (ML-AENN) for Encryption and Decryption of Text Message</b>	128
<i>Achmad Gaffar; Arief Putra, ABWP; Rheo Malani</i>	
<b>An Efficient Ear Recognition Based on Colour Texture and Edges Geometry</b>	134
<i>Raad Ahmed Hadi, Loay Edwar George</i>	
<b>Comparison of Egg Fertility Identification based on GLCM Feature Extraction using Backpropagation and K-means Clustering Algorithms</b>	140
<i>Shoffan Saifullah; Vynska Amalia Permadi</i>	
<b>Plasmodium Candidate Detection on Thin Blood Smear Images with Luminance Noise Reduction</b>	146
<i>Hanung Adi Nugroho; Rizki Nurfauzi; Eka Frannita</i>	
<b>Smart Cane: Public Transportation Code Detection and Identification System for Visually Impaired</b>	150
<i>Giva Andriana Mutiara; Gita Indah Hapsari; Kevin Suhandi</i>	

<b>Preventing Traffic Road Accident: Prototype of Monitoring Tires Failure Detection</b>	156
<i>Giva Andriana Mutiara; Periyadi Periyadi; Mochamad Ghani Rachmatul Firdaus; Janfery Sinaga</i>	
<b>An Effective Quantum Inspired Genetic Algorithm for Continuous Multiobjective Optimization</b>	161
<i>Julisa Bana Abraham; Oyas Wahyunggoro; Noor Akhmad Setiawan</i>	
<b>Feature Extraction of ECG Signals using Discrete Wavelet Transform and MFCC</b>	167
<i>Siti Agrippina Alodia Yusuf; Risanuri Hidayat</i>	
<b>Categorical Data Classification based on Fuzzy K-Nearest Neighbor Approach</b>	171
<i>Heru C Rustamaji; Shalfa F Luhrie; Oliver Simanjuntak; Juwairiah Juwairiah; Bambang Yuwono</i>	
<b>Image Graph Matching Based on Region Adjacency Graph</b>	176
<i>Akmal Akmal; Rinaldi Munir; Judhi Santoso</i>	
<b>Weakening Feature Independence of Naïve Bayes Using Feature Weighting and Selection on Imbalanced Customer Review Data</b>	182
<i>Reiza Adi Cahya; Fitra A. Bachtiar</i>	
<b>Anomaly-Based Intrusion Detection and Prevention Using Adaptive Boosting in Software-defined Network</b>	188
<i>Rifki Indra Perwira; Yuli Fauziah; I Retya Mahendra; Dessyanto Boedi Prasetyo; Oliver Simanjuntak</i>	
<b>Handling Imbalance Issue in Hate Speech Classification using Sampling-based Methods</b>	193
<i>Rathpisey Heng; Teguh Bharata Adji</i>	
<b>Eyeball Movement Detection Using Sector Line Distance Approach and Learning Vector Quantization</b>	199
<i>Gusti Pangestu; Fitra A. Bachtiar</i>	
<b>Intrusion Detection System as Audit in IoT Infrastructure using Ensemble Learning and SMOTE Method</b>	205
<i>Aldhi Ari Kurniawan; Heru Agus Santoso; Moch Arief Soeleman; Ahmad Zainul Fanani</i>	
<b>A Semiautomatic Sperm Cell Data Annotator for Convolutional Neural Network</b>	211
<i>Priyanto Hidayatullah; Tati Erawati Rajab; Rinaldi Munir; Anggraini Barlian</i>	
<b>Improving Imbalanced Dataset Classification Using Oversampling and Gradient Boosting</b>	217
<i>Nur Heri Cahyana; Siti Khomsah; Agus Sasmito Aribowo</i>	
<b>Enumeration of Plasmodium Parasites on Thin Blood Smear Digital Microscopic Images</b>	223

*Alifia Prananda; Hanung Adi Nugroho; Igi Ardiyanto*

**Wound Classifications Of Breast Tissues with Electrical Impedance Spectroscopy (EIS): Comparison of LVQ and GA-LVQ** 229

*Yoke K Arbawa; R. Adhitya Pisefty; Fitra A. Bachtiar*

**Comparative Performance Analysis Between Software-Defined Networks and Conventional IP Networks** 235

*Leonel Hernandez; Genett Jimenez; Andri Pranolo; Carlos Uc Rios*

**Arnold Transformed Position Power First Mapping (AT-PPFM) for Secret Digital Image** 241

*Wilis Kaswidjanti; Hidayatulah Himawan; Afra Oryza Mursita Dewi; Mangaras Yanu Florestiyanto; Rifki Indra Perwira*

**Rule-Based Pronunciation Models to Handle OOV Words for Indonesian Automatic Speech Recognition System** 246

*Fanda Yuliana Putri; Devin Hoesen; Dessi Lestari*

**Performance Evaluation of Supervised Machine Learning Algorithms Using Different Data Set Sizes for Diabetes Prediction** 252

*Melky Radja; Andi Wahyu Rahardjo Emanuel*



# Arnold Transformed Position Power First Mapping (AT-PPFM) for Secret Digital Image

1<sup>st</sup> Wilis Kaswidjanti  
*Informatic Departement*  
 UPN "Veteran" Yogyakarta  
 Yogyakarta, Indonesia  
 wilisk@upnyk.ac.id

2<sup>nd</sup> Hidayatulah Himawan  
*Informatic Departement*  
 UPN "Veteran" Yogyakarta  
 Yogyakarta, Indonesia  
 if.iwan@gmail.com

3<sup>rd</sup> Afra Oryza Mursita Dewi  
*Informatic Departement*  
 UPN "Veteran" Yogyakarta  
 Yogyakarta, Indonesia  
 afraoryza05@gmail.com

4<sup>th</sup> Mangaras Yanu Florestiyanto  
*Informatic Departement*  
 UPN "Veteran" Yogyakarta  
 Yogyakarta, Indonesia  
 mangaras.yanu@upnyk.ac.id

5<sup>th</sup> Rifki Indra Perwira  
*Informatic Departement*  
 UPN "Veteran" Yogyakarta  
 Yogyakarta, Indonesia  
 rifki@upnyk.ac.id

**Abstract**— Digital image data stored and exchanged in cloud storage can be secured using cryptographic and steganographic techniques. The information contained in a data is secured in order to avoid taking data or information from unauthorized parties. The encryption process is done by changing the original image data from what can be understood to be incomprehensible. Encryption uses Arnold Transformation Algorithm which randomizes the pixel of image data by using 4-bit Most Significant hidden images to then be inserted into the encrypted 4-bit Least Significant Cover. Peak Signal to Noise (PSNR) is used to compare image quality before and after extraction. This comparison is based on the test results of the mean error value or Mean Square Error (MSE) of the original image data and the resulting image insertion data. PSNR produced in this study is above the minimum standard value (40 dB), which is between 45.60 dB - 46.10 dB, and the resulting distortion value is very small ( $MSE > 2$ ). By using a 4-bit insertion of the existing image data, the extraction results are not much different from the hidden image before insertion and the results can be identified. So that the use of Arnold Transform and Position Power First Mapping (PPFM) algorithms reduces distortion and differences as well as the possibility of data leakage from the resulting image data.

**Keywords**— *Arnold Transform, PPFM, Cryptography, Steganography*

## I. INTRODUCTION

With the Internet, information security including information in the form of images in the process of storing and exchanging images has become an important and worrying problem because it is very vulnerable to many threats and attacks [1][2]. The development of the internet has a significant impact on the progress of information exchange and data storage, one of which is known as cloud computing technology, which is a model that allows the use of computing resources used together [3]. The cloud is a new paradigm in data collection, archiving, analysis, and data sharing based, and provides access to flexible resources [4]. With the various benefits of cloud technology, this encourages organizations and individual users to use and switch their applications and services to this technology [5].

In the use of cloud storage, it does not rule out the possibility that the data exchanged and stored therein may be data that is confidential and should only be known by certain parties. Data security in cloud computing is not guaranteed directly, because the data is placed on a cloud that can be

accessed by everyone. In cloud computing, users need to send personal data to the cloud, but don't trust the cloud, so the data will be encrypted and forwarded to the cloud. Concealment of reversible data allows service providers to embed additional messages, such as image labels, notation or authentication information, into encrypted images, and has a reversibility feature to extract additional messages and restore the original image [6].

Security systems that can be used to protect data are cryptographic and steganographic techniques [7]. Cryptographic and steganographic techniques convert the original image into an unreadable image and insert it into a new image that has a different meaning from the original image [8]. Steganography is a method for hiding data by inserting it into multimedia such as pictures, videos and audio [7][9][10]. In steganographic images many techniques are used to hide from seeing confidential information into cover images such as spatial domain methods, changing domain techniques, distortion techniques and mask and filtering techniques [11]. As for the implementation, this research will use the Arnold Transform algorithm and Position Power First Mapping (PPFM).

Arnold Transform's algorithm and Position Power First Mapping (PPFM) continue to develop along with the use of cloud computing technology. This method was invented by a Russian mathematician named Vladimir Igorevich Arnold [12]. According to Wu [6], the Arnold Transform algorithm approach provides a high level of image data encryption by randomizing the host image and producing random pixels that cannot be recognized for authenticity. The proposed algorithm is quite effective and efficient in disguising image data information. Arnold's transformation algorithm based on Cryptography will be against Noise, Sharpening and Contrast Attacks [8]. Arnold Transform algorithm will be used to encrypt image data by randomizing pixels according to the transformation period of the iteration based on the size of the cover image, which will eventually lead to the random form of the cover image [13].

According to Mukhrejee [14], Position Power First Mapping (PPFM) has unique significance in the domain of image steganography, and has a high embedding capacity (bit planting) without a significant distortion range in hiding messages (other images) in it. This shows that this method fulfills all obligations in securing confidential information from hidden image data. The embedding mechanism of

Position Power First Mapping (PPFM) is next effectuated [15]. Position Power First Mapping (PPFM) will focus on planting the original image bit into the encrypted cover image in a stable manner so as to minimize the visual difference between the cover image and the final image. In Mukhreejee's study [14], the number of bits implanted was 2 bits.

The combination of the Arnold Transform algorithm and the position power first mapping method by planting 2-bit secret images produces good stego-image quality with high security without any significant quality changes to stego-image, but this research does not produce good quality stego image extraction results. because it cannot maintain the essence of information from hidden images or the extraction results themselves.

This research is based on the importance of image data security strength, smooth camouflage of the stego-image encoded process that will be stored and exchanged into Google Drive. In addition, this research will also focus on maintaining the quality of stego-image extraction results, so that the essence of information information from hidden images can be maintained by embedding 4-bit hidden images into the host image.

From the explanation above, this research will focus on solving digital image security problems that are integrated with cloud storage services by applying Arnold Transform algorithm and Position Power First Mapping (PPFM). The implementation of the Arnold Transform algorithm and Position Power First Mapping (PPFM) is expected to improve security in the exchange and storage of image data in cloud storage to avoid data leakage or data leakage problems and information can not be known by other parties who are not interested.

## II. METHODOLOGY

In this research, the encryption consists of encoding and decoding processes. Where the two processes have a connection in the integration of image data to be hidden.

The first process is the encoding process. This encoding process begins by inputting image data in the form of hidden data or data to be hidden and also a cover image which is a cover cover image that will be inserted by a hidden image or secret image. The next stage is the preprocessing stage in which the inserted image will receive the preprocessing stage before entering the encryption and insertion process. Then the cover image will go through a randomization process based on permutation by implementing the Arnold Transform algorithm. After that, the hidden image will enter the insertion stage into the encrypted cover image. After experiencing the insertion, the image from the insertion will go through the stage of returning the pixel position as before with the implementation of the Arnold Transform inverse algorithm. Then the stego-image from the previous stage will be displayed in a preview of the encoding results, then the stego-image can be stored in the local storage of the user or online storage service.

The second process is the decoding process of stego-image. This decoding process begins by inputting image data that has previously been through the encoding process, both those that have been stored in the user's device or in an online storage service. The next stage is the stage of randomization of pixels as is done in the encoding process using the Arnold Transform inverse algorithm. After going through the cover

scrambling stage the next step is extraction of hidden images that have been inserted using the anti PPFM method, the extraction results can then be saved into the existing device.

Both of these processes can be seen in Figure 1 which shows the flow of the research process carried out. The encoding and decoding process of the existing stego-image is integrated into one image data that is hidden in the running process.




Fig. 1. Encoding and Decoding Flowchart

This preprocessing sub-process involves changing the file extension, first of all this stage begins with reading the cover image file and the hidden image that has been inputted (Figure 2).




Fig. 2. Preprocessing Flowchart

The cover image or Cover.png image will experience randomization according to permutation using the Arnold Transform algorithm (figure 3).




Fig. 3. Arnold Transform Permutation Flowchart [14]

Sub insertion process with PPFM is the process of inserting hidden images into randomized cover images (figure 4).




Fig. 4. Inserting Proses with PPFM Flowchart

Stages of returning random pixel positions into regular pixel positions and have meaning or information by permutation using the Arnold Transform inverse algorithm (figure 5).




Fig. 5. Inverse Arnold Transform Flowchart [14]

The hidden image extraction sub-process that has been inserted using the anti PPFM method is the process of returning hidden images from the cover image (figure 6).




Fig. 6. Extract Image with anti PPFM

### III. RESULTS AND DISCUSSION

In this study, the extracted confidential data is used to measure the similarity between the original image and the stego image. The purpose of the experimental results is to evaluate the level of distortion of the stego image. This study needs to evaluate how well the proposed method compared to previous studies [14]. The difference in previous research by Mukherjee [14], is in the number of bits inserted in the cover image. In the previous research, 2-bit most significant was inserted and then inserted into the 2-bit least significant cover that has been encrypted, in this study used 4-bit most significant hidden images and then inserted into the 4-bit least significant encrypted cover. In this study, we used Peak Signal to Noise (PSNR) to compare the quality of the cover image after the secret message was inserted and the hidden image extracted [16]. The MSE value must be determined before calculating the PSNR. MSE is the average error value between the cover image and the insertion image. MSE and PSNR calculations are presented in (1) and (2).

#### A. Testing of Mean Square Error (MSE) and Peak Signal-to-Noise Ratio (PSNR)

Table I shows the results of the MSE calculation of each image, the calculation is obtained through the average square between the original image and the noise image that has undergone insertion using equation (1). Table I also shows the results of the PSNR calculation. PSNR is an example of parameters commonly used as indicators to measure the similarity of two images. These parameters are often used to compare the results of image processing with the initial image or original image. To calculate the PSNR the MSE value is required. PSNR calculation is obtained through calculations using equation (2).

$$MSE = \frac{1}{MN} \sum_{x=1}^M \sum_{y=1}^N (S_{xy} - C_{xy})^2 \quad (1)$$

$$PSNR = 10 \log_{10} \left( \frac{C_{max}^2}{MSE} \right) \quad (2)$$

Here, x and y are the coordinates of the pixel value of the stego and original images respectively, N and M are the dimensions or size of the image,  $S_{xy}$  states stego image and  $C_{xy}$  represent the original image. Then the bits per pixel (bpp) are used to calculate the amount of capacity. Bpp value is obtained by dividing the amount of secret data to be inserted and the number of pixels in the original image. In this research, the results of our experiment are presented in Table I.

In table I, the name of the image is the original name of each image that has gone through the testing process. Then the size of the image is a dimension of the test image, in this case each image is carried out three times the test with different dimensions of the image. Testing is done by comparing previous studies. Lastly, the value is the result of MSE and PSNR calculations.

TABLE I. TABLE OF MSE AND PSNR TESTING OF STEGO-IMAGE

Image Name	Image Dimension	Mukherjee et al. [14]		Proposed	
		MSE	PSNR	MSE	PSNR
Green Lake	200x200	1,93	45,31	1,63	46,04
	225x225	1,94	45,30	1,61	46,10
	250x250	1,93	45,32	1,62	46,06
Night City	200x200	2,38	44,39	1,80	45,61
	225x225	2,36	44,43	1,81	45,59
	250x250	2,38	44,40	1,80	45,60

PSNR is often expressed on a logarithmic scale in decibels (dB). PSNR values falling below 30 dB indicate relatively low quality, where distortion caused by insertion is clearly visible. However, the high stego-image quality is at 40dB and above. So from table I it can be concluded that the encryption with the AT algorithm and the insertion with PPFM have a small distortion range that can be seen from the results of the test that produces a good PSNR value for stego images.

TABLE II. TABLE OF MSE AND PSNR TESTING OF EXTRACTED IMAGE

Image Name	Image Dimension	Mukherjee et al. (2-bit) [14]		Proposed (4-bit)	
		MSE	PSNR	MSE	PSNR
The President	200x200	234,02	24,47	25,42	34,11
	225x225	233,07	24,49	25,14	34,16
	250x250	234,48	24,46	25,32	34,13
Girl	200x200	322,64	23,08	23,91	34,38
	225x225	324,15	23,06	24,01	34,36
	250x250	322,56	23,09	23,84	34,39

Based on table I, it can be seen that the insertion of 4 bits in each hidden image pixel into the cover image does not cause significant changes to the cover image. This can be proven based on the PSNR value of stego-image with 4-bit image insertion not having a wide range of differences to the PSNR results of stego-image with 2-bit image insertion having PSNR values above 40 which indicates the quality of stego-image high. Whereas based on table II, the results of extraction of stego-images with 4-bit image insertion have a PSNR value above 30 which indicates that the quality is still good, not low. The extraction result is not much different from the hidden image before insertion and the results can be identified. While the results of image extraction on stego-images with 2-bit insertion have results that are far different from PSNR values below 30 and the results cannot be identified. From the experiment, it can be seen that the PSNR is higher than that of the previous method [12].

### IV. CONCLUSION

The use of Arnold transform algorithm method and Position power first mapping in the process of extracting 4-bit Most Significant image data, resulting a data randomization process with Peak Signal to Noise Ratio (PSNR) of 45.60 dB - 46.10 dB for the generated stego image and the extraction results show that the image quality remains good with PSNR above 30 dB. This analysis technique helps users to hide image data to be stored online by reducing the possibility of data distortion ranges that result in changes of image data significantly. Implementation of this algorithm method results in increased security on the process of exchanging and storing image data in cloud storage.

#### ACKNOWLEDGMENT

This research was supported by UPN "Veteran" Yogyakarta. We are thankful to our colleagues who provided expertise that greatly assisted the research. We are also grateful to who moderated this paper and in that line improved the manuscript significantly.

#### REFERENCES

- [1] S. Mukherjee and G. Sanyal, *Distributed Computing and Internet Technology*, vol. 3347. Springer International Publishing, 2005.
- [2] A. Joshi and M. Kumari, "Encryption of RGB image using Arnold transform and involutory matrices," *International J. Adv. Res. Comput. Commun. Eng.*, vol. 4, no. 9, 2015.

- [3] J. L. Brenier, "An Analysis of the Cloud Computing Security Problem Mohamed," *Int. Surg.*, vol. 47, no. 3, pp. 288–290, 1967.
- [4] Sarma Nuthalapati, *Power System Grid Operation Using Synchrophasor Technology*. Springer International Publishing, 2019.
- [5] G. Ramachandra, M. Iftikhar, and F. A. Khan, "A Comprehensive Survey on Security in Cloud Computing," *Procedia Comput. Sci.*, vol. 110, no. 2012, pp. 465–472, 2017.
- [6] F. Di, M. Zhang, Y. Zhang, and J. Liu, "Reversible Data Hiding for Encrypted Image Based on Interpolation Error Expansion," *Int. J. Mob. Comput. Multimed. Commun.*, vol. 9, no. 4, pp. 76–96, 2018.
- [7] A. Cheddad, J. Condell, K. Curran, and P. Mc Kevitt, "Digital image steganography: Survey and analysis of current methods," *Signal Processing*, vol. 90, no. 3, pp. 727–752, 2010.
- [8] S. A. Al-taweel, M. H. Al-hada, and A. M. Nasser, "Image in image Steganography Technique based on Arnold Transform and LSB Algorithms," *Int. J. Comput. Appl.*, vol. 181, no. 10, pp. 32–39, 2018.
- [9] Y. Xue, W. Liu, W. Lu, Y. Yeung, X. Liu, and H. Liu, "Efficient halftone image steganography based on dispersion degree optimization," *J. Real-Time Image Process.*, vol. 0, no. 0, p. 0, 2018.
- [10] J. V. C. I. R, J. Zhang, W. Lu, X. Yin, W. Liu, and Y. Yeung, "Binary image steganography based on joint distortion measurement q," *J. Vis. Commun. Image Represent.*, vol. 58, pp. 600–605, 2019.
- [11] S. Bukhari, M. S. Arif, M. R. Anjum, and S. Dilbar, "Enhancing security of images by Steganography and Cryptography techniques," *2016 6th Int. Conf. Innov. Comput. Technol. INTECH 2016*, pp. 531–534, 2017.
- [12] M. R. PourArian and A. Hanani, "Blind steganography in color images by double wavelet transform and improved arnold transform," *Indones. J. Electr. Eng. Comput. Sci.*, vol. 3, no. 3, pp. 586–600, 2016.
- [13] E. J. Kusuma, C. A. Sari, E. H. Rachmawanto, and D. R. I. M. Setiadi, "A Combination of Inverted LSB, RSA, and Arnold Transformation to get Secure and Imperceptible Image Steganography," *J. ICT Res. Appl.*, vol. 12, no. 2, p. 103, 2018.
- [14] S. Mukherjee, "A Novel Image Steganographic Technique Using Position Power First Mapping ( PPFM )," pp. 406–410.
- [15] S. Mukherjee and G. Sanyal, "Enhanced Position Power First Mapping (PPFM) based image steganography," *Int. J. Comput. Appl.*, vol. 39, no. 2, pp. 59–68, 2017.
- [16] A. Kumar and S. Gandharba, "A Novel n-Rightmost Bit Replacement Image Steganography Technique," *3D Res.*, vol. 0123456789, 2019.

<http://icsitech.org/>



Hosted by:



Department of Informatics Engineering  
Universitas Pembangunan Nasional Veteran Yogyakarta  
Jl. Babarsari 2 Yogyakarta 55281  
Email : [info2019@icsitech.org](mailto:info2019@icsitech.org)