

COMPARISON OF FORECASTING ACCURACY RATE OF EXPONENTIAL SMOOTHING METHOD ON ADMISSION OF NEW STUDENTS

by Parasian Silitonga

Submission date: 28-Mar-2020 04:59PM (UTC+0700)

Submission ID: 1283886741

File name: 197-1581575657.pdf (433.58K)

Word count: 3181

Character count: 15106



Review Article

COMPARISON OF FORECASTING ACCURACY RATE OF EXPONENTIAL SMOOTHING METHOD ON ADMISSION OF NEW STUDENTS

Hidayatullah Himawan¹, Parasian DP Silitonga²

¹Informatics Engineering Department, Veterans National Development University, Indonesia

²Informatics Engineering Department, Santo Thomas Catholic University, Indonesia

Received: 09.11.2019

Revised: 15.12.2019

Accepted: 16.01.2020

Abstract

Forecasting is a tool or technique used to predict or predict a value in the future by paying attention to relevant data or information, 7th past data or information as well as current data or information. There are several forecasting methods, one of which is the exponential smoothing method. In this study a comparison of forecasting accuracy to new student admission data in a study program at a university using the single exponential smoothing, double exponential smoothing and triple exponential smoothing methods. The best forecasting using the single exponential smoothing method is obtained when the parameter value alpha = 0.9 with the mean percentage error (MPE) = 0.0239, while the best forecasting using the double exponential smoothing method is obtained when the parameter value alpha = 0.8 and beta = 1, with an MPE value of 0.1172. The best forecasting using the triple exponential smoothing method is obtained when the values of alpha = 0.6 and beta = 0.9, with an MPE value of 0.161. Based on the forecasting results of the three methods, it was concluded that the best forecasting obtained in this study was to use the triple exponential smoothing method with an MPE value of 0.0161.

Keywords: Exponential Smoothing, Single Exponential Smoothing, Double Exponential Smoothing, Triple Exponential Smoothing, Mean Percentage Error (MPE)

© 2019 by Advance Scientific Research. This is an open-access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/) DOI: http://dx.doi.org/10.31838/jcr.07.02.50

INTRODUCTION

At a university, an increase in the admission of new students can be used as an indicator of the success of the education system at the university [1]. Various methods are carried out as an effort to increase the number of new student admissions. Starting from promotional activities to improving infrastructure and curriculum that can be accepted in the labor market.

In several universities, a promotion team was formed to help introduce the university to the public. Not only for marketing, but the promotion team is also expected to be able to make predictions related to the number of new student admissions [2]. Predicting the admission of new students will certainly affect the target area of the promotion and the budget that will be used.

Prediction or forecasting is a tool or technique used to estimate a value in the future by taking into account relevant data or information, both past data or information or current data or information [3]. There are 2 general methods in the equation that are qualitative and quantitative. The qualitative method is intuitive and is usually done when there is no past data or history, which results in the inability of mathematical calculations. While quantitative methods can be done based on previous data so that calculations can be done mathematically [4].

In forecasting, several methods are applied together, to find the best method in the selection of criteria used by reference to determine the best model [5]. In the forecasting process, whether or not the model used is very influential in the decisions made. By looking at the smallest error rate from the model that can be chosen in making predictions in the future.

Exponential smoothing is one of the methods in the forecasting process. The exponential smoothing method performs a continuous calculation process that uses the latest data [6]. Exponential smoothing has 3 variants of methods including single exponential smoothing, double exponential smoothing and triple exponential smoothing [7]. Based on the discussion, in this study forecasting using single exponential smoothing,

double exponential smoothing and triple exponential methods to find the best accuracy of the three methods.

MATERIALS AND METHOD

Forecasting is a tool or technique used to predict or predict a value in the future by paying attention to relevant data or information, both past data or information or current data or information [3]. In forecasting, there are 2 general methods, namely qualitative and quantitative. The qualitative method is intuitive and is usually done when there is no past data / history, which results in the inability of mathematical calculations. While quantitative methods can be done based on previous data/history so that calculations can be done mathematically [4].

Exponential smoothing is one of the methods in the forecasting process. The exponential smoothing method performs a continuous calculation process that uses the latest data [6]. Each data is given a weight, where the weight used is symbolized by alpha. Alpha symbols can be freely determined, which reduces forecast errors. The smoothing constant value, alpha, can be chosen between values 0 and 1, because it applies: 0 < alpha < 1 [8]. Exponential smoothing has 3 variants of methods including single exponential smoothing, double exponential smoothing and triple exponential smoothing [7].

A single exponential smoothing method or known as simple exponential smoothing is a short-term forecasting model. This model assumes that the data fluctuates around a fixed mean value, without consistent growth trends or patterns [9]. This method is formulated according to the following equation:

F_{t+1} = alpha * X_t + (1-alpha) * F_t (1)

- F_{t+1} : Forecasting at time - (t + 1)
F_t : Forecasting at time - t
X_t + (1-alpha) : Actual time series value
alpha : Constants between 0 to 1

The double exponential smoothing method is used when there is trend data. Basically this method is the same as the single exponential smoothing method, but there are additional weights used to detect trends from the data [10]. The double exponential smoothing method is formulated according to the following equation:

$$10 \quad \alpha Y_t + (1-\alpha)(L_{t-1} + b_{t-1}) \quad (2)$$

$$b_t = \gamma(L_t - L_{t-1}) + (1-\gamma)b_{t-1} \quad (3)$$

$$F_{t+m} = L_t + b_t m \quad (4)$$

Weights α and γ are between 0 and 1. L_t represents the estimated amount (level) stating the forecast value at time t , and b_t represents the value of the slope at time t .

The triple exponential smoothing method is used when the data shows seasonal trends and behavior [11]. Triple exponential smoothing method is done by using the equation:

$$S_t = \alpha \frac{Y_t}{L_{t-L}} + (1-\alpha)(S_{t-1} + b_{t-1}) \quad (5)$$

$$b_t = \gamma(S_t - S_{t-1}) + (1-\gamma)b_{t-1} \quad (6)$$

$$L_t = \beta \frac{Y_t}{S_t} + (1-\beta)L_{t-L} \quad (7)$$

$$F_{t+m} = (S_t + mb_t)L_{t-L+m} \quad (8)$$

Where :

- Y : Observation data
- S : Observation data of smoothing results
- b : Trend Factor
- I : Index
- F : Forecast in period m
- m : Period
- t : Time Index
- α, β, γ : Constant value to smooth the MSE value, where this value is in the range of 0.1 to 1.0

In forecasting, several methods are applied together, to find the best method in the selection of criteria used by reference to determine the best model [5]. In the forecasting process,

whether or not the model used is very influential in the decisions made. By looking at the smallest error rate from the model that can be chosen in making predictions in the future [12]. The magnitude of the error can be calculated by measuring the error rate, among others [13]:

- MAPE (Mean Absolute Percentage Error), which is the presentation of errors by seeing how much the value of forecasting compared to the actual value. MAPE is formulated according to the following equation:

$$MAPE = \sum \frac{\left| \frac{Y_t - F_t}{Y_t} \right|}{n Y_t} \times 100 \quad (9)$$

- MAD (Mean Absolute Deviation), which measures error by averaging the absolute error of forecasting. The error measured in this measurement will be the same as the original data and is used to compare different forecasting methods. MAD is formulated according to the following equation:

$$MAD = \frac{\sum |F_t - Y_t|}{m} \quad (10)$$

- MPE (Mean Percentage Error) is the average calculated from the percentage error where the estimated model differs from the actual value of the estimated quantity. MPE is calculated according to the following equation:

$$MPE = \frac{100\%}{n} \sum \frac{(F_t - Y_t)}{m} \quad (11)$$

5 used on sample data that has been carried out in the research on the implementation of the double exponential smoothing method [14] in table 1, the next forecasting process will be described using the three variants of exponential smoothing.

Table 1. Data Sample Forecasting New Student Admissions

Periode (m)	Data Aktual (Yt)	Forecasting(Ft)
3	80	80
4	59	146
5	62	161
6	30	?

In accordance with equation 1, forecasting is done using an α value of 0.5. Forecasting results using the single exponential smoothing method based on the first data obtained:

$$F_{t+1} = \alpha X_t + (1-\alpha) * F_t$$

$$F_{16} = 0.5 * 62 + (1-0.5) * 161$$

$$F_{16} = 111.5 = 112$$

If forecasting is done using the double exponential smoothing method where parameter α is 0.5, while parameter β is 0.4, According to equations 2, 3 and 4, we get:

$$10 \quad L_t = \alpha Y_t + (1-\alpha)(L_{t-1} + b_{t-1})$$

$$b_t = \gamma(L_t - L_{t-1}) + (1-\gamma)b_{t-1}$$

$$F_{t+m} = L_t + b_t m$$

$$L_{15} = 0.5 \times 62 + (1-0.5) \times 161.1$$

$$= 111.55$$

$$b_{15} = 0.4 \times (111.55 - 102.5) + (1-0.4) \times 58.6$$

$$= 38.78$$

$$F_{16} = 111.55 + 38.78$$

$$= 150.33 = 150$$

While the triple exponential smoothing method using the α parameter value of 0.5 produces the forecasting process as follows:

$$S^1 t = 0.5 * 62 + (1-0.5) * 59$$

$$= 60.5$$

$$S^2 t = 0.5 * 60.5 + (1-0.5) * 59$$

$$= 59.8$$

$$S^3 t = 0.5 * 59.8 + (1-0.5) * 59$$

$$= 59.4$$

$$a_t = 3 * 60.5 - 3 * 59.8 + 59.4$$

$$= 61.5$$

$$b_t = (0.5 / (2(1-0.5)^2)) [(6-5 * 0.5) * 60.5 - (10-8 * 0.5) * 59.8 + (4-3 * 0.5) * 59.4]$$

$$= 1 * 1.5$$

$$= 1.5$$

$$c_t = ((0.5^2) / (1-0.5)^2) [60.5 - 2 * 59.8 + 59.4]$$

$$= 1 * 0.3$$

$$= 0.3$$

So the forecast value in the 6th period is equal to:

$$F_{t+m} = 61.5 + 1.5 + 0.5 * 0.3^2$$

$$= 65.6$$

RESULT

Comparison of the accuracy of forecasting methods using single exponential smoothing, double exponential smoothing,

and triple exponential smoothing methods is done on the data of new student admissions in a study program at a university for the past 10 years [14].

Table 2. Testing Data for New Student Admissions

Periode (m)	Data Aktual (Yt)
1	80
2	68
3	55
4	60
5	70
6	58
7	73
8	80
9	68
10	102

5

The application of the single exponential smoothing method is done by using the parameter value $0 < \alpha < 1$. The results of forecasting calculations using the single exponential

smoothing method by using the parameter value $\alpha = 0.9$ are presented in Table 3.

Table 3. Forecasting Single Exponential Smoothing with Parameter Value $\alpha = 0.9$

Number	Data Value	Forecast Value
1	80	79
2	68	69
3	55	56
4	60	60
5	70	69
6	58	59
7	73	72
8	80	79
9	68	69
10	102	99
MAD		13,0139
MAPE		0,1768
MPE		0,0239




Figure 1. Comparison of Actual Value and Single Exponential Smoothing Forecasting Parameters with Parameter Value $\alpha = 0.9$

Changes in MPE values based on changing parameter values $0 < \alpha < 1$ forecasting using single exponential smoothing are presented in Table 4.

Table 4. Changes in MPE Value Based on Changes in the Parameter Value α in Single Exponential Smoothing

Number	α	MPE
1	0.1	0,0431
2	0.2	0,0385
3	0.3	0,0354
4	0.4	0,0327
5	0.5	0,0303
6	0.6	0,0281
7	0.7	0,0263
8	0.8	0,0249
9	0.9	0,0239

Forecasting using the Triple Exponential Smoothing method is carried out with variations in the parameter value $0 < \alpha < 1$ and the parameter value $0 < \beta < 1$. As a sample of the results of the

Triple Exponential Smoothing forecasting using the parameter value $\alpha = 0.6$ and the parameter $\beta = 0.9$ are presented in Table 5.

Table 5. Forecasting Triple Exponential Smoothing with Parameter Value $\alpha = 0.6$ and Parameter Value $\beta = 0.9$

Number	Data Value	Forecast Value
1	80	72
2	68	59
3	55	61
4	60	79
5	70	59
6	58	42
7	73	72
8	80	111
9	68	68
10	102	103
MAD		14,2125
MAPE		0,1871
MPE		0,0161




Figure 2. Comparison of Actual Value and Triple Exponential Smoothing Forecasting with Parameter Parameters $\alpha = 0.6$ and $\beta = 0.9$

COMPARISON OF FORECASTING ACCURACY RATE OF EXPONENTIAL SMOOTHING METHOD ON ADMISSION OF NEW STUDENTS

Based on the results of research conducted on new student admission data using the double exponential smoothing

method, it was found that the best forecast was found when the parameter values $\alpha = 0.8$ and $\beta = 1$ [14], as in Table 6.

Table 6. Double Exponential Smoothing Forecasting Results with parameter values $\alpha = 0.8$ and $\beta = 1$

Number	Actual Value	Forecast Value
1	80	73
2	68	58
3	55	42
4	60	57
5	70	78
6	58	57
7	73	77
8	80	89
9	68	65
10	102	117
MAD		20.65656
MAPE		0.27722
MPE		0.11719




Figure 3. Comparison Chart of Actual Values and Double Exponential Smoothing Forecasting Values with Parameter Parameters $\alpha = 0.8$ and $\beta = 1$

Comparison of forecast values using the single exponential smoothing, double exponential smoothing and triple exponential smoothing methods based on admission data for

new students for the last 10 years in a study program at a university is presented in Table 7.

Table 7. Comparison of Forecasting Value in Exponential Smoothing Method

Number	Data Value	Forecast Value		
		Single Eksponential Smoothing	Double Eksponential Smoothing	Triple Eksponential Smoothing
1	80	79	73	72
2	68	69	58	59
3	55	56	42	61
4	60	60	57	79

5	70	69	78	59
6	58	59	57	42
7	73	72	77	72
8	80	79	89	111
9	68	69	65	68
10	102	99	117	103
MAD		13,0139	2.065.656	14,2125
MAPE		0,1768	0.27722	0,1871
MPE		0,0239	0.11719	0,0161




Figure 4. Exponential Smoothing Forecasting Comparison Graph

CONCLUSION

Based on the results obtained in this study, the conclusions obtained include:

- The best forecasting using the single exponential smoothing method is obtained when the parameter value $\alpha = 0.9$ with the mean percentage error (MPE) value = 0.0239.
- The best forecasting using the double exponential smoothing method is obtained when the parameter values $\alpha = 0.8$ and $\beta = 1$, with an MPE value of 0.1172.
- The best forecasting using the triple exponential smoothing method is obtained when the values of $\alpha = 0.6$ and $\beta = 0.9$, with an MPE value of 0.0161. The triple exponential smoothing method performs the best forecasting with an MPE value of 0.0161.

ACKNOWLEDGMENTS

Thank you to all those who have supported this research. If there is an error in this research, the authors apologize and the authors are open to all suggestions and criticisms. The data and methods used in this study can be used in subsequent studies to produce better research.

REFERENCES

1. H. Wu, E. Garza, and N. Guzman, "International Student's Challenge and Adjustment to College," *Educ. Res. Int.*, vol. 2015, p. 202753, 2015.
2. F. M. Isa, S. N. Othman, and N. M. N. Muhammad, "Postgraduate students' recruitment strategies in higher education institutions of Malaysia," *Int. Rev. Manag. Mark.*, vol. 6, no. 8Special Issue, pp. 166–174, 2016.
3. T. Booranawong and A. Booranawong, "SIMPLE AND DOUBLE EXPONENTIAL SMOOTHING METHODS WITH DESIGNED INPUT DATA FOR FORECASTING A SEASONAL TIME SERIES: IN AN APPLICATION FOR LIME PRICES IN THAILAND," *Suranaree J. Sci. Technol.*, vol. 24, pp. 301–310, 2017.
4. Siregar, I. A. Butar-Butar, R. F. Rahmat, U. Andayani, and F. Fahmi, "Comparison of Exponential Smoothing Methods in Forecasting Palm Oil Real Production," *J. Phys. Ser.*, vol. 801, p. 12004, Jan. 2017.
5. C. L. Karmaker, P. K. Halder, and E. Sarker, "A Study of Time Series Model for Predicting Jute Yarn Demand: Case Study," *J. Ind. Eng.*, vol. 2017, p. 2061260, 2017.
6. M. H. Rahman, U. Salma, M. Hossain, and M. T. F. Khan, "Revenue Forecasting using Holt-Winters Exponential Smoothing," *Res. Rev. J. Stat.*, vol. 5, pp. 19–25, 2016.
7. K. Suppalakpanya, R. Nikhom, and T. Booranawong, "Study of Several Exponential Smoothing Methods for Forecasting Crude Palm Oil Productions in Thailand," vol. 19, no. 2, 2019.
8. R. Rossetti, "Forecasting the sales of console games for the Italian market," *Econometrics*, vol. 23, no. 3, pp. 76–88, 2019.
9. C. Technology, "CELLULAR NETWORK TRAFFIC PREDICTION USING EXPONENTIAL SMOOTHING METHODS 1 Quang Thanh Tran, 1 Li Hao & 2 Quang Khai Trinh," vol. 1, no. 1, pp. 1–18, 2019.
10. S. Shastri, A. Sharma, V. Mansotra, A. Sharma, A. S. Bhadwal, and M. Kumari, "A Study on Exponential Smoothing Method for Forecasting," *Int. J. Comput. Sci. Eng.*, vol. 6, no. 4, pp. 482–485, 2018.

11. K. Singh et al., "Implementation of Exponential Smoothing for Forecasting Time Series Data," 2019.
12. J. Köppelová and A. Jindrová, "Application of exponential smoothing models and arima models in time series analysis from telco area," *Agris On-line Pap. Econ. Informatics*, vol. 11, no. 3, pp. 73–84, 2019.
13. S. Makridakis, R. J. Hyndm, and F. Petropoulos, "Forecasting in social settings: The state of the art," *Int. J. Forecast.*, vol. 36, no. 1, pp. 15–28, 2020.
14. P. D. P. Silitonga, H. Himawan, and R. Damanik, "Forecasting acceptance of new students using double exponential smoothing method," *J. Crit. Rev.*, vol. 7, no. 1, pp. 300–305, 2020.
15. Eric Wei Chiang Chan, Ju Kuin Wong, Joseph Tangah, Hung Tuck Chan. "Chemistry and Pharmacology of Artocarpin: An Isoprenyl Flavone from *Artocarpus Species*." *Systematic Reviews in Pharmacy* 9.1 (2018), 58-63. [Print. doi:10.5530/srp.2018.1.12](https://doi.org/10.5530/srp.2018.1.12)

COMPARISON OF FORECASTING ACCURACY RATE OF EXPONENTIAL SMOOTHING METHOD ON ADMISSION OF NEW STUDENTS

ORIGINALITY REPORT

15%

SIMILARITY INDEX

8%

INTERNET SOURCES

12%

PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

1

jcreview.com

Internet Source

2%

2

Baihaqi Siregar, Irwansyah, Seniman, Fahmi Fahmi. "Monitoring of Toxic Gas and Dust from Motorized Vehicles on The Highway Using Internet of Things and Blob Detection", 2019 3rd International Conference on Electrical, Telecommunication and Computer Engineering (ELTICOM), 2019

Publication

1%

3

www.tci-thaijo.org

Internet Source

1%

4

towardsdatascience.com

Internet Source

1%

5

Ramadiani, Nurhidayat Wardani, Awang Harsa Kridalaksana, Muhammad Labib Jundillah, Azainil. "Forecasting the Hotel Room Reservation Rate in East Kalimantan Using

1%

Double Exponential Smoothing", 2019 Fourth International Conference on Informatics and Computing (ICIC), 2019

Publication

6

online.agris.cz

Internet Source

1%

7

Minghao Liu, Yaoxing Wang, Donghong Li, Baobao Xia. "Chapter 27 Dyna-CLUE Model Improvement Based on Exponential Smoothing Method and Land Use Dynamic Simulation", Springer Science and Business Media LLC, 2013

Publication

1%

8

F Sidqi, I D Sumitra. "Forecasting Product Selling Using Single Exponential Smoothing and Double Exponential Smoothing Methods", IOP Conference Series: Materials Science and Engineering, 2019

Publication

1%

9

Abhishekh, Sanjay Kumar. "Handling higher order time series forecasting approach in intuitionistic fuzzy environment", Journal of Control and Decision, 2019

Publication

1%

10

manualzz.com

Internet Source

1%

11

Internet Source

1%

12

www.akademiabaru.com

Internet Source

1%

13

Kasun Weranga, Sisil Kumarawadu, D. P. Chandima. "Chapter 5 Short-Term Electricity Demand Forecasting and Warning Signal Generation", Springer Science and Business Media LLC, 2014

Publication

1%

14

Md Tasbirul Islam, Nazmul Huda. "E-waste in Australia: Generation estimation and untapped material recovery and revenue potential", Journal of Cleaner Production, 2019

Publication

1%

15

D. Risteski, A. Kulakov, D. Davcev. "Single exponential smoothing method and neural network in one method for time series prediction", IEEE Conference on Cybernetics and Intelligent Systems, 2004., 2004

Publication

1%

16

S. I. Maistor, R. Negrea, M. L. Mocan, A. Turi. "Chapter 78 Aspects of Forecasting for the European Automotive Industry", Springer Science and Business Media LLC, 2016

Publication

1%

17

Harits Ar Rosyid, Triyanna Widiyaningtyas, Novan Farhandi Hadinata. "Implementation of the Exponential Smoothing Method for Forecasting Food Prices at Provincial Levels on Java Island", 2019 Fourth International Conference on Informatics and Computing (ICIC), 2019

Publication

1%

18

Quang Thanh Tran, Li Hao, Quang Khai Trinh. "A comprehensive research on exponential smoothing methods in modeling and forecasting cellular traffic", Concurrency and Computation: Practice and Experience, 2019

Publication

1%

Exclude quotes Off

Exclude matches < 1%

Exclude bibliography On