

# Shale Gas As An Alternative Energy in The Fulfilment of Gas Energy Requirement for Indonesian State Electricity Company (PLN)

*by* Nur Suhascaryo

---

**Submission date:** 07-Nov-2020 04:33PM (UTC+0700)

**Submission ID:** 1438907603

**File name:** 1.\_EDIT\_Shale\_Gas\_As\_An\_Alternative\_Energy\_compressed\_1.pdf (938.39K)

**Word count:** 4438

**Character count:** 23834



Indonesian  
Scholars  
Journal



ISSN PRINT 2338-1043  
ISSN ONLINE 2338-8998



SOCIAL AND  
BEHAVIOURAL SCIENCE

ENGINEERING AND  
MATHEMATICS

PHYSICAL SCIENCE

LIFE SCIENCE

# Colophon

## EDITORIAL BOARD

### Editor-in-Chief

Fatwa Firdaus Abdi

### Associate Editors

Sigit Aryo Pambudi  
Raditya Yudha Wiranegara  
Joni Welman Simatupang  
Hutomo Suryo Wasisto  
Junaedy Yunus  
Etin Dyah Permanasari  
Sarrah Ayuandari  
Almando Gerald  
Awidya Santikajaya  
Liyu Adhikasari  
Hadi Teguh Yudhistira  
Ferry Anggoro Ardy N  
Sendy Pang

## SUPPORT TEAM

### Executive Board

Iwa Kartiwa  
Bagus Nugroho  
Radium Ikono

### Secretary

Ilma Andayana  
Dany Perwita Sari  
Kurnia Yohana Yulianti

### Submission Officer

Fadhilah Muslim  
Rahma Muthia  
Windy Iriana  
Roy Simorangkir  
Muhammad Firmansyah K

### Sponsorship and Cooperation Officers

Riezqa Andika  
Hafsah Halidah  
Elok Pratiwi

### IT Support Officer

Adhitya Bhawiyuga  
Muhammad Wahyono

### Public Relations and Media Officers

Eryan Ramadhani  
Jessica Natalia Widjaja  
Nurul Aufa  
Tangguh Chairil  
Ershad Junus Amin

### Book Cover Designer

Emirpasha Bhaskara K

## EMAIL

info@isjournal.org

## WEBSITE

<http://www.isjournal.org>

## ISSN

### Print

2338-1043

### Online

2338-8099

In Collaboration With



*IS Journal strictly prohibited any practice of plagiarism in its published paper. By submitting paper to this journal, the authors had agreed to this policy. IS Journal is not responsible for any related misconduct.*

# Colophon

## EDITORIAL BOARD

### Editor-in-Chief

Fatwa Firdaus Abdi

### Associate Editors

Sigit Aryo Pambudi  
Raditya Yudha Wiranegara  
Joni Welman Simatupang  
Hutomo Suryo Wasisto  
Junaedy Yunus  
Etin Dyah Permanasari  
Sarrah Ayuandari  
Almando Gerald  
Awidya Santikajaya  
Liyu Adhikasari  
Hadi Teguh Yudhistira  
Ferry Anggoro Ardy N  
SAndy Pang

## SUPPORT TEAM

### Executive Board

Iwa Kartiwa  
Bagus Nugroho  
Radium Ikono

### Secretary

Ilma Andayana  
Dany Perwita Sari  
Kurnia Yohana Yulianti

### Submission Officer

Fadhilah Muslim  
Rahma Muthia  
Windy Iriana  
Roy Simorangkir  
Muhammad Firmansyah K

### Sponsorship and Cooperation Officers

Riezqa Andika  
Hafsah Halidah  
Elok Pratiwi

### IT Support Officer

Adhitya Bhawiyuga  
Muhammad Wahyono

### Public Relations and Media Officers

Eryan Ramadhani  
Jessica Natalia Widjaja  
Nurul Aufa  
Tanggung Chairil  
Ershad Junus Amin

### Book Cover Designer

Emirpasha Bhaskara K

EMAIL  
info@isjournal.org

WEBSITE  
http://www.isjournal.org

ISSN  
Print  
2338-1043

Online  
2338-8099

In Collaboration With



*IS Journal strictly prohibited any practice of plagiarism in its published paper. By submitting paper to this journal, the authors had agreed to this policy. IS Journal is not responsible for any related misconduct.*

# Contents

<b>COLOPHON</b>	2	<b>LIFE SCIENCE</b>	52
<b>CONTENTS</b>	3	<b>Usage of Tuba (<i>Derris elliptica</i>) Root Extract as Environmentally-Friendly Insecticide to Control the Population of <i>Lymantria betrix</i></b>	53
<b>EDITORIAL</b>	4	<i>Eko Budiyanto, Arvana Rifki Aditya, Ardi Yuli Wardani, C. Budimarwanti</i>	
<b>SOCIAL BEHAVIORAL SCIENCE</b>	6	<b>PHP14-siRNA in <math>\alpha</math>GPC3-PEGylated Chitosan Nanoparticles: Providing a New Therapeutic Approach for Hepatocellular Carcinoma</b>	57
<b>The Efficacy of Underdog Brand Strategy in Indonesia's Political Marketing</b>	7	<i>Dwijo Anargha Sindhughosa, Stephanie Patricia, Liveina, Ida Bagus Tjakra Wibawa Manuaba</i>	
<i>Singgih Setiadi, Harryadin Mahardika</i>		<b>"Anti-Rabies Egg" as Serotherapy of Rabies Cases</b>	64
<b>Indigeneity and Democracy in Indonesia (a view of The Toraja Ethnic Group)</b>	11	<i>Mohammad Vicky Indra P, Dian Fitriani, Werstant, Marisa Rahmanti, Chaterina</i>	
<i>Sukri Tamma</i>		<b>ENGINEERING AND MATHEMATICS</b>	24
<b>Postharvest Integration of Rice and Soybean for Supporting National Food Security</b>	19	<b>Energy Efficiency Impvement of Trawlers</b>	25
<i>Dini Nur Hakiki, Nurfitri Ramadhani</i>		<i>Alyuan Dasira, Jean-Marc Laurens</i>	
<b>Development of Phrase-Based Approach for Answer Finder on Indonesian Factoid Question Answering</b>	31	<b>Optimization Preparation and Characterization of ZSM-5 Zeolite Synthesis Using Rice Husk</b>	37
<i>Alvin Andhika Zulen, Ayu Purwarianti</i>		<i>Chindy Feryandy HB, Simpardin Br Ginting, Hens Saputra</i>	
<b>Implementation of Polynomial Basis Squaring</b>	41	<b>Implementation of Polynomial Basis Squaring</b>	41
<i>Marisa Paryanto, Budi Rahardjo</i>		<i>Marisa Paryanto, Budi Rahardjo</i>	
<b>PHYSICAL SCIENCE</b>	45	<b>Shale Gas as an Alternative Energy in the Fulfillment of Gas Energy Requirement for Indonesian State Electricity Company (PLN)</b>	46
<b>Shale Gas as an Alternative Energy in the Fulfillment of Gas Energy Requirement for Indonesian State Electricity Company (PLN)</b>	46	<i>Dr. Ing. Ir. H. KRT. Nur Suhascaryo, B.Eng., M.Eng., Hongki Budi Prasetyo</i>	

# Editorial



Following the inception of Indonesian Scholar Journal (IS Journal) in early 2013 and our first edition published last year, I am happy to introduce the second edition of IS Journal publications. IS Journal is an open access journal initiated by Indonesian scholars around the world. Its mission is two-fold: (i) to advance research and knowledge of Indonesian scholars, and (ii) to create awareness of the significance of effective scientific writing and at the same time improve the scientific writing skills of Indonesian scholars.

As most of us realize, research process can be divided into several stages. The first few stages comprise the identification of research problem, design of experiment, the experiment itself, and data analysis. However, this is really not the end of the process. The dissemination of research through publication, which is the next stage, is also as important—if not more important. Research dissemination has been used as the basis of determining research focus direction of a country, research funding decision, and it is the key component to creating a snowball effect on a certain research topic. Based on SJR SCImago Journal & Country Rank in 2012, Indonesia is number 61 for total number of publications and number 57 for the impact of these publications (H-index). While this is definitely not the worst, this low ranking should alarm us to start taking concrete actions. In South East Asia, Indonesia is far below Singapore, Malaysia and even Thailand. As a comparison, there are ~150,000 scientific publications output from Singapore, while there are only ~20,000 from Indonesia. The numbers are even more worrying if we look at the output per capita. IS Journal is therefore present as an answer to this condition, and we hope that the concrete improvement can be realized in the near future.

In this second edition of IS Journal, the papers are still categorized into four areas: life science and medicine, social and behavioral science, mathematics and engineering, and physical science. Life science and medicine combined with mathematics and engineering make the majority of the papers. We would like to take this opportunity to appreciate all authors for their contribution to IS Journal. We thank your trust in publishing your work with us and we look forward to your future contributions. At the same time, we also invite all Indonesian scholars to be involved with IS Journal, be it by contributing your research work and publishing at IS Journal, or by joining us as one of our committee or editorial board members.

We feature the following paper in this edition: "Shale Gas as an Alternative Energy in the Fulfillment of Gas Energy Requirement for Indonesian State Electricity Company (PLN)" authored by Dr. Ing. Ir. H. KRT. Nur Suhascaryo, B. Eng, M. Eng

# Editorial

and Hongki Budi Prasetyo. The paper poses a clear problem faced by Indonesia in terms of meeting the gas demand. Based on their projection, PLN is set to face -1.4 billion standard cubic feet deficit of gas each day. In order to solve this, they propose the exploitation of shale gas (non-conventional type of gas; natural gas trapped within shale formations) as the solution to meet this deficit. As the potential of shale gas in Indonesia is about 574 trillion standard cubic feet, they conclude that it is clear that the development of shale gas in Indonesia should be explored. While the topic of shale gas exploitation is still an ongoing debate, this paper clearly serves to increase our awareness of such problem and therefore deserves a spotlight in our current edition.

Through this opportunity, I am also pleased to report that we have conducted a Scientific Writing Workshop from March-June 2014. Done in collaboration with Radio PPI Dunia, we invited Indonesian students to undergo series of online lecture/tutorial that is aimed to improve their scientific writing skills. This is very much in line with our missions stated above. This workshop is planned to occur regularly as a part of our concrete contribution to the Indonesian scholars community.

Finally, I would like to thank all individuals and parties that have contributed to the continual existence of IS Journal. First, it is without a doubt that most appreciation should go to my fellow committee and editorial board members for all the necessary hard work in running such a publication. While we are greatly dispersed to separate locations across the world and most of us have not physically met each other, the fact that we are able to run the organization and the publication itself deserves an acknowledgment. We also thank all our partner conferences for the wonderful collaboration that we have had. Finally, a big thank goes to the Masyarakat Ilmuwan dan Teknolog Indonesia (MITI), the Ikatan Ilmuwan Indonesia Internasional (I4), and the Overseas Indonesian Students Association Alliance (OISAA) for their generous support.

We sincerely hope that our current edition would be interesting and beneficial for you. Your comments, suggestions, and recommendations are always welcome at [editorinchief@isjournal.org](mailto:editorinchief@isjournal.org).

**Fatwa Firdaus Abdi**  
**Editor-in-Chief**

# Physical Science

## Associate Editors

Hadi Teguh Yudhistira

Sungkyunkwan University, South Korea

Ferry Anggoro Ardy Nugroho

Chalmers University of Technology, Sweden

Sendy Phang

University of Nottingham, United Kingdom



# Shale Gas As An Alternative Energy in The Fulfilment of Gas Energy Requirement for Indonesian State Electricity Company (PLN)

Dr. Ing. Ir. H. KRT. Nur Suhascaryo, B.Eng., M.Eng & Hongki Budi Prasetyo\*

Study Programme of Department of Petroleum Engineering Universitas Pembangunan Nasional "Veteran" Yogyakarta  
\*hongkibudi@yahoo.co.id

**Abstract.** The consumption of gas energy which is increasing especially in the fulfillment of power plant requirement, and not offset by the supply of gas energy, causes the deficit of energy—especially gas energy—in Indonesia. Therefore, the findings of new sources which produce gas energy through geological and geophysical exploration are needed to settle the problem. The type of this research is qualitative descriptive study using data collection method in the form of literature study and objective analysis of the data. Data analysis method used is a combination of trend analysis and descriptive analysis. Based on the analysis result, the requirement of gas for PLN's power plant reached 1.8 BSCFD (Billion Standard Cubic-Foot per Day) but only about 1 BSCFD is met. In 2015, the requirement of PLN's power plant is expected to increase to 2.1 BSCFD and be totalized with the private power plant requirement. However, the supply of gas is only expected to reach 0.8 BSCFD. This means there are still 1.4 BSCFD needed. Indonesia shale gas potential is about 574 trillion standard cubic feet (TSCF). It is greater than Coal Bed Methane (CBM) and gas, which are only about 453.3 TSCF and 334.5 TSCF, respectively. Finally, based on a combination of trend and descriptive analysis, it is proper to develop the potential of shale gas to meet the requirement of national energy, especially sources of gas energy for power plant in Indonesia.

**Keywords:** *Alternative Energy, PLN, Shale Gas.*

## NOMENCLATURE

PLN : Indonesian State Electricity Company

## A. INTRODUCTION

The depletion of oil reserves and the threat of a surge of energy subsidies have supported Indonesia's switch to natural gas, given the availability of much larger reserves than oil. More optimal utilization of gas, as well as the commitment and seriousness of the government in its management are needed. Until now the use of natural gas is not optimal, so that many activities across various sectors (e.g., electricity, industrial, household), still relies on the use of petroleum energy such as coal. Natural gas has been used to replace and meet the energy needs of the natural gas in Indonesia but has not been able to meet the needs of domestic gas because demand growth is not accompanied by an increase in the production infrastructure capacity, transmission and distribution of gas. Up to this time, domestic gas consumption for electricity generation is dominated PT. PLN and gas industries but these have not met the energy needs for the power plant. It is necessary to search new fields through exploration and exploitation to increase gas production.

Onshore Indonesia represents a hyper-mature gas development play. Most conventional reservoirs have already been exploited. With the current high price for gas, more effort is being applied to the development of non-conventional gas plays: tight gas, coalbed methane, and shale gas.



(Source: Indonesia Ministry of Energy and Mineral Resources, Directorate General of Oil and Gas)

Figure 1. Indonesia shale gas potential

Some of the earliest gas wells were produced from shales; however, their low flow rates limited development interest. Recently, gas shales have become a more attractive target because they represent a huge resource (500 to 780 TCF<sup>1</sup>) and the economic challenges for their development have lessened with rising gas prices and new evaluation and completion technologies.

There are currently 7 basins in Indonesia that contain shale gas and 1 klasafet shaped formation<sup>2</sup>. 3 basins are located in Sumatra: Baong Shale, Telisa Shale and Gumai Shale. In the

island of Java and Kalimantan, there are 2 basins each. In Papua, only klasafet shaped formation exists. Figure 1<sup>3</sup> shows the potential of shale gas in Indonesia. Each of these formations, if explored and exploited, will result in new gas field and eventually large enough gas energy production. Gas production from shale gas is large enough and expected to meet the energy needs for the fulfillment of particular gas power plant in Indonesia.

**B. APPROACH**

**Shale Gas Characteristics**

However, shale is the most common sedimentary rock. Shale with the potential to be an economic gas reservoirs relatively rare. Due to their low permeability, gas shales are self-sourced. They must have the requisite volume and type of organic matter and proper thermal history to generate hydrocarbons, especially gas. The first step in any evaluation is the identification of a potential gas shale reservoir<sup>4</sup>. Shale is a fine-grained, clastic sedimentary rock composed of mud that is a mix of clay minerals and tiny fragments (silt-sized particles) of other minerals, especially quartz, dolomite, and calcite<sup>5</sup>. Shale is characterized by breaks along thin laminations, parallel to the bedding. Mudstones are similar in composition but do not usually show layering within the zone.

From a petrophysical analysis point of view, clay-rich shales have traditionally been called "shales" and non-clay shales have been called "silts". Petrophysical analysis deals with minerals, not particle size, so it is confusing to us when a zone is called shale when the logs show little presence of clay. Figure 2<sup>5</sup> shows the composition and their petrophysical characteristics of shale.

Shale-gas formations are both the source rocks and the reservoir rocks. There is no need for migration and since the permeability is near zero, it forms its own seal. The gas may be trapped as free gas in natural fractures and intergranular porosity, as gas is sorbed onto kerogen and clay-particle surfaces, or as gas is dissolved in kerogen and bitumen<sup>6</sup>. The shale gas reservoirs are characterized by low production rates (20-500 MCFPD) but are usually spread over large areas and are up to 450 m thick.




Figure 2. Core photo of gas shale - about 50% clay, 50% quartz plus calcite, 10 - 15% total porosity, 3 - 6% effective porosity, < 0.001 mD permeability)

They are organically rich with total organic carbon content (TOC) varying from 1 to 20 wt%, such that the reservoirs contain large gas reserves (2 to 20 BCF/km<sup>2</sup>). Shale gas reservoirs rely on natural fractures for porosity and permeability as the matrix porosity or permeability is low. In the absence of natural fractures, these reservoirs need stimulation by way of hydraulic fracturing. Compared to conventional reservoirs, shale gas reservoirs have low recovery factors (~20%). For the wells drilled into these reservoirs, the initial decline rates are rapid (~70%) but bottom out gradually (~6%) in later years<sup>7</sup>.

**Shale Gas Potential in Indonesia**

The study of shale gas potential of the region has been carried out, and some of them have been found to be potentially attractive for considerable energy. Shale gas potential in Indonesia is predicted at 338 TCF in North Sumatra, 558 TCF in Central Sumatra, 964 TCF in South Sumatra, 1,723 TCF in East Kalimantan and 6,480 TCF<sup>8</sup> in West Papua.

In Sumatra there are 3 potential basins as area of shale gas, which are Baong shale, Telisa shale and Gumai shale. Figure 3<sup>9</sup> shows the location of shale gas in Sumatra basin. Figure 4<sup>10</sup> shows the stratigraphy of North Sumatra basin. Formation of blue zone indicates areas that have the potential formation as shale gas areas. Based on the research that has been done, there are several formations as a potential shale gas areas in North Sumatra basin, namely Belumai formation, Baong formations and Bampo formation. Belumai formation has an average level of Total Organic Carbon (TOC) of 0.94 and an average T.max at 429 °C. Baong formation has an average level of Total Organic Carbon (TOC) of 0.90 and an average T.max at 433 °C. Bampo formation has an average level of Total Organic Carbon (TOC) of 0.59 and an average T.max at 439 °C. Figure 5<sup>9</sup> shows the NW-SE seismic section of North Sumatra area. From the figure, the direction and sequence of formations in North Sumatra basin can be observed. The sequence of formation of old to young is Parapat – Bampo – Belumai – Baong – Keutapang formation. Bampo Formation indicates fair shale gas quality, whereas Belumai and Baong Formations show fair-good shale gas quality. Shale gas resource calculation of these formations is 114.35 TCF<sup>9</sup>.

Shale gas potential is also found in South Kalimantan precisely located in the Barito basin. Figure 6<sup>11</sup> shows the location of shale gas potential in the Barito basin. Potential of shale-gas in this basin is in Tanjung formation. Sandstones of the Tanjung Formation are quartz arenites and sublitharenites<sup>13</sup> and plot within the 'craton interior' and 'quartzose recycled' fields<sup>14</sup>. Figure 7<sup>14</sup> shows detrital modes of sandstones from the Tanjung, Mortalat and Warukin formations. Figure 8<sup>12</sup> shows stratigraphy of Barito basin South Kalimantan. Tanjung formation has an average level of Total Organic Carbon (TOC) of 0.53 and an average T.max at 450 °C. Figure 9<sup>9</sup> shows the NW-SE seismic section of South Kalimantan area.



Figure 3. The location of shale gas in Sumatra basin




Figure 4. Stratigraphy of North Sumatra basin




Figure 5. NW-SE seismic section of North Sumatra area




Figure 6. Location of shale gas potential in the Barito basin






Figure 7. Ternary diagrams showing detrital modes of sandstones from the Tanjung, Montalat and Warukin Formations. (Left) sandstone classification according to Folk (1968). (Right) tectonic setting according to QmFLt ternary plot of Dickinson & Suczek (1979). Q: quartz, Qm: monocrystalline quartz, F: feldspar, L: lithics, Lr: total lithics (including polycrystalline quartz).





Graph 2. Fuel consumption for electricity generation




Graph 3. Domestic gas consumption for power generation sector

**C. DISCUSSION**

Shale gas has begun to be developed in some countries and the results are contributing in fulfilling energy gas, Graph 4<sup>3</sup> shows the development shale gas compared to conventional gas. Indonesia has a very large the potential of shale gas. Indonesia shale gas potential is about 574 trillion standard cubic feet (TSCF). It is larger than Coal Bed Methane (CBM) which is only about 453.3 TSCF and gas which is 334.5 TSCF<sup>2</sup>. Currently, Indonesia gas production is still not sufficient to meet the energy needs, especially in electricity sector. The shale gas potential is supposed to be developed to meet national energy needs, especially in the electrical energy needs, as PT. PLN still requires a considerable supply of gas. Increasingly large gas that is not offset by the gas supply leads to a very large supply-demand gap. For 2015, the estimated gas demand for electricity generation is increased to 2.1 BSCF, and private power plants by 0.1 BSCF. With the shale gas potential of 574 TSCF, it is very prospective to meet the needs of the power plant.

Graph 2<sup>16</sup> shows that the gas consumption for power generation every year will always increase. This increase must be balanced with the production and supply of gas to PT. PLN. One alternative that can be taken is to utilize the existing potential of shale gas. Graph 4<sup>3</sup> shows that the use of shale gas can provide a substantial contribution to gas production. Based on the trend, gas production from shale gas will always go up every year. This increased gas production should be sufficient for the gas to PT. PLN.



Graph 4. Development shale gas compare to conventional gas

**D. CONCLUSION**

From this study, the following conclusions have been made:

- Shale gas potential in Indonesia is realized in North Sumatra at 338 TCF, Central Sumatra at 558 TCF, South Sumatra at 964 TCF, East Kalimantan at 1,723 TCF and West Papua at 6,480 TCF.
- The requirement of gas for PLN's power plant reached 1.8 BSCFD (Billion Standard Cubic-Foot per Day) but only about 1 BSCFD is met.
- Gas production from shale gas will always go up every year. Increased gas production should be sufficient for the gas to PT. PLN.

**ACKNOWLEDGEMENT**

Author would like to thank:

- Petroleum engineering students of UPN Veteran Yogyakarta which has provided a lot of information and references
- The parties who giving the spirit and motivation as well as facilities and infrastructure in this working paper to be resolved.

**REFERENCES**

- [1] Hill, D.G. and Nelson, C.R.: "Gas Productive Fractured Shales: An Overview and Update," *GasTIPS* (Summer 2000).
- [2] Ministry of Energy and Mineral Resources Republic Indonesia. (2011, November, 30). *Potential Shale Gas Indonesia Reaches 574 TSCF*. Available: <http://www.esdm.go.id/berita/migas/40-migas/5214-potensi-shale-gas-indonesia-cipai-574-tscf.html>
- [3] Bambang Winarko and Lufina Mahadewi, "Shale Gas Energy Alternative towards a Rapid Growth of Coal Energy Demand," *Proceedings of the Breakfast Dialog 1*, pp. 26, Jakarta, Indonesia, April 3, 2013.
- [4] Rick Lewis, David Ingraham, Marc Percy, Jeron Williamson, Walt Sawyer and Joe Frantz, "New Evaluation Techniques for Gas Shale Reservoirs," *Proceedings of Reservoir Symposium 2004 1*, p. 26, New Orleans, LA, June 16-19, 2004.
- [5] E. R. (Ross) Crain (2013, July, 28). *Shale Gas Basics*. Available <http://specc2000.net/17-speccshgas.htm>

- [6] John B. Curtis, "Fractured shale-gas systems," *AAPG Bulletin*, vol. 86, no. 11, pp. 1921–1938, Nov. 2002.
- [7] EIA document. 2011. *Review of emerging resources: US shale gas and shale oil plays*. Available: <http://ftp.eia.doe.gov/natgas/usshaleplays.pdf>.
- [8] Migas Review document. 2013. *Shale Gas, Indonesian Energy Future*. Available: <http://migasreview.com/shale-gas-masa-depan-energi-indonesia.html>.
- [9] Research and Development Centre for Oil and Gas Technology "LEMIGAS", "Pilot Projects of Unconventional Gas (Accepted for publication)," *Ministry of Energy and Mineral Resources Republic*, to be published.
- [10] Kjellgren, G.M. & H. Sugiharto (1989). Oil geochemistry: a clue to the hydrocarbon history and prospectivity of the southeastern North Sumatra Basin, Indonesia. *Proc. 18th Ann. Conv. Indon. Petrol. Assoc.*, p. 363-384.
- [11] Supriatna, S., Djalal, B., Heryanto, R. and Sanyoto, P., *Geological map of Indonesia, Banjarmasin Sheet*, Bandung: Geological Research Centre Bandung, 1994
- [12] L.F. Rotinsula, S. Sardjono, and N. Heriyanto "Shale Gas Energy Alternative towards a Rapid Growth of Coal Energy Demand," *Proceedings Indonesian Petroleum Association 22nd Annual Convention*, pp. 1-27.
- [13] Robert L. Folk, *Petrology of Sedimentary Rock*, Hemphill's: Austin, Texas, 1968, p. 108
- [14] William R. Dickinson and C.A. Suczek, "Plate tectonics and sandstone compositions," *AAPG Bulletin*, vol. 63, no. 11, pp. 2164-2182, Dec. 1979
- [15] BUMN Research Bureau of Center LM FEUI document. 2012. *National Gas Analysis*. Available: <http://www.lmfmi.com/data/13%20agt%202012%20Industr%20Energi%20Nasional-Web%20LM%20FEUI.pdf>
- [16] Agency for The Assessment and Application of Technology. 2012. *Indonesia Energy Outlook 2012 : Future Energy Development for Supporting Economic Growth and National Energy Security*. Available: [www.bpt.go.id](http://www.bpt.go.id)
- [17] Ministry of Energy and Mineral Resources Republic Indonesia. (2013, January, 29). *Domestic Gas Consumption Reaches 50.3 Percent of National Production*. Available: <http://www.esdm.go.id/berita/migas/40-migas/3854-konsumsi-gas-domestik-capai-503-persen-produksi-nasional.html>.



Indonesian  
Scholars

**Journal**

<http://www.isjournal.org/>

**ISSN Print**  
2338-1043

**ISSN Online**  
2338-8099

© All rights reserved.

# Shale Gas As An Alternative Energy in The Fulfilment of Gas Energy Requirement for Indonesian State Electricity Company (PLN)

---

## ORIGINALITY REPORT

---

**11** %

SIMILARITY INDEX

**11** %

INTERNET SOURCES

**0** %

PUBLICATIONS

%

STUDENT PAPERS

---

## MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

---

4%

★ [library.seg.org](http://library.seg.org)

Internet Source

---

Exclude quotes  On

Exclude bibliography  On

Exclude matches  < 2%