

DAFTAR PUSTAKA

- Ali, J., Khan, R., Ahmad, N., & Maqsood, I. (2012). *Random Forests and Decision Trees. International Journal of Computer Science Issues*, 9(5), 8.
- Amiri, M., Pourghasemi, H. R., Ghanbarian, G. A., & Afzali, S. F. (2019). Assessment of the Importance of Gully Erosion Effective Factors using Boruta Algorithm and Its Spatial Modeling and Mapping using Three Machine Learning Algorithms. *Elsevier*, 340, 55–69. <https://doi.org/10.1016/j.geoderma.2018.12.042>
- Arinta, R. R., & Emanuel, A. W. R. (2019). *Natural Disaster Application on Big Data and Machine Learning: A Review*.
- Belgiu, M., & Drăguț, L. (2016). Random forest in remote sensing: A review of applications and future directions. *Elsevier*, 114, 24–31. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>
- BMG. (2008, January). *Curah Hujan dan Potensi Gerakan Bencana*.
- BMG. (2018). *Curah Hujan dan Potensi Gerakan Bencana*.
- BNPB. (2019, October 5). Data Informasi Bencana Indonesia. <http://dibi.bnpb.go.id/>
- Breiman, L. (2001). Random Forest. *Machine Learning*, 45, 5–32.
- Chen, C.-W., Oguchi, T., Hayakawa, Y. S., Saito, H., & Chen, H. (2017). Relationship between landslide size and rainfall conditions in Taiwan. *Springer*, 14(3), 1235–1240. <https://doi.org/10.1007/s10346-016-0790-7>
- Chen, C.-W., Saito, H., & Oguchi, T. (2015). Rainfall intensity–duration conditions for mass movements in Taiwan. *Springer*, 2(1), 14. <https://doi.org/10.1186/s40645-015-0049-2>
- Chen, W., Xie, X., Wang, J., Pradhan, B., Hong, H., Bui, D. T., Duan, Z., & Ma, J. (2017a). A comparative study of logistic model tree, random forest, and classification and regression tree models for spatial prediction of landslide susceptibility. *Elsevier*, 151, 147–160. <https://doi.org/10.1016/j.catena.2016.11.032>
- Chen, W., Xie, X., Wang, J., Pradhan, B., Hong, H., Bui, D. T., Duan, Z., & Ma, J. (2017b). A comparative study of logistic model tree, random forest, and classification and regression tree models for spatial prediction of landslide susceptibility. *Elsevier*, 151, 147–160. <https://doi.org/10.1016/j.catena.2016.11.032>
- Choiroh, M. (2018). *Sistem Pendukung Keputusan Prediksi Tingkat Kerawanan Tanah Longsor Menggunakan Metode Double Exponential Smoothing dan Analytical Herarchy Process*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Cruden, D. M., & Varnes, D. J. (1996). Landslide Types and Processes. *ResearchGate*, 247, 36–75.
- Devi, S. R., Arulmozhivarman, P., & Venkatesh, C. (2017, May 18). ANN Based Rainfall Prediction—A Tool for Developing a Landslide Early Warning System. *In: Mikoš M.,*

- Arbanas Ž., Yin Y., Sassa K. (Eds) *Advancing Culture of Living with Landslides*.
https://doi.org/10.1007/978-3-319-53487-9_20
- Dewi, N. K., Syafitri, U. D., & Mulyadi, S. Y. (2011). Penerapan Metode Random Forest dalam Driver Analysis. *Forum Statistika dan Komputasi*, 35–43.
- Dhawangkharu, M., & Riksakomara, E. (2017). Prediksi Intensitas Hujan Kota Surabaya dengan Matlab menggunakan Teknik Random Forest dan CART (Studi Kasus Kota Surabaya). *Jurnal Teknik ITS*, 6(1), 88–93.
<https://doi.org/10.12962/j23373539.v6i1.21120>
- Dou, J., Yunus, A. P., Tien Bui, D., Merghadi, A., Sahana, M., Zhu, Z., Chen, C.-W., Khosravi, K., Yang, Y., & Pham, B. T. (2019). Assessment of Advanced Random Forest and Decision Tree Algorithms for Modeling Rainfall-Induced Landslide Susceptibility in The Izu-Oshima Volcanic Island, Japan. *Elsevier*, 662, 332–346.
<https://doi.org/10.1016/j.scitotenv.2019.01.221>
- Dwi Lingga P., R., Fatichah, C., & Purwitasari, D. (2017). Deteksi Gempa Berdasarkan Data Twitter Menggunakan Decision Tree, Random Forest, dan SVM. *Jurnal Teknik ITS*, 6(1), 153–158. <https://doi.org/10.12962/j23373539.v6i1.22037>
- Faizana, F., Nugraha, A. L., & Yuwono, B. D. (2015). *Pemetaan Risiko Bencana Tanah Longsor Kota Semarang*. Universitas Diponegoro.
- Falahnsia, A. R. (2015). *Analisa Bencana Longsor Berdasarkan Nilai Kerapatan Vegetasi Menggunakan Citra ASTER dan LANDSAT 8 (Studi Kasus: Sekitar Sungai Bedadung, Kabupaten Jember)*. Institut Teknologi Sepuluh Nopember.
- Goldstein, B. A., Polley, E. C., & Briggs, F. B. S. (2011). Random Forests for Genetic Association Studies. *Statistical Applications in Genetics and Molecular Biology*, 10(1).
<https://doi.org/10.2202/1544-6115.1691>
- Hamze-Ziabari, S. M., & Bakhshpoori, T. (2018). Improving the prediction of ground motion parameters based on an efficient bagging ensemble model of M5' and CART algorithms. *Elsevier*, 68, 147–161. <https://doi.org/10.1016/j.asoc.2018.03.052>
- Han, J., Kamber, M., & Pei, J. (2012). *Data Mining: Concepts and Techinques 3rd Edition*. Morgan Kaufmann.
- Haristu, Reinardus Aji. (2019). *Penerapan Metode Random Forest untuk Prediksi Win Ratio Pemain Player Unknown Battleground*. Universitas Sanata Dharma.
- Huiwen Li, Rui Liu, Jingchun Xie, & Zili Lai. (2015). Random forests methodology to analyze landslide susceptibility: An example in Lushan earthquake. *2015 23rd International Conference on Geoinformatics*, 1–6.
<https://doi.org/10.1109/GEOINFORMATICS.2015.7378570>
- Humas DIY. (2014, September 8). *Topografi*.
<https://www.jogjaprovo.go.id/berita/detail/topografi>
- Indriani, Y. N., Kusumayudha, S. B., & Purwanto, H. S. (2017). Analisis Gerakan Massa Berdasarkan Sifat Fisik Tanah Daerah Kali Jambe dan Sekitarnya, Kecamatan Bener,

- Kabupaten Purworejo, Jawa Tengah. *Jurnal Mineral, Energi dan Lingkungan*, 1(2), 39–49.
- Kamal, I. M., Fariza, A., & Basofi, A. (2015). *Assessment of Landslide Susceptibility area in Ponorogo, East Java, Indonesia Using Analytical Hierarchy Process and Natural Breaks Classification*. *Gate*, 9.
- Karnawati, D. (2005). *Bencana Alam Gerakan Massa Tanah di Indonesia dan Upaya Penanggulangannya*. Teknik Geologi Universitas Gajah Mada.
- Karnawati, D. (2007). Mekanisme Gerakan Massa Batuan Akibat Gempa Bumi; Tinjauan dan Analisis Geologi Teknik. *Dinamika TEKNIK SIPIL*, 7(2), 179–190.
- Kavzoglu, T., Sahin, E. K., & Colkesen, I. (2014). Landslide susceptibility mapping using GIS-based multi-criteria decision analysis, support vector machines, and logistic regression. *Springer*, 11(3), 425–439. <https://doi.org/10.1007/s10346-013-0391-7>
- Khosravi, K., Pham, B. T., Chapi, K., Shirzadi, A., Shahabi, H., Revhaug, I., Prakash, I., & Tien Bui, D. (2018). A comparative assessment of decision trees algorithms for flash flood susceptibility modeling at Haraz watershed, northern Iran. *Elsevier*, 627, 744–755. <https://doi.org/10.1016/j.scitotenv.2018.01.266>
- Kohavi, R. (1995). A Study of Cross-Validation and Bootstrap for Accuracy Estimation and Model Selection. *International Joint Conference on Artificial Intelligence*, 8.
- Korup, O., & Stolle, A. (2014). Landslide Prediction from Machine Learning. *Geology Today*, 30(1), 26–33. <https://doi.org/10.1111/gto.12034>
- Marjanović, M., Krautblatter, M., Abolmasov, B., Đurić, U., Sandić, C., & Nikolić, V. (2018). The rainfall-induced landsliding in Western Serbia: A temporal prediction approach using Decision Tree technique. *Elsevier*, 232, 147–159. <https://doi.org/10.1016/j.enggeo.2017.11.021>
- Mosavi, A., Ozturk, P., & Chau, K. (2018). Flood Prediction Using Machine Learning Models: Literature Review. *Water*, 10(11), 1–40.
- Nandi. (2007). *Longsor*. FPIPS-UPL.
- Naryanto, H. S., Soewandita, H., Ganesha, D., Prawiradisastra, F., & Kristijono, A. (2019). Analisis Penyebab Kejadian dan Evaluasi Bencana Tanah Longsor di Desa Banaran, Kecamatan Pulung, Kabupaten Ponorogo, Provinsi Jawa Timur Tanggal 1 April 2017. *Jurnal Ilmu Lingkungan*, 17(2), 272–282.
- Nugent, T., Petroni, F., Raman, N., Carstens, L., & Leidner, J. L. (2017). A comparison of classification models for natural disaster and critical event detection from news. *2017 IEEE International Conference on Big Data (Big Data)*, 3750–3759. <https://doi.org/10.1109/BigData.2017.8258374>
- Pandey, V. K., Sharma, K. K., Pourghasemi, H. R., & Bandooni, S. K. (2019). Sedimentological characteristics and application of machine learning techniques for landslide susceptibility modelling along the highway corridor Nahan to Rajgarh

- (Himachal Pradesh), India. *Elsevier*, 182, 104150. <https://doi.org/10.1016/j.catena.2019.104150>
- Pham, B. T., Bui, D. T., & Prakash, I. (2018). Bagging based Support Vector Machines for spatial prediction of landslides. *Springer*, 77(146), 1–17. <https://doi.org/10.1007/s12665-018-7268-y>
- Pham, B. T., Prakash, I., Singh, S. K., Shirzadi, A., Shahabi, H., Tran, T.-T.-T., & Bui, D. T. (2019). Landslide Susceptibility Modeling using Reduced Error Pruning Trees and Different Ensemble Techniques: Hybrid Machine Learning Approaches. *Elsevier*, 175, 203–218. <https://doi.org/10.1016/j.catena.2018.12.018>
- Pham, B. T., Prakash, I., & Tien Bui, D. (2018). Spatial prediction of landslides using a hybrid machine learning approach based on Random Subspace and Classification and Regression Trees. *Geomorphology*, 303, 256–270. <https://doi.org/10.1016/j.geomorph.2017.12.008>
- Prakoso, B. A. (2018). *Analisis Tingkat Risiko Tanah Longsor Berdasarkan Nilai Peak Ground Acceleration (PGA) di Desa Purwosari Kecamatan Girimulyo Kabupaten Kulon Progo*. Universitas Negeri Yogyakarta.
- Prasetyo, E. (2014). *Data Mining—Mengolah Data menjadi Informasi Menggunakan Matlab*. ANDI.
- Primartha, R. (2018). *Belajar Machine Learnig Teori dan Praktik*. Informatika Bandung.
- Rosyidi, A., Ginardi, R. V. H., & Munif, A. (2017). Implementasi Metode K-Nearest Neighbor Untuk Penentuan Lokasi Pos Hujan Terdekat Dengan Titik Rute Perjalanan Pada Aplikasi Clearroute. *Jurnal Teknik ITS*, 6(2), A389-392. <https://doi.org/10.12962/j23373539.v6i2.23581>
- Saputra, M. A., Rayes, M. L., & Nita, I. (2019). Pemetaan Prediksi Sebaran Kerentanan Longsor di Kecamatan Tawangmangu, Kabupaten Karanganyar Menggunakan Pendekatan Fuzzy Logic. *Jurnal Tanah dan Sumberdaya Lahan*, 6(2), 1353–1359. <https://doi.org/10.21776/ub.jtsl.2019.006.2.16>
- Sarya, G., Andriawan, A. H., Ridho'i, A., & Seputro, H. (2014). Intensitas Curah Hujan Memicu Tanah Longsor Dangkal di Desa Wonodadi Kulon. *Jurnal Pengabdian LPPM Untag Surabaya*, 1(1), 65–71.
- Soofi, A. A., & Awan, A. (2017). Classification Techniques in Machine Learning: Applications and Issues. *Journal of Basic & Applied Sciences*, 13, 459–465. <https://doi.org/10.6000/1927-5129.2017.13.76>
- Subekti, I. (2016). *Geologi Umum*. Teknosain.
- Susanti, I., Sipayung, S. B., Cholianawati, N., & Rahayu, S. A. (2012). Pengaruh Curah Hujan terhadap Potensi Longsor di Daerah Aliran Sungai (DAS) Citarum. *Prosiding SNSAA*, 10.
- Susanti, P. D., & Miardini, A. (2019). Identifikasi Karakteristik dan Faktor Pengaruh pada Berbagai Tipe Longsor. *Agritech*, 39(2), 97–107.

- Tien Bui, D., Pradhan, B., Lofman, O., & Revhaug, I. (2012). Landslide Susceptibility Assessment in Vietnam Using Support Vector Machines, Decision Tree, and Naïve Bayes Models. *Mathematical Problems in Engineering*, 2012, 1–26. <https://doi.org/10.1155/2012/974638>
- Tsangaratos, P., & Ilia, I. (2016). Landslide susceptibility mapping using a modified decision tree classifier in the Xanthi Perfection, Greece. *Springer*, 13(2), 305–320. <https://doi.org/10.1007/s10346-015-0565-6>
- Varnes, D. J. (1978). Slope Movement Types and Processes. In *Landslides: Analysis and Control* (pp. 11–33). Transportation Research Board.
- Wang, Z., Lai, C., Chen, X., Yang, B., Zhao, S., & Bai, X. (2015). Flood hazard risk assessment model based on random forest. *Elsevier*, 527, 1130–1141. <https://doi.org/10.1016/j.jhydrol.2015.06.008>
- Widiastuti, J. (2018). *Klasifikasi Pembiayaan Warung Mikro Menggunakan Metode Random Forest dengan Teknik Sampling Kelas Imbalanced*. Universitas Islam Indonesia Yogyakarta.