

DAFTAR PUSTAKA

- Alfina, T., & Santosa, B. (2012). Analisa Perbandingan Metode Hierarchical Clustering, K-Means dan Gabungan Keduanya dalam Membentuk Cluster Data (Studi Kasus : Problem Kerja Praktek Jurusan Teknik Industri ITS). *Analisa Perbandingan Metode Hierarchical Clustering, K-Means Dan Gabungan Keduanya Dalam Cluster Data*, 1(1), 1–5.
- B. Santosa, Data Mining. Teknik Pemanfaatan Data untuk Keperluan Bisnis, First Edition ed. Yogyakarta: Graha Ilmu, (2007).\
- Barakbah, A. R., & Kiyoki, Y. (2009). A pillar algorithm for k-means optimization by distance maximization for initial centroid designation. *2009 IEEE Symposium on Computational Intelligence and Data Mining, CIDM 2009 - Proceedings*, 61–68. <https://doi.org/10.1109/CIDM.2009.4938630>
- Bastian, A., Sujadi, H., & Febrianto, G. (n.d.). *Penerapan Algoritma K-Means Clustering Analysis Pada Penyakit Menular Manusia (Studi Kasus Kabupaten Majalengka)*. 1, 26–32.
- Buslim, N., & Iswara, R. P. (2019). Pengembangan Algoritma Unsupervised Learning Technique Pada Big Data Analysis di Media Sosial sebagai media promosi Online Bagi Masyarakat. *Jurnal Teknik Informatika*, 12(1), 79–96. <https://doi.org/10.15408/jti.v12i1.11342>
- Celebi, M. E., Kingravi, H. A., & Vela, P. A. (2013). A comparative study of efficient initialization methods for the k-means clustering algorithm. *Expert Systems with Applications*, 40(1), 200–210. <https://doi.org/10.1016/j.eswa.2012.07.021>
- Data Mining with Big Data*. (n.d.).
- Davies, D. L., & Bouldin, D. W. (1979). A Cluster Separation Measure. *IEEE Transactions on Pattern Analysis and Machine Intelligence, PAMI-1*(2), 224–227. <https://doi.org/10.1109/TPAMI.1979.4766909>
- Devita, R. N., & Wibawa, A. P. (2020). Teknik-teknik Optimasi Knapsack Problem. *Sains, Aplikasi, Komputasi Dan Teknologi Informasi*, 2(1), 35. <https://doi.org/10.30872/jsakti.v2i1.3299>
- Gosling, S. D., Rentfrow, P. J., & Swann, W. B. (2003). A very brief measure of the Big-Five personality domains. *Journal of Research in Personality*, 37(6), 504–528. [https://doi.org/10.1016/S0092-6566\(03\)00046-1](https://doi.org/10.1016/S0092-6566(03)00046-1)
- Hand, D. J. (2007). Principles of data mining. In *Drug Safety* (Vol. 30, Issue 7). <https://doi.org/10.2165/00002018-200730070-00010>
- Huang, Z. (1998). Extensions to the k-Means Algorithm for Clustering Large Data Sets with Categorical Values. *Data Mining and Knowledge Discovery* 2, 283–304. *Data Mining and Knowledge Discovery*, 2(3), 283–304. https://www.researchgate.net/publication/220451944_Huang_Z_Extensions_to_the_k-Means_Algorithm_for_Clustering_Large_Data_Sets_with_Categorical_Values_Data_Mining_and_Knowledge_Discovery_2_283-304

- Indraputra, R. A., & Fitriana, R. (2020). *K-Means Clustering Data COVID-19*. *10(3)*, 275–282.
- James and others, M. (1967). Some methods for classification and analysis of multivariate observations. *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability*, *1(14)*, 281–297.
[http://books.google.de/books?hl=de&lr=&id=IC4Ku_7dBFUC&oi=fnd&pg=PA281&dq=MacQueen+some+methods+for+classification&ots=nNTcK1IdoQ&sig=fHzdVcbvmYJ-ITNHu1HncmOFokM#v=onepage&q=MacQueen some methods for classification&f=false](http://books.google.de/books?hl=de&lr=&id=IC4Ku_7dBFUC&oi=fnd&pg=PA281&dq=MacQueen+some+methods+for+classification&ots=nNTcK1IdoQ&sig=fHzdVcbvmYJ-ITNHu1HncmOFokM#v=onepage&q=MacQueen+some+methods+for+classification&f=false)
- Johnson, S. C. (1967). Hierarchical clustering schemes. *Psychometrika*, *32(3)*, 241–254.
<https://doi.org/10.1007/BF02289588>
- Kamila, I., Khairunnisa, U., & Mustakim, M. (2019). Perbandingan Algoritma K-Means dan K-Medoids untuk Pengelompokan Data Transaksi Bongkar Muat di Provinsi Riau. *Jurnal Ilmiah Rekayasa Dan Manajemen Sistem Informasi*, *5(1)*, 119.
<https://doi.org/10.24014/rmsi.v5i1.7381>
- Li, Y., Rosenfeld, B., Pessin, H., & Breitbart, W. (2017). Bayesian nonparametric clustering of patients with advanced cancer on anxiety and depression. *Proceedings - 16th IEEE International Conference on Machine Learning and Applications, ICMLA 2017, 2017-Decem*, 674–678. <https://doi.org/10.1109/ICMLA.2017.00-83>
- Likas, A., Vlassis, N., & J. Verbeek, J. (2003). The global k-means clustering algorithm. *Pattern Recognition*, *36(2)*, 451–461. [https://doi.org/10.1016/S0031-3203\(02\)00060-2](https://doi.org/10.1016/S0031-3203(02)00060-2)
- Parkitny, L., & McAuley, J. (2010). The depression anxiety stress scale (DASS). *Journal of Physiotherapy*, *56(2)*, 204. [https://doi.org/10.1016/s1836-9553\(10\)70030-8](https://doi.org/10.1016/s1836-9553(10)70030-8)
- Primandana, A., Adinugroho, S., & Dewi, C. (2020). Optimasi Penentuan Centroid pada Algoritme K-Means Menggunakan Algoritme Pillar (Studi Kasus: Penyandang Masalah Kesejahteraan Sosial di Provinsi *Teknologi Informasi Dan Ilmu ...*, *3(11)*, 10678–10683. <http://j-ptiik.ub.ac.id/index.php/j-ptiik/article/download/6748/3264>
- Pressman, R. S. (2006) *Software engineering is software engineering*. doi: 10.1049/ic:20040411.
- Rahman, H. (2017). *Analisis Kluster Dengan Metode Hierarchical Clustering Dan Non-Hierarchical Clustering Pada Pengelompokan Kabupaten/Kota Di Jawa Tengah Berdasarkan Faktor-Faktor Yang Mempengaruhi Kemiskinan*. 7–1, 22.
[/http://eprints.unwahas.ac.id/2196](http://eprints.unwahas.ac.id/2196)
- Reynolds, A. P., Richards, G., De La Iglesia, B., & Rayward-Smith, V. J. (2006). Clustering rules: A comparison of partitioning and hierarchical clustering algorithms. *Journal of Mathematical Modelling and Algorithms*, *5(4)*, 475–504.
<https://doi.org/10.1007/s10852-005-9022-1>
- Roihan, A., Sunarya, P. A., & Rafika, A. S. (2020). *Pemanfaatan Machine Learning dalam Berbagai Bidang : Review paper*. *5(April)*, 75–82.
- Ruspini, E. H. (1969). A new approach to clustering. *Information and Control*, *15(1)*, 22–32. [https://doi.org/10.1016/S0019-9958\(69\)90591-9](https://doi.org/10.1016/S0019-9958(69)90591-9)

- Saputra, K. A. dan I. N. W. W. (2020). *Penerapan Algoritma Pillar Untuk Inisialisasi Titik Pusat K- Application of Pillar Algorithm for Initialization of K-Means Dynamic Cluster Centroid*. 7(6), 1213–1220. <https://doi.org/10.25126/jtiik.202072538>
- Thinsungnoen, T., Kaoungku, N., Durongdumronchai, P., Kerdprasop, K., & Kerdprasop, N. (2015). *The Clustering Validity with Silhouette and Sum of Squared Errors*. November, 44–51. <https://doi.org/10.12792/iciae2015.012>
- Veenman, C. J., Reinders, M. J. T., & Backer, E. (2002). A maximum variance cluster algorithm. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 24(9), 1273–1280. <https://doi.org/10.1109/TPAMI.2002.1033218>
- Wahyuni, I., Auliya, Y. A., Rahmi, A., & Mahmudy, W. F. (2016). Clustering Nasabah Bank Berdasarkan Tingkat Likuiditas Menggunakan Hybrid Particle Swarm Optimization dengan K-Means. *Jurnal Ilmiah Teknologi Informasi Asia*, 10(2), 24–33.
- Yang, Z., Chen, C., Li, H., Yao, L., & Zhao, X. (2020). Unsupervised Classifications of Depression Levels Based on Machine Learning Algorithms Perform Well as Compared to Traditional Norm-Based Classifications. *Frontiers in Psychiatry*, 11(February), 1–9. <https://doi.org/10.3389/fpsy.2020.00045>