

The 2014 UKM FST Postgraduate Colloquium

Proceedings of the Universiti Kebangsaan Malaysia, Faculty of Science and Technology 2014 Postgraduate Colloquium



Selangor, Malaysia

9-11 April 2014

Editors

Fatimah Abdul Razak, Haja Maideen Kader Maideen, Hasidah Mohd. Sidek, Mohd Salmi Md Noorani, Nazlina Ibrahim, Noor Baa'yah Ibrahim, Norbert Simon, Nurulkamal Maseran, Nurul Huda Abd Karim, Rozida Mohd Khalid, Taufik Yusof and Zahari Ibrahim





AIP Proceedings: A name your community will know and respect

40 years' experience

100,000+ papers

1.500 + volumes

A world-class proceedings service for all events: From workshops to the largest international conference

- Online-only proceedings
- Optional printed copies or CDs for participants
- Rapid online and print publication

Our wealth of experience and expertise will ensure an outstanding publication experience.

Publication fees which work with your budget

- Simple online publication fees: Completely independent of page counts, publish substantial papers at no extra cost.
- Options for online access: 1-year conference access or select perpetual open access for the entire community.

Flexibility in the printed medium

Choose from these options to print all papers or just a selection of articles from the conference:




Application Application





- Printed copies containing all papers published in the online proceedings.
- For editors who want to reproduce all online papers for their participants.



- Choose to print just the best work, avoid the cost of printing everything.
- Printed copies designed especially for summer schools and workshops.
- Visibility and identity for events publishing tutorials and reviews.

Get a proposal for your proceedings in 3 simple steps

Step 1.

Obtain a proceedings questionnaire by writing to us at confproc@aip.org or download from proceedings.aip.org

Step 2.

Fill in the questionnaire with details of your conference and return it to confproc@aip.org

Step 3.

We'll review the questionnaire and your requirements and write to confirm if we can offer a proposal.







ISSN 0094-243X

The 2014 UKM FST Postgraduate Colloquium

Vol. 1614



The 2014 UKM FST Postgraduate Colloquium

Proceedings of the Universiti Kebangsaan Malaysia, Faculty of Science and Technology 2014 Postgraduate Colloquium

Selangor, Malaysia

9-11 April 2014

Editors

Fatimah Abdul Razak
Haja Maideen Kader Maideen
Hasidah Mohd. Sidek
Mohd Salmi Md Noorani
Nazlina Ibrahim
Noor Baa'yah Ibrahim
Norbert Simon
Nurulkamal Maseran
Nurul Huda Abd Karim
Rozida Mohd Khalid
Taufik Yusof
Zahari Ibrahim

Universiti Kebangsaan Malaysia, Selangor, Malaysia

All papers have been peer reviewed.



Editors

Fatimah Abdul Razak

School of Mathematical Sciences Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: fatimah84@ukm.edu.my

Haja Maideen Kader Maideen

School of Environmental and Natural Resource Sciences Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: deen@ukm.edu.my

Hasidah Mohd, Sidek

School of Biosciences and Biotechnology Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: hasidah@ukm.edu.my

Mohd Salmi Md Noorani

School of Mathematical Sciences Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: msn@ukm.edu.my

Nazlina Ibrahim

School of Biosciences and Biotechnology Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: nazlina@ukm.edu.my

Noor Baa'yah Ibrahim

School of Applied Physics Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: baayah@ukm.edu.my

Norbert Simon

School of Environmental and Natural Resource Sciences Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: norbsn@ukm.edu.ny

Nurulkamal Maseran

School of Mathematical Sciences Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: kamarulmsn@ukm.edu.my

Nurul Huda Abd Karim

Rozida Mohd Khalid School of Chemical Sciences and Food Technology Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: nurulhuda@ukm.edu.my rozidakhalid@ukm.edu.my

Taufik Yusof

School of Mathematical Sciences Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: taufik ikts@yahoo.com

Zahari Ibrahim

School of Applied Physics Universiti Kebangsaan Malaysia 43600 UKM Bangi Selangor, Malaysia

E-mail: zbi@ukm.edu.my

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the AIP Publishing LLC for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: http://www.copyright.com. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1250-7/14/\$30.00



© 2014 AIP Publishing LLC

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP Publishing and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at http://proceedings.aip.org, then simply click on the RightsLink icon/"Permissions/Reprints" link found in the article abstract. You may also address requests to: AIP Publishing Office of Rights and Permissions, Suite 300, 1305 Walt Whitman Road, Melville, NY 11747-4300, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

ISBN 978-0-7354-1250-7 ISSN 0094-243X Printed in the United States of America

AIP Conference Proceedings, Volume 1614 The 2014 UKM FST Postgraduate Colloquium Proceedings of the Universiti Kebangsaan Malaysia, Faculty of Science and Technology 2014 Postgraduate Colloquium

Table of Contents

Preface: The 2014 Post-Graduate Colloquium of UKM's FST Fatimah Abdul Razak, Haja Maideen Kader Maideen, Hasidah Mohd. Sidek, Mohd Salmi Md Noorani, Nazlina Ibrahim, Noor Baa'yah Ibrahim, Norbert Simon, Nurulkamal Maseran, Nurul Huda Abd Karim, Rozida Mohd Khalid, Taufik Yusof, and Zahari Ibrahim	1
APPLIED PHYSICS	
A study on leakage radiation dose at ELV-4 electron accelerator bunker Mohd Rizal Md Chulan, Redzuwan Yahaya, and Abu BakarMhd Ghazali	3
Effect of triethanolamine:ethylenediamine ratios on CuO nanoparticles prepared by ultrasound irradiation	
M. T. M. Ayob, A. F. Ahmad, H. M. K. Mohd, I. Abdul Rahman, and S. Radiman	8
Effect of deposition times on structure of Ga-doped ZnO thin films as humidity sensor Faridzatul Shahira Khalid and Rozidawati Awang	14
Non destructive multi elemental analysis using prompt gamma neutron activation analysis techniques: Preliminary results for concrete sample Lahasen@Normanshah Dahing, Redzuan Yahya, Roslan Yahya, and Hearie Hassan	20
The effect of magnetic field on copper in various corrosive medium L. Y. Ang, N. K. Othman, A. Jalar, and I. Ismail	26
Effect of nanosized Co _{0.5} Ni _{0.5} Fe ₂ O ₄ on the transport critical current density of Bi _{1.6} Pb _{0.4} Sr ₂ Ca ₂ Cu ₃ O ₁₀ superconductor M. Hafiz and R. Abd-Shukor	30
The characteristic assessment of spent ion exchange resin from PUSPATI TRIGA REACTOR (RTP) for immobilization process Nurul Wahida, Muhamad Samudi Yasir, Amran Ab Majid, Mohd Abd Wahab, Nik Marzukee, Wilfred Paulus, Esther Phillip, Thanaletchumy, and M. N. Irwan	36

Ultrasound-assisted green synthesis of nanocrystalline Co ₃ O ₄ in the ionic liquid Lamya M. Al-Qirby and Shahidan Radiman	41
Optimization of high filler loading on tensile properties of recycled HDPE/PET blends filled with rice husk Ruey Shan Chen, Sahrim Ahmad, Mohd Hafizuddin Ab Ghani, and Mohd Nazry Salleh	46
Polymorphs calcium carbonate on temperature reaction Kai-Yin Chong, Chin-Hua Chia, and Sarani Zakaria	52
Detection of irradiated spices using photo-stimulated luminescence technique (PSL) Ros Anita Ahmad Ramli, Muhamad Samudi Yasir, Zainon Othman, and Wan Saffiey Wan Abdullah	57
Deproteinated palm kernel cake-derived oligosaccharides: A preliminary study Suet Pin Fan, Chin Hua Chia, Zhen Fang, Sarani Zakaria, and Kah Leong Chee	61
Interaction between silicon dioxide and dipalmitoylphosphatidylcholine (DPPC) vesicles Hur Munawar Kabir Mohd, Ainee Fatimah Ahmad, Shahidan Radiman, Faizal Mohamed, Nur Ratasha Alia Md Rosli, Muhammad Taqiyuddin Mawardi Ayob, and Irman Abdul Rahman	65
Effect of gamma irradiation on hyaluronic acid and dipalmitoylphosphatidylcholine (DPPC) interaction Ainee Fatimah Ahmad, Hur Munawar Kabir Mohd, Muhammad Taqiyuddin Mawardi bin Ayob, Nur Ratasha Alia Md Rosli, Faizal Mohamed, Shahidan Radiman, and Irman Abdul Rahman	69
Influence of deposition time on the chemical bonding and composition of amorphous carbon nitride films Nurul Izzati Azman, Rozidawati Awang, and Shafarina Azlinda Ahmad Kamal	74
Synthesis and radiosensitization properties of hydrogen peroxide and sodium hyaluronate complex Nur Ratasha Alia Md. Rosli, Faizal Mohamed, Cheong Kai Heng, Irman Abdul Rahman, Ainee Fatimah Ahmad, and Hur Munawar Kabir Mohamad	78
NR/EPDM elastomeric rubber blend miscibility evaluation by two-level fractional factorial design of experiment Jeefferie Abd Razak, Sahrim Haji Ahmad, Chantara Thevy Ratnam, Mazlin Aida Mahamood, Juliana Yaakub, and Noraiham Mohamad	82

Structural and electrical evaluation of KNN ceramic Izura Izzuddin, Mohammad Hafizuddin Hj. Jumali, and Zalita Zainuddin	90
Thermoluminescence (TL) properties and x-ray diffraction (XRD) analysis of high purity CaSO4:Dy TL material Nadira Kamarudin, Wan Saffiey Wan Abdullah, Muhammad Azmi Abdul Hamid, and Mohd Taufik Dollah	94
Dynamic light scattering study on vesicles of Betaine-Cholesterol system R. Alenaizi, S. Radiman, F. Mohamed, and I. Abdul Rahman	99
First-principle study of quantum confinement effect on small sized silicon quantum dots using density-functional theory M. M. Anas, A. P. Othman, and G. Gopir	104
Radiation-induced complications in prostate cancer patients treated with radiotherapy A. Yusof Azuddin, I. Abdul Rahman, N. J. Siah, F. Mohamed, M. Saadc, and F. Ismail	110
Effect of plasma spray parameters on porosity of fly ash deposited coatings M. M. Muhammad, A. Jalar, R. Shamsudin, and M. C. Isa	116
One-step synthesis of titanium oxide nanocrystal- rutile by hydrothermal method Evyan Yang Chia Yan, Sarani Zakaria, and Chin Hua Chia	122
Purification of empty fruit bunch (EFB) and kenaf soda lignin with acidified water Sharifah Nurul Ain Syed Hashim, Sarani Zakaria, Sharifah Nabihah Syed Jaafar, and Chia Chin Hua	129
Polymer-ZnO nanocomposites foils and thin films for UV protection Haider Mohammed Shanshool, Muhammad Yahaya, Wan Mahmood Mat Yunus, and Ibtisam Yahya Abdullah	136
Effect of duration on pore widening of one-step anodized aluminum oxide template Nur Ubaidah Saidin, Mohammad Hafizuddin Hj Jumali, and Kok Kuan Ying	142
Effect of annealing process on the phase formation in poly(vinylidene fluoride) thin films Ibtisam Yahya Abdullah, Muhammad Yahaya, Mohd Hafizuddin Haji Jumali, and Haider Mohammed Shanshool	147

Investigation of high temperature corrosion behavior on 304L austenite stainless steel in corrosive	
environments M. I. Sahri, N. K. Othman, Z. Samsu, and A. R. Daud	152
Problem solving in magnetic field: Animation in mobile application A. S. M. Najib, A. P. Othman, and Z. Ibarahim	158
Liquefaction process of wholestalk kenaf wood at different phenol-kenaf ratio Fatimah Ab Hamid, Sarani Zakaria, Sharifah Nabihah Syed Jaafar, Chia Chin Hua, and Saiful Bahari Bakaruddin	163
Tannin bark <i>Melalauca cajuputi powell</i> (gelam) as green corrosion inhibitor of mild steel Nur Atiqah Abu Talib, Sarani Zakaria, Chia Chin Hua, and Norinsan Kamil Othman	171
CHEMICAL SCIENCES AND FOOD TECHNOLOGY Cationic quaternization of cellulose with methacryloyloxy ethyl trimethyl ammonium chloride via ATRP method Supeno, Rusli Daik, and Said M. El-Sheikh	178
Spectral studies of copper(II) complexes of 6-(3-thienyl) pyridine-2-thiosemicarbazone Omima Abdalla Mahjoub and Yang Farina	186
Development, characterization and potential applications of edible film from seaweed (Kappaphycus alvarezii) Siah Watt Moey, Aminah Abdullah, and Ishak Ahmad	192
Antioxidant activity of goat's milk from three different locations in Malaysia Saif Alyaqoubi, Aminah Abdullah, and Zuhair Radhi Addai	198
Market surveillance on non-halal additives incorporated in surimi based products using polymerase chain reaction (PCR)-southern hybridization analysis S. Aravindran, A. M. Sahilah, and A. Aminah	202
Isolation and identification among cockle isolates of <i>Vibrio vulnificus</i> isolated from Selangor, Malaysia Mohammed M. Kurdi Al-Dulaimi, Sahilah Abd. Mutalib, and Ma`aruf Abd. Ghani	208

Secondary metabolite isolated from Ramalina dumeticola and its application for silver nanoparticles production Ropisah Mie, Laily B. Din, Mohd Wahid Samsudin, and Azizan Ahmad	213
Synthesis, characterization and antibacterial study of tripodal tris-(N-benzoylthioureido)ethylamine Dalina Adan, Bohari Yamin, Ong Wei Leng, and Nazlina Ibrahim	218
Effects of seasonal variations on antioxidant activity of pink guava fruits Haniza Ahmad and Aminah Abdullah	224
Optimization of esterification of oleic acid and trimethylolpropane (TMP) and pentaerythritol (PE) Hamizah Ammarah Mahmud and Jumat Salimon	230
New mono-organotin (IV) dithiocarbamate complexes Amirah Faizah Abdul Muthalib and Ibrahim Baba	237
Characteristics of cinnamaldehyde nanoemulsion prepared using APV-high pressure homogenizer and ultra turrax Asmawati, Wan Aida Wan Mustapha, Salma Mohamad Yusop, Mohamad Yusof Maskat, and Ahmad Fuad Shamsuddin	244
A study on the effect of the concentration of N,N-methylenebisacrylamide and acrylic acid toward the properties of <i>Dioscorea hispida</i> -starch-based hydrogel Airul Ashri and Azwan Lazim	251
Effect of water content on partial ternary phase diagram water-in-diesel microemulsion fuel Hastinatun Mukayat, Khairiah Haji Badri, Ismail Ab. Raman, and Suria Ramli	256
Synthesis and effect of modification on methacylate - acrylate microspheres for <i>Trametes versicolor</i> laccase enzyme immobilization Siti Zulaikha Mazlan and Sharina Abu Hanifah	263
Ru/FTO: Heterogeneous catalyst for glycerol hydrogenolysis Wan Zurina Samad, Wan Nor Roslam Wan Isahak, Kin Hong Liew, Norazzizi Nordin, Mohd Ambar Yarmo, and Muhammad Rahimi Yusop	269

Solid state self-healing system: Effects of using PDGEBA, PVC and PVA as linear healing agents Noor Nabilah Muhamad, Mohd. Suzeren Md. Jamil, and Shahrum Abdullah	275
Oxidation of ferrocene by thiocyanic acid in the presence of ammonium oxalate Farah bt Ruslin and Bohari M. Yamin	283
Effect of using miscible and immiscible healing agent on solid state self-healing system Siti Mastura Makenan and Mohd Suzeren Md. Jamil	288
Studies on the molar conductivity behavior of PMMA-co-MA electrolyte solution at different polymer concentrations Hussein Hanibah, Azizan Ahmad, and Nur Hasyareeda Hassan	295
Resveratrol tetramer of hopeaphenol isolated from <i>Shorea johorensis</i> (Dipterocarpaceae) Farra Aisha, Laily B. Din, and W. A. Yaacob	302
Synthesis of novel symmetrical macrocycle <i>via</i> oxidative homocoupling of bisalkyne Nurulain Kamalulazmy and Nurul Izzaty Hassan	309
Electrochemical DNA biosensor for detection of porcine oligonucleotides using ruthenium(II) complex as intercalator label redox Nurul Izni Abdullah Halid, Siti Aishah Hasbullah, Haslina Ahmad, Lee Yook Heng, Nurul Huda Abd Karim, and Siti Norain Harun	313
Oxidative stability of red palm oils blended chicken nuggets during frozen storage Nurkhuzaiah Kamaruzaman and Abdul Salam Babji	317
Production of enzymatic protein hydrolysates from freshwater catfish (<i>Clarias batrachus</i>) Maizatul Sarah Md Seniman, Salma Mohamad Yusop, and Abdul Salam Babji	323
Formation of a dinuclear copper(II) complex through the cleavage of C-N bond of 1-benzoyl-3-(pyridin-2-yl)-1H-pyrazole Rosidah Shardin, Law Kung Pui, Bohari M. Yamin, and Mohammad B. Kassim	329
Adsorption of CO ₂ on silica dioxide catalyst impregnated with various alkylamine Maratun Najiha Abu Tahari and Mohd Ambar Yarmo	334

Monitoring and assessment of water quality of Tasik Cempaka, Bangi Nurul Ain Syahirah Mohamad Sabri, Md Pauzi Abdullah, and Sohif Mat	342
Direct discrimination of <i>Parmotrema tinctorum</i> from various location by Fourier transform infrared spectroscopy W. H. Fam, Jalifah Latip, Laily bin Din, and Mohd. Wahid Samsuddin	347
Synthesis and physicochemical properties of epoxidized Tmp trioleate by <i>in situ</i> method Salma Samidin and Jumat Salimon	351
Synthesis and characterization of Ni(II) complex with 5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-7,14-dienium bromide Latifah M. Yusoff, Siti Fairus M. Yusoff, Wafiuddin Ismail, and Bohari M. Yamin	358
$\label{eq:continuous_equation} Electrocarboxylation of N^1N^2-di(2-pyridylmethyl)-ethylenediamine with CO_2 \\ Noor Afzalina Baharuddin, Mohamed Rozali Othman, and Muhammad Rahimi Yusop$	362
Chemical crosslinking of acrylic acid to form biocompatible pH sensitive hydrogel reinforced with cellulose nanocrystals (CNC) Lim Sze Lim, Ishak Ahmad, Mohd Azwani Shah Mat Lazim, and Mohd. Cairul Iqbal Mohd Amin	366
Complexation of 5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradeca-7,14-dienium bromide with copper salts Ameera Aqeela Salleh Huddin, Bohari M. Yamin, and Siti Fairus M. Yusoff	371
Synthesis of chemical cross-linked gelatin hydrogel reinforced with cellulose nanocrystals (CNC) Ooi Shok Yin, Ishak Ahmad, and Mohd. Cairul Iqbal Mohd Amin	375
Thermally conductive of nanofluid from surfactant doped polyaniline nanoparticle and deep eutectic ionic liquid Chew Tze Siong, Rusli Daik, and Muhammad Azmi Abdul Hamid	381
Interaction of Bis-Zn(II) salphen complex with calf thymus-DNA Aida Mastura Binti Mohd Yussof and Nurul Huda Abd Karim	386
Green polymer electrolytes based on chitosan and 1-butyl-3-methylimidazolium acetate Intan Juliana Shamsudin, Azizan Ahmad, and Nur Hasyareeda Hassan	393

Elimination of seaweed odour and its effect on antioxidant activity Xiren Guli Keyimu and Aminah Abdullah	399
Preparation and characterization on nano-hybrid composite solid polymer electrolyte of PVdF-HFP /MG49-ZrO ₂ for battery application Lee T. K., A. Ahmad, and N. Hasyareeda	404
Selective oxidation of rhodinol to citral using H ₂ O ₂ -platinum black system under microwave irradiation D. J. W. Chong, J. Latip, S. A. Hasbullah, and H. Sastrohamidjojo	410
Nata de coco (NDC) hydrogel as nanoreactors for preparation iron nanoparticles (FeNps) from ferrocenium reduction Mellissa Andarini and Azwan Lazim	414
Synthesis and characterisation of platinum (II) salphen complex and its interaction with calf thymus DNA Shahratul Ain Mohd Sukri, Lee Yook Heng, and Nurul Huda Abd Karim	419
Effect of enzymatic hydrolysis of pancreatin and alcalase enzyme on some properties of edible bird's nest hydrolysate Etty Syarmila Ibrahim Khushairay, Mohd Khan Ayub, and Abdul Salam Babji	427
Lignin recovery from alkaline hydrolysis and glycerolysis of oil palm fiber Nur Syakilla Hassan and Khairiah Haji Badri	433
UV-curable acrylated coating from epoxidized palm oil Nurliyana Abd Rahman, Khairiah Haji Badri, and Nik Ghazali Nik Salleh	439
Glycolysis of carbon fiber-epoxy unidirectional mat catalysed by sodium hydroxide Mariana Binti Mohd Zaini and Khairiah Haji Badri	446
Metabolic fingerprinting of lichen <i>Usnea baileyi</i> by Fourier transform infrared spectroscopy Siti Zaharah Abu Bakar, Jalifah Latip, Laily bin Din, and Mohd Wahid Samsuddin	452
Effect of cooking temperature on the crystallinity of acid hydrolysed-oil palm cellulose Fatin Afifah Binti Ahmad Kuthi and Khairiah Haji Badri	456

Degradation and decoloration of textiles wastewater by electron beam irradiation: Effect of energy, current and absorbed dose	462
Khomsaton Abu Bakar, Pauzi Ahmad, Zulkafli, and Siti A'aisah Hashim	463
Effect of different healing temperature on self-healing hydrogel Najiyyah Abdullah Sirajuddin, Mohd Suzeren Md Jamil, and Azwan Mat Lazim	469
Nutritional composition and solubility of edible bird nest (Aerodramus fuchiphagus) Nurfatin Mohd Halimi, Zalifah Mohd Kasim, and Abdul Salam Babji	476
Separation of thorium (IV) from lanthanide concentrate (LC) and water leach purification (WLP) residue Wadeeah M. AL-Areqi, Amran Ab. Majid, and Sukiman Sarmani	482
Phosphate sensor based on immobilized aluminium-morin in poly (glycidyl methacrylate) microspheres	
Amalina Ahmad, Sharina Abu Hanifah, Siti Aishah Hasbullah, Khairi Suhud, Norhadisah Mohd Zaini, and Lee Yook Heng	486
Study on swelling behaviour of hydrogel based on acrylic acid and pectin from dragon fruit Mohd Fadzlanor Abdullah and Azwani Mat Lazim	492
Synthesis, characterization and antibacterial studies of 2-chloro-5-fluoro-N-[dibenzyl carbamothioyl] benzamide thiourea Suhaila Sapari, Bohari M. Yamin, Aishah Hasbullah, and Nazlina Ibrahim	497
Sunana Sapari, Bonari W. Yamin, Aisnan Hasbunan, and Nazima Ibrahim	497
BIOSCIENCE AND BIOTECHNOLOGY Expression of Caenorhabditis elegans antimicrobial peptide NLP-31 in Escherichia coli Mei-Perng Lim and Sheila Nathan	501
Screening for potential anti-infective agents towards Burkholderia pseudomallei infection	
Su Anne Eng and Sheila Nathan	505
UGT-29 protein expression and localization during bacterial infection in <i>Caenorhabditis elegans</i> Rui-Rui Wong, Song-Hua Lee, and Sheila Nathan	509
Identification of potential anti-infectives against Staphylococcus aureus using a Caenorhabditis elegans infection model	
Cin Kong, Noorsaadah Abd Rahman, and Sheila Nathan	513

Preliminary study on the potential of polysaccharide from indigenous Tiger's Milk mushroom (<i>Lignosus rhinocerus</i>) as anti-lung cancer agent Wei Hong Lai, Zamri Zainal, and Fauzi Daud	517
Isolation and characterization of pigmented algicidal bacteria from seawater Shaima A., Gires U., and Asmat A.	520
Biobutanol production by a new local isolate of <i>Clostridium acetobutylicum</i> YM1 Najeeb Kaid Al-Shorgani, El Mubarak Tibin, Mohd Sahaid Kalil, Wan Mohtar Wan Yusoff, and Aidil Abdul Hamid	523
Informative markers identification and multivariate analysis of selected DxP for the purpose of QTL mapping Hazirah S. Z., Maizura I., Rajinder S., Mohd Isa Z. A., and Ismanizan I.	528
Mapping analysis of scaffold/matrix attachment regions (s/MARs) from two different mammalian cell lines Nur Shazwani Mohd Pilus, Norazfa Johari, Azrin Ahmad, and Nurul Yuziana Mohd Yusof	531
In-silico analysis of Aspergillus niger beta-glucosidases Yeo S. L., Shazilah K., Suhaila S., Abu Bakar F. D., and Murad A. M. A.	537
Identification of the conserved hypothetical protein BPSL0317 in <i>Burkholderia pseudomallei</i> K96243 Nur Syamimi Yusoff, Nadzirah Damiri, and Mohd Firdaus-Raih	544
Cytotoxicity and antiviral activities of <i>Asplenium nidus</i> , <i>Phaleria macrocarpa</i> and <i>Eleusine indica</i> Mariya Mohd Tahir, Nazlina Ibrahim, and Wan Ahmad Yaacob	549
Inhibition of Serratia marcescens Smj-11 biofilm formation by Alcaligenes faecalis STN17 crude extract Zainal Lutfi, Gires Usup, and Asmat Ahmad	553
Anti-biofilm and anti-adherence activities of sub fraction 18 of <i>Melastoma malabathricum</i> towards <i>Streptococcus mutans</i> Rohazila M. H., Nazlina I., and Yaacob W. A.	557
In vitro virucidal activity of a styrylpyrone derivative against herpes simplex virus strain KOS-1 Micheal Moses, Norefrina Shafinaz Md. Nor, and Nazlina Ibrahim	562

Transpiration rates of rice plants treated with <i>Trichoderma</i> spp. Febri Doni, I. Anizan, Che Radziah C. M. Z., and Wan Mohtar Wan Yusoff	566
Radiosensitivity study and radiation effects on morphology characterization of grey oyster mushroom <i>Pleurotus sajor-caju</i> Rosnani Abdul Rashid, Fauzi Daud, Sahidan Senafi, Mat Rasol Awang, Azhar Mohamad, Hassan Hamdani Mutaat, and Mohd Meswan Maskom	570
<i>In silico</i> analysis of β-1,3-glucanase from a psychrophilic yeast, <i>Glaciozyma antarctica</i> PI12 Salimeh Mohammadi, Farah Diba Abu Bakar, Amir Rabu, and Abdul Munir Abdul Murad	575
The potential of sanrego (<i>Lunasia amara</i>) in enhancing fertility and anti-hyperglycemic effect in diabetic induced male rats Nor Raidah R., Mahanem M. N., and Mohd Shazrul Fazry S.	579
Construction of a large-scale <i>Burkholderia cenocepacia</i> J2315 transposon mutant library Yee-Chin Wong, Arnab Pain, and Sheila Nathan	583
Identification of drought-responsive microRNAs in leaf and stem tissues of <i>Oryza sativa</i> by Solexa sequencing Cheah Boon Huat, Kalaivani Nadarajah, and Wickneswari Ratnam	587
ENVIRONMENTAL AND NATURAL RESOURCE SCIENCES Macrobenthos composition, distribution and abundance within Sungai Pulai estuary, Johor, Malaysia Guan Wan Shi, Lee Di Min, Mazlan Abd Ghaffar, Masni Md Ali, and Zaidi Che Cob	591
Effect of electrochemical oxidation on biodegradability and toxicity of batik industry wastewater Devagi Subramaniam and Azhar A. Halim	597
Mobility of heavy metals through granitic soils using mini column infiltration test Nur 'Aishah Zarime and W. Z.W. Yaacob	603
Recent benthic ostracoda of Pahang River Delta, Pahang Darul Makmur N. F. Noraswana and O. Ramlan	610
Temperature effect on gastric emptying time of hybrid grouper (<i>Epinephelus</i> spp.) Moumita De, Mazlan, Abd. Ghaffar, and Simon K. Das	616

Variations in antioxidant content in leaves and fruits of <i>Ficus fistulosa</i> Shrrog Hammed Hlail, Wan Juliana Wan Ahmad, and Aminah Abdullah	619
Estimation of gastric emptying time (GET) in clownfish (Amphiprion ocellaris) using X-radiography technique Khoo Mei Ling and Mazlan Abd. Ghaffar	624
Analysis of ancient-river systems by 3D seismic time-slice technique: A case study in northeast Malay Basin, offshore Terengganu, Malaysia Noorzamzarina Sulaiman, Umar Hamzah, and Abdul Rahim Samsudin	629
Sequence stratigraphy of the Miocene, Pohokura field, Taranaki Basin, New Zealand Nur Zulfa Abdul Kalid and Umar Hamzah	637
Analysis of Cheshire basin by gravity method: Some preliminary results Nadiah Hanim Shafie, Umar Hamzah, and Abdul Rahim Samsudin	644
Birds communities of fragmented forest within highly urbanized landscape in Kuala Lumpur, Malaysia F. S. Mohd-Taib, S. Rabiatul-Adawiyah, and S. Md-Nor	651
Allelopathic effects of the aqueous extract of the leaf and seed of Leucaena leucocephala on three selected weed species Muhamad Safwan Ishak and Ismail Sahid	659
Numerical modeling of hydrodynamic in southwestern Johor, Malaysia Wan Hasliza Wan Jusoh, Fredolin Tangang, Liew Juneng, and Mohd. Radzi Abdul Hamid	665
Olfactory response of predatory <i>Macrolophus caliginosus</i> Wagner (Heteroptera: Miridae) to the odours host plant infested by <i>Bemisia tabaci</i> Khalid A. Saad, M. N. Mohamad Roff, Mansour Salam, Hanifah Mohd Y., and A. B. Idris	671
Evaluation of CMIP5 coupled atmosphere-ocean general circulation models over the Southeast Asian winter monsoon in the 20 th century Jing Huey Siew, Fredolin T. Tangang, and Liew Juneng	677
Effect of starvation on vein preference of whitefly (<i>Bemisia tabaci</i>) on chilli as host plant Siti Sakinah A. Mohamad Roff M. N. and A. B. Idris	684

A preliminary study on activity budget, daily travel distance and feeding behaviour of long-tailed macaques and spectacled dusky leaf monkey in Bangi campus of Universiti Kebangsaan Malaysia, Selangor	
Farhani Ruslin, Salmah Yaakop, and Badrul Munir Md. Zain	688
Habitat and food resources of otters (Mustelidae) in Peninsular Malaysia P. Abdul-Patah, N. Nur-Syuhada, S. Md-Nor, H. Sasaki, and B. M. Md-Zain	693
Snapping shrimp prefer natural as opposed to artificial materials as their habitat in laboratory conditions Lai Kean Sim and Shahriman M. Ghazali	700
Phylogeny of economically important insect pests that infesting several crops species in Malaysia Siti Zafirah Ghazali, Badrul Munir Md. Zain, and Salmah Yaakop	707
Determination of heavy metals in soil and different parts of <i>Diplazium esculentum</i> (medicinal fern) Hind S. Jasim, Mushrifah Idris, Aminah Abdullah, and A. A. H. Kadhum	713
Molecular Phylogeny of a tick, <i>Ixodes granulatus</i> (Acari: Ixodidae) based on cytochrome oxidase subunit I (<i>COI</i>) marker Ernieenor Faraliana Che Lah, Salmah Yaakop, Mariana Ahamad, Ernna George, and Shukor Md Nor	719
Taxonomic significance of leaf micromorphology in some selected taxa of Acanthaceae (Peninsular Malaysia) C. A. C. Nurul-Aini, T. Noraini, A. Latiff, A. J. Amirul-Aiman, A. R. Ruzi, and S. Idris	727
Fungal endophytes characterization from four species of <i>Diplazium</i> Swartz A. A. Affina-Eliya, T. Noraini, I. Nazlina, and A. R. Ruzi	734
Systematic significance of midrib vascular bundles in some Schefflera Spreng (Araliaceae) species M. Y. Noor-Syaheera, T. Noraini, and A. P. Aida-Shafreena	740
Food consumption and digestion time estimation of spotted scat, <i>Scatophagus argus</i> , using X-radiography technique Marina Hashim, Diana Atiqah Zainal Abidin, Simon K. Das, and Mazlan Abd. Ghaffar	745

Study of movement of the western and central belts of Peninsular Malaysia using GPS data analysis Siti Hafizah Ramli and Abdul Rahim Samsudin	750
Morphological and molecular characterization of Magnaporthe oryzae (fungus) from infected rice leaf samples Nurulhidayah Mat Muni and Kalaivani Nadarajah	756
Investigating the roles of MicroRNAs in biotic stress response induced by <i>Rhizoctonia solani</i> in rice O. Nurfarahana Syuhada and N. Kalaivani	761
Development of pyramidal lines with two major QTLs conferring resistance to sheath blight in rice (<i>Oryza sativa</i> L.) Md Kamal Hossain, Kshirod Jena, Md Atiqur Rahman Bhuiyan, and Wickneswari Ratnam	765
Early growth performance of full-sib Acacia auriculiformis x Acacia mangium F ₁ hybrid progenies at three different sites Atirah Abdullah Shah Aimin, Mohd Zaki Abdullah, Norwati Muhammad, and Wickneswari Ratnam	769
Phylogenetic relationships of Malaysia's pig-tailed macaque <i>Macaca nemestrina</i> based on D-loop region sequences Abdul-Latiff M. A. B., Ampeng A., Yaakop S., and Md-Zain B. M.	772
Parasites of the hard clam <i>Meretrix meretrix</i> Linnaeus from Western Johor Straits, Malaysian Nur Fauzana Azmi, Mazlan Abd. Ghaffar, and Zaidi Che Cob	777
Incidences and severity of vascular wilt in <i>Acacia mangium</i> plantations in Sabah, Malaysia Mandy Maid and Wickneswari Ratnam	784
Community structure at two compartments of a disturbed mangrove forests at Pulau Langkawi W. I. Wan Norilani, W. A. Wan Juliana, Muhamad Razali Salam, and A. Latiff	790
Residue determination and levels of glyphosate in surface waters, sediments and soils associated with oil palm plantation in Tasik Chini, Pahang, Malaysia K. Mardiana-Jansar and B. S. Ismail	795

Water footprint assessment of oil palm in Malaysia: A preliminary study A. Muhammad-Muaz and M. H. Marlia	803
Remediation of AMD using natural and waste material Nur Athirah Mohamad Basir and Wan Zuhairi Wan Yaacob	808
MATHEMATICAL SCIENCES Integral means for k-uniformly starlike Hurwitz-Lerch Zeta fractional power functions	
Uzoamaka A. Ezeafulukwe and Maslina Darus	815
Natural convection in a porous enclosure filled with nanofluids Abeer Alhashash, Habibis Saleh, and Ishak Hashim	823
Decomposition theorem in ideal topological spaces via <i>a*-I-</i> open sets and <i>Asemi*-I-</i> open sets W. AL-Omeri, Mohd. Salmi. Noorani, and A. AL-Omari	827
Properties on the multi Q-fuzzy soft matrix Fatma Adam and Nasruddin Hassan	834
Modified second derivative multistep method based on finite difference for solving ordinary differential equation Mohd Rosli A. Hamid, Rokiah@Rozita Ahmad, Ummul Khair Salma Din, and Azman Ismail	840
	040
On coefficient estimates for new generalized subclasses of bi-univalent functions Adnan G. AlAmoush and Maslina Darus	844
Determining the optimal operator allocation using a three-phase methodology Ruzanita Mat Rani, Wan Rosmanira Ismail, and Mohd Nizam Ab Rahman	851
Two dimensional Motzkin shift Alsharari and Mohd. Salmi Md. Noorani	859
Some properties on a class of harmonic univalent functions defined by differential operator Entisar El-Yagubi and Maslina Darus	864
On univalent function with negative coefficients by using differential operator Mohammed Alamri and Maslina Darus	871

Modified third order multistep method based on interpolation for solving ordinary differential problem Azman Ismail, Rokiah Rozita Ahmad, Ummul Khair Salma Din, and Mohd Rosli A. Hamid	875
A-KRCA: A new combiner algorithm A. H. Kashmar and E. S. Ismail	880
Effects of position of partitions on natural convection in squares enclosures Mat Salim Selamat and Ishak Hashim	886
Partial heating and partial salting on double-diffusive convection in an open cavity N. Arbin and I. Hashim	891
Stability analysis of flow and heat transfer on a permeable moving plate in a co-flowing nanofluid Mohd Amin Mohd Noor, Roslinda Nazar, Khamisah Jafar, and Ioan Pop	898
Three-dimensional flow and heat transfer of a nanofluid past a permeable stretching sheet with a convective boundary condition Syahira Mansur and Anuar Ishak	906
Bayesian extreme rainfall analysis using informative prior: A case study of Alor Setar Annazirin Eli, Wan Zawiah Wan Zin, Kamarulzaman Ibrahim, and Abdul Aziz Jemain	913
Enhanced index tracking modeling in portfolio optimization with mixed-integer programming z approach Lam Weng Siew, Saiful Hafizah Hj. Jaaman, and Hamizun bin Ismail	918
A new form of bivariate generalized Poisson regression model Pouya Faroughi and Noriszura Ismail	923
Kriging on comparison of Original and Outlier-free data Nur Ali Amri, Abdul Aziz Jemain, and Wan Fuad Wan Hassan	929
Innovation value chain capability in Malaysian-owned company: A theoretical framework Norkisme Zainal Abidin and Nur Riza Mohd Suradi	936

Subclasses of meromorphically <i>p</i> -valent functions Nasser Alkasbi and Maslina Darus	941
Predicting the safe load on backpacker's arm using Lagrange multipliers method Faisal Saleh Abdalla and Azmin Sham Rambely	948
Complex fuzzy soft multisets Abd Ulazeez M. Alkouri and Abdul Razak Salleh	955
Comparison of hamstring muscle behavior for anterior cruciate ligament (ACL) patient and normal subject during local marching Nurul Izzaty Bt. Amineldin@Aminudin and A. S. Rambely	962
Portfolio optimization in enhanced index tracking with goal programming approach Lam Weng Siew, Saiful Hafizah Hj. Jaaman, and Hamizun bin Ismail	968
An upper limb mathematical model of an oil palm harvester N. P. Tumit, A. S. Rambely, Shamsul BMT, Shahriman A. B., Ng Y. G., B. M. Deros, Zailina H., Y. M. Goh, Manohar Arumugam, I. A. Ismail, and Abdul Hafiz A. R.	973



Kriging on comparison of Original and Outlier-free data

Nur Ali Amri, Abdul Aziz Jemain, and Wan Fuad Wan Hassan

Citation: AIP Conference Proceedings 1614, 929 (2014); doi: 10.1063/1.4895326

View online: http://dx.doi.org/10.1063/1.4895326

View Table of Contents: http://scitation.aip.org/content/aip/proceeding/aipcp/1614?ver=pdfcov

Published by the AIP Publishing

Articles you may be interested in

Detecting Outliers in Marathon Data by Means of the Andrews Plot

AIP Conf. Proc. 1389, 423 (2011); 10.1063/1.3636753

On the use of kriging for enhanced data reconstruction in a separated transitional flat-plate boundary layer

Phys. Fluids 20, 104109 (2008); 10.1063/1.3003069

Modeling of homogeneous nucleation in the free troposphere and comparison with GLOBE-2 data

AIP Conf. Proc. **534**, 503 (2000); 10.1063/1.1361917

History of outliers

Phys. Today 33, 73 (1980); 10.1063/1.2914041

Outliers in Statistical Data

Phys. Today 32, 73 (1979); 10.1063/1.2995737

Kriging on Comparison of Original and Outlier-free Data

Nur Ali Amri^{a,b}, Abdul Aziz Jemain^b and Wan Fuad Wan Hassan^c

^a Mining Engineering Department, Faculty of Mineral and Technology,
UPN "Veteran" Yogyakarta, Indonesia
^b School of Mathematical Sciences, Faculty of Science and Technology, Universiti Kebangsaan
Malaysia, 43600, Selangor, Malaysia.
^c Geological Department, University of Malaya 50603 Kuala Lumpur, Malaysia.

Abstract. Kriging prediction on gold grade with the contamination of outliers, which are grouped into two zones i.e. rich and poor zones, performed with classical and robust semivariogram comparison. Both are based on ordinary least squared fitting of spherical model. The ordinary kriging method based on robust semivariogram is used in both Original and Outlier-free data. The first scenario conducted on the Original, while the second performed on the Outlier free. Both are fitted based on the classical method and the assumption of omnidirectional.

Keywords: Semivariogram, Outlier, OLS Fitting, Ordinary Kriging.

INTRODUCTION

One of the important factors in the mining operations is the calculation of resources or reserves. A variety of methods are offered, but the most widely used is geostatistics, which is a method based on the model of semivariogram (some authors called variogram) and kriging prediction. Semivariogram is the main tool of regionalized variable theory which quantifies the size and intensity of spatial variation. Semivariogram provide a basis for the optimum interpolation through of kriging method [1].

There are two semivariogram models, namely the empirical (or experimental) and theoretical. The empirical model is a model of discrete function which is used to execute the observation data. While the theoretical semivariogram (e.g., spherical, exponential, linear, etc.) is a continuous function obtained by fitting (empirical against theoretical), in which the output (among others) is the sill and the range. Both (sill and range) has a very important role in the kriging method. Sill is a situation which is between samples within an area (or region) is no longer spatially correlated. While the maximum distance of influence is called the range.

Empirical semivariogram can be solved with the classical model [2], or the robust model [3]. Classical models used for non-skewed data, whereas in general, for skewed data is used robust model [4].

Kriging is a method, in geostatistics which is used to predict the values of a regionalized of random variable at which unsampled data, and mainly based on sill and range parameters.

MATERIALS AND METHODS

In general, the minerals or metals component (including gold) inside the vein is not evenly distributed. Similarly with the grade, which is often very erratical [5 and 6]. The existence of minerals, in this study is the gold deposits that are in the vein, is also not evenly distributed. In one location (within a region) there is a deposit which has a high grade (rich zone), whereas at other locations, in the same region there is a moderate or even low grade (poor zones). Therefore, not necessarily that the calculation of reserves (mainly) conducted simultaneously, assuming that the influence area can apply to all locations.

Sample data such gold grade (in g/t Au) which had been sedimented in the veins quartz, derived from the results of assaying of 138 drilling samples, which are located in the Ciurug Pongkor, the area owned by PT. Aneka Tambang UBPE Pongkor, West Java, Indonesia. Based on the results of statistical processing, the distribution of grade clustered in two zones, namely, in the west is a high-grade zone, while the east is a zone with a low grade.

The first scenario is to calculate (based on robust model) the semivariogram data groups of 138 data. Outliers should be excluded from the analysis [7]. Based on these considerations, since the data distribution is skewed, the second scenario performed which is to eliminate the outliers from the data calculation and analysis. Therefore, there are 10 data outliers then in the second scenario which is outlier-free data sets, eventually living to 128. Both the results of these calculations serve as the comparison basis to the next step.

The 2014 UKM FST Postgraduate Colloquium
AIP Conf. Proc. 1614, 929-935 (2014); doi: 10.1063/1.4895326
© 2014 AIP Publishing LLC 978-0-7354-1250-7/\$30.00

The entire data set, both 138 and 128, located in an area which is extent of 1496×364 m², or about 560000 m² (if taken of outermost points). The main purpose of this paper is to calculate the average grade based on kriging method. Reserve calculation is not done, because it is associated with the company's permission.

Geostatistics

Geostatistics is a part of statistics which is considered the regionalized variables as reliability of the random sample. Mapping Z: $\Omega \rightarrow \mathbb{R}$ called a random variable if the area of function Z is a countable set of $\{z_1, z_2, ...\}$ and $\{\omega: Z(\omega)=z_i\}\in\psi$ for all $j\geq 1$, where ψ consists of all subsets of Ω [8].

Regionalized variables can be simply described as a variable which is distributed in space. Journel & Huijbregts [9] stated that mineralization phenomena (including gold grade distribution in two dimensions) can be characterized by the spatial distribution of regionalized variables values.

Empirical Semivariogram

Semivariogram is a squared-difference function of expectation of the sample pair on the relative orientation [10, 11], i.e.

$$\gamma(\mathbf{h}) = \frac{1}{2} E[Z(\mathbf{s}) - Z(\mathbf{s} + \mathbf{h})]^{2}.$$
 (1)

Z(s) is the value of a variable which is situated in a location s, while Z(s+h) is the value of a variable which is situated in a location within h distance of s. Empirical semivariogram then presented as [2]

$$\gamma(\mathbf{h}) = \frac{1}{2|N(\mathbf{h})|} \sum_{i=1}^{N(\mathbf{h})} [Z(\mathbf{s}_i) - Z(\mathbf{s}_i + \mathbf{h})]^2.$$
(2)

If $\mathbf{h} = \mathbf{s}_i - \mathbf{s}_i$, then Eq. 2 can be simplified (and this form will serve as a reference in writing of the next formula) to

$$\gamma(\mathbf{h}) = \frac{1}{2|N(\mathbf{h})|} \sum_{i=1}^{N(\mathbf{h})} [Z(\mathbf{s}_i) - Z(\mathbf{s}_j)]^2.$$
(3)

To minimize the occurrence of atypical observations has transformed Box and Cox [10] by assuming the principle of normality and chi-squared distribution of four square root of $(Z(s+h)-Z(s))^2$, in order to obtain the robust semivariogram, namely

$$\overline{y}(\mathbf{h}) = \left(\frac{1}{2|N(\mathbf{h})|} \sum_{i=1}^{N(\mathbf{h})} [Z(\mathbf{s}_i) - Z(\mathbf{s}_j)]^{1/2}\right)^4 / \left(0.457 + \frac{0.494}{|N(\mathbf{h})|}\right),\tag{4}$$

 $N(\mathbf{h}) \equiv \{(i, j); \mathbf{s}_j - \mathbf{s}_i = \mathbf{h}\}$ is sample pair observation which is separated at a distance \mathbf{h} . If n is the number of data observations, than the number of observation points is n(n-1)/2.

Semivariogram Fitting

Geostatistically, semivariogram fitting is a procedure to find the best continued-curve of points (by minimizing the sum of squares, of course) interpreted as the process of matching the experimental semivariogram versus theoretical semivariogram. The ultimate goal is to obtain a precise information of semivariogram parameters among others, nugget, sill and range. In many mining literature, theoretical semivariogram fitting also called as a *structural analysis* [12].

Semivariogram fitting is an important step of spatial estimations, because this will determine the weight of kriging [13]. Fitting method, here using of ordinary least squares (OLS), as [10] and [14],

$$\min \sum_{i=1}^{k} [\hat{\gamma}_z(\mathbf{h}_i) - \gamma_z(\mathbf{h}_i; \theta)]^2.$$
 (5)

In case where the estimator is robust, then $\hat{\gamma}_{z}(.)$ is replaced with $\bar{\gamma}(.)$.

Sill, which is geologically defined as igneous intrusions concordant to bedding rock [15], geostatistically defined as a condition in which the semivariogram has reached a stationary condition. Range is the maximum distance where a semivariogram has reached the sill, and mathematically written as $\lim_{|\mathbf{h}| \to \infty} \gamma(|\mathbf{h}|) = \gamma_{\infty} < \infty$. While nugget is a condition where the extrapolation curve leadings to $\mathbf{h}=0$ (the origin) does not produce $\gamma(0)=0$, but $\gamma(0)=c_0$.]. Or, $\gamma(\mathbf{h}) \to c_0 > 0$ for $\mathbf{h} \to 0$.

Theoritical Semivariogram

Sill and range parameters as in empirical semivariogram of Eq. 3 and Eq. 4, to be fitted with theoretical semivariogram, which in this paper is using spherical model [16]

$$\gamma(\mathbf{h}) = \begin{cases} c_0 + c \left\{ \frac{3\mathbf{h}}{2a} - \frac{1}{2} \left(\frac{\mathbf{h}}{a} \right)^3 \right\}, & \mathbf{h} \le a \\ c_0 + c, & \mathbf{h} > a. \end{cases}$$
 (6)

Here, a is the range (of influence), c_0 as nugget and c_0+c is the sill. The data execution used the geoR's library of R package [17].

Ordinary Kriging

Ordinary kriging (OK) is a linear method with weighted averages of each value in a location which is, certainly related to the semivariogram. This method is useful to predict the value at a certain unsampled point, by comparing to the similar data on the other points that have been known. Suppose that the $Z(s_1)$, $Z(s_2)$, ..., $Z(s_n)$ is a collection of grade points which are at spatial points s_1 , s_2 , ..., s_n . If s_0 is a point to be predicted in which, each predictor random variable $Z(s_i)$ has the same probability distribution at all locations, than the predicted value is [10]

$$\hat{Z}(\mathbf{s}_0) = \sum_{i=1}^n w_i Z(\mathbf{s}_i) \tag{7}$$

which is a weighted average of the sample values, provided unbias $\sum_{i=1}^{n} w_i = 1$.

Kriging will minimize the mean squared error, with

$$\min \sigma_e^2 = E[Z(\mathbf{s}_0) - \hat{Z}(\mathbf{s}_0)]^2 = \min \left[Z(\mathbf{s}_0) - \sum_{i=1}^n w_i Z(\mathbf{s}_i) \right]^2$$
(8)

In the case where Z is an intrinsically stationary process, then

$$\sigma_e^2 = E[Z(\mathbf{s}_0) - \sum_{i=1}^n w_i Z(\mathbf{s}_i)]^2 = 2\sum_{i=1}^n w_i \gamma(\mathbf{s}_0 - \mathbf{s}_i) - \sum_{i=1}^n \sum_{j=1}^n w_i w_j \gamma(\mathbf{s}_i - \mathbf{s}_j)$$
(9)

Minimization can be done, as long as $(w_1, w_2, ..., w_n)$ eligible to limit $\sum_{i=1}^n w_i = 1$. Thus, minimization can be written as,

$$\min 2\sum_{i=1}^{n} w_{i} \gamma(\mathbf{s}_{0} - \mathbf{s}_{i}) - \sum_{i=1}^{n} \sum_{j=1}^{n} w_{i} w_{j} \gamma(\mathbf{s}_{i} - \mathbf{s}_{j}) - 2\lambda \left(\sum_{i=1}^{n} w_{i} - 1\right),$$
(10)

where λ is a Lagrange multiplier. After dividing the last equation by $w_1, w_2, ..., w_n$ and λ , and also equalize the partial derivatives, respectively of the parameters equal to zero $\frac{\partial \sigma_e^2}{\partial w_i} = 0 = 2\gamma(\mathbf{s}_0 - \mathbf{s}_i) - \sum_{j=1}^n w_j \gamma(\mathbf{s}_i - \mathbf{s}_j) - 2\lambda, \text{ then obtained}$

$$\sum_{j=1}^{n} w_j \gamma(\mathbf{s}_i - \mathbf{s}_j) + 2\lambda = 2\gamma(\mathbf{s}_0 - \mathbf{s}_i), \quad \forall i = 1, ..., n.$$
(11)

The partial derivative

$$\frac{\partial \sigma_e^2}{\partial \lambda} = 0 = 2\left(\sum_{i=1}^n w_i - 1\right) \to \sum_{i=1}^n w_i = 1,$$

is a boundary condition as the described above.

If the matrix $\mathbf{W}=(w_1, w_2, ..., w_n, \lambda)$ and $\boldsymbol{\gamma}=(\gamma(\mathbf{s}_0-\mathbf{s}_1), \gamma(\mathbf{s}_0-\mathbf{s}_2), ..., \gamma(\mathbf{s}_0-\mathbf{s}_n))'$,

$$\Gamma = \begin{cases} \gamma(\mathbf{s}_i - \mathbf{s}_j), & i = 1, 2, \dots, n, \ j = 1, 2, \dots n, \\ 1, & i = n + 1, \ j = 1, \dots, n, \\ 1, & j = n + 1, \ i = 1, \dots, n, \\ 0, & i = n + 1, \ j = n + 1. \end{cases}$$
(12)

Eq (12) then be written succinctly, as $\Gamma \mathbf{W} = \gamma$. While the weights $w_1, w_2, ..., w_n$ and λ can be calculated,

$$\mathbf{W} = \mathbf{\Gamma}^{-1} \boldsymbol{\gamma}. \tag{13}$$

Variance of a predictor written as,

$$\sigma_e^2 = \sum_{i=1}^n w_i \gamma(\mathbf{s}_i - \mathbf{s}_0) + \lambda \tag{14}$$

RESULTS AND DISCUSSIONS

The initial step in spatial analysis is to check the raw data for the presence of trends and outliers [18, 10 and 7]. Based on assumption that gold grade values more than 15 g/t Au, there is 10 data outlier which then eliminated of the calculation. These considerations is also linked to the value of CV=0.89 (already approaching to one), the kurtosis value which is too high (12.41), and the difference between the mean and maximum value which is also large (i.e. 42.250-70.55 g/t Au).

Empirical semivariogram calculations performed with the assumption of omnidirectional, with a lag of 50 m, the maximum distance of 1500 m, and the angle tolerance of 22.5. Semivariogram of Original data is calculated using robust model, while for Outlier-free data is using classical models.

TABLE (1). Semivariogram parameters for original and outlier-free data.

No	Distance	Semivariog	emivariogram (g/t Au)		airs
	(m)	Original Outlier-		Original	Outlier-free
			free		
1	50	14.231	6.672	487	404
2	100	16.684	9.069	675	579
3	150	22.661	11.804	825	680
4	200	21.768	11.254	801	672
5	250	21.621	13.190	715	610
6	300	20.185	12.812	620	535
7	350	18.101	11.047	582	510
8	400	21.661	14.323	560	491
9	450	22.397	13.474	505	442
10	500	31.874	18.744	481	415
11	550	30.743	18.271	459	399
12	600	31.174	16.355	424	361
13	650	28.864	15.134	386	330
14	700	17.379	11.058	302	279
15	750	31.454	19.704	278	247
16	800	32.926	22.280	254	228
17	850	55.257	32.864	217	185
18	900	73.678	41.744	197	164
19	950	59.721	32.261	169	144
20	1000	55.405	32.360	130	112

21	1050	38.193	24.735	120	107
22	1100	37.068	27.112	81	74
23	1150	46.395	29.364	60	53
24	1200	69.893	33.360	41	33
25	1250	66.640	42.970	30	25
26	1300	17.091	14.432	23	22
27	1350	75.624	19.816	10	8
28	1400	15.267	11.776	13	12
29	1450	29.646	16.600	6	5
30	1500	1.513	1.513	2	2

Semivariogram and Fitting of Original Data

The empirical semivariogram execution of Original data as TABLE (1) produces as much as 9543 point pairs, where most couples are 825 pairs occurred on the third lag (150 m). The smallest lag distance is 50 m, and the largest is 1500, so overall there are 30 lag. Based on the calculation is obtained that the smallest pair is 2 points which is located on the thirtieth lag. The greatest semivariogram value for Original data is 69.893, and the smallest is 1.513 (both in $(g/t)^2$ Au).

Using OLS fitting spherical models (as Eq. 6), then in the location that has 457.500 m^2 wide, obtained the sill value is $43.489 \text{ (g/t)}^2 \text{ Au}$, and the range is 1020.992 m (FIGURE 1 (a)). The greatest semivariogram value for the Original data is $69.893 \text{ (g/t)}^2 \text{ Au}$. Thus, the equation of theoretical semivariogram based on spherical model is

$$\gamma(\mathbf{h}) = \begin{cases} 43.489 \left\{ \frac{3\mathbf{h}}{2 \times 1020.992} - \frac{1}{2} \left(\frac{\mathbf{h}}{1020.992} \right)^3 \right\}, & \mathbf{h} \le 1020.992 \\ 43.489, & \mathbf{h} > 1020.992. \end{cases}$$

Semivariogram and Fitting of Outlier-free

The empirical semivariogram computation on the Outlier-free data is using the classical semivariogram models, and here produce of 8128 pairs of points. As the Original data, Outlier-free data is calculated at angle tolerance of 22.5, which the lag of 50 and a maximum distance is 1500. The calculation of empirical semivariogram as TABLE (1) is using the robust model, with lag of 50 meters, a maximum distance is 1500, and produces 8128 pairs of points [n(n-1)/2]. As for the Original, the Outlier-free data, here gained of 30 lag.

The greatest semivariogram value is $42.97 ext{ (g/t)}^2$ Au, obtained on 25 pair of points with the distance of 1250 (or at lag of 25). The smallest pair of points, i.e. 2 pairs, occurs on the last lag (distance 1500) where, further to the east, the number drill samples become fewer. Greatest point pair is 680, which occurs at a distance of 150 m, or in the third lag.




FIGURE 1. Spherical Fitting of (a) Original with Sill=43.489 (g/t)² Au, Range=1020.992, n=138 and (b) Outlier-free with sill=24.684 (g/t)² Au, range=988.593 m and n=128.

Based on OLS fitting spherical models, obtained the calculation that for Outliers-free, produces of sill=24.684 (g/t)² Au, which began in range of 988.593 m (FIGURE 1 (b)). The equation, then become

$$\gamma(\mathbf{h}) = \begin{cases} 24.684 \left\{ \frac{3\mathbf{h}}{2 \times 988.593} - \frac{1}{2} \left(\frac{\mathbf{h}}{988.593} \right)^3 \right\}, & \mathbf{h} \le 988.593 \\ 24.684, & \mathbf{h} > 988.593. \end{cases}$$

Ordinary Kriging

The calculation of OK for both groups of data (Original and Outlier-free), with total area of 547.500 m² based on prediction of block size (5×5) m². On Original, ordinary kriging produces a lower prediction (about 30%) where the mean error is –2.119 (g/t) Au. While in the Outlier-free, OK also predicts a lower value, although the mean error is smaller (about 24%), i.e. –1.431 g/t Au (TABLE (2)). If seen from the mean error or percent decline predictions, the Outlier-free produces better predictions than the Original.

TABLE (2). Original and Outlier-free Statistic and OK Predicted Parameters (in g/t Au).

Location	n	Sources	Kurtosis	Min	1 st Qu	Median	Mean	3 rd Qu	Max
Original	138	True	12.410	0.450	2.713	5.750	7.055	9.220	42.250
		Predicted	9.803	0.013	1.956	3.323	4.936	6.831	38.610
		Error					-2.119		
Outlier-free	128	True	2.446	0.450	2.650	5.275	5.823	8.362	14.800
		Predicted	2.774	0.379	2.059	3.426	4.392	6.401	14.570
		Error					-1.431		

The distribution for Original and Outlier-free which is generated by the OK prediction can be seen in FIGURE 2. Seen that the distribution of predicted for Outlie-free (FIGURE 2 (b)) is more evenly distributed than the OK predicted results for the Original. In fact, for the "great grade" which is about 15 g/t Au (which looks yellow to cream) move almost reaching to the border of the eastern region (FIGURE 2 (a)).




FIGURE 2. OK Predicted Distribution based on Spherical Model of (a) Original Data (Sill=43.489, Range=1020.992) and (b) Outlier-free Data (Sill=24.684, Range=988.593).

CONCLUSION

Ordinary kriging which is based on OLS semivariogram fitting of spherical models produces a lower value than the true data. However, elimination of outlier data can increase the percentage or mean prediction erros when compared with the Original data, which is significantly skewed.

ACKNOWLEDGEMENTS

Thanks to PT. Aneka Tambang UBPE Pongkor's management, in particular Ir. Rustaman, Ir. Joseph and Ir. Kristiawan, which has provided an opportunity to the author to obtain data and a wide range of existing facilities.

REFERENCES

- L.G. Vendrusculo, P.S.G. Magalhães, S.R. Vieira and J.R.P. Carvalho, Journal of Science Agricultural (Piracicaba, Braz.) 5
 (61), 100-107 (2004).
- 2. G. Matheron, The theory of Regionalized Variables and its Applications, Paris: Ecole Nationale des Mines de Paris (1971).
- 3. N. Cressie and D.M. Hawkins, *Journal of Association for Mathematical Geology*, **12** (2), 115-125 (1980).
- 4. R.M. Lark, European of Journal Soil Sciences 51,137-157 (2000).
- 5. A.E. Annels, Mineral deposit evaluation: A practical approach, New York: Chapman & Hall (1991).

- 6. J.W. Barnes, Ore and Minerals: Introducing Economic Geology, Philadelphia: Open University Press (1988).
- A.S. Kishné, E. Bringmark, L. Bringmark and A.A. Alriksson, Journal of Environmental Monitoring and Assessment 84, 243–263 (2003).
- 8. D.S. Yates, D.D. Moore and D.S. Starnes, *The Practice of Statistics*, New York: Freeman (2003).
- 9. A.G. Journel and Ch.J. Huijbregts, Mining Geostatistics, London: Academic Press, 1978, 600 p.
- 10. D.D. Sarma, Geostatistics with Applications in Earth Sciences, Berlin: Spriger, 2009, pp. 124-138.
- 11. O. Schabenberger and C.A. Gotway, Statistical Methods for Spatial Data Analysis, New York: Chapman & Hall/CRC, 2005.
- 12. M.E. Hohn, Geostatistics and Petroleum Geology, New York: Van Nostrand Reinhold, 1988, pp. 107.
- 13. D.S. Maglione and A.M. Diblasi, Exploring a valid model for the variogram of an isotropic spatial process, New York: Springer-Verlag,
- 14. Stoch. Environ. Res. Risk Assess. 18: 366-376 (2004).
- 15. W.G. Müller, Journal of Statistics & Probability Letters 43, 93-98 (1999).
- 16. E. Gringarten and C.V. Deutsch, Journal of Association for Mathematical Geology 33 (4), 507-534 (2001).
- 17. R. Webster and M.A. Oliver, Geostatistics for Environmental Scientists, England: John Wiley & Sons Ltd, 2007, pp. 87-88.
- 18. R.S. Bivand, E.J. Pebesma and V.G. Rubio, *Applied Spatial Data Analysis with R*, New York: Springer Science+Business Media, LLC, 2008, pp. 215-216.
- 19. E.H. Isaaks and R.M. Srivastava, Applied geostatistics, New York: Oxford University Press, 1989, pp. 191.