

DAFTAR PUSTAKA

- Agastya, I. M. A. (2018). Pengaruh Stemmer Bahasa Indonesia Terhadap Peforma Analisis Sentimen Terjemahan Ulasan Film. *Jurnal Tekno Kompak*, 12(1), 18. <https://doi.org/10.33365/jtk.v12i1.70>
- Ali, F., Kwak, D., Khan, P., El-Sappagh, S., Ali, A., Ullah, S., Kim, K. H., & Kwak, K. S. (2019). Transportation sentiment analysis using word embedding and ontology-based topic modeling. *Knowledge-Based Systems*, 174, 27–42. <https://doi.org/10.1016/j.knosys.2019.02.033>
- Amalia Pratiwi, R., Nurmaini, S., & Palupi Rini, D. (2019). Skin Lesion Classification Based on Convolutional Neural Networks. *Computer Engineering and Applications*, 8(3), 203.
- Amanatidis, D., Dossis, M., & Mylona, I. (2019). A convolutional neural network for sentiment analysis of tripadvisor reviews. *2019 4th South-East Europe Design Automation, Computer Engineering, Computer Networks and Social Media Conference, SEEDA-CECNSM 2019*, 1–6. <https://doi.org/10.1109/SEEDA-CECNSM.2019.8908466>
- Ardian, H., & Kosasi, S. (2019). Analisis Sentimen Pada Review Produk Kosmetik Bahasa Indonesia Dengan Metode Naive Bayes. *Jurnal ENTER*, 2(1), 306–320.
- Ari Bangsa, M. T., Priyanta, S., & Suyanto, Y. (2020). Aspect-Based Sentiment Analysis of Online Marketplace Reviews Using Convolutional Neural Network. *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, 14(2), 123. <https://doi.org/10.22146/ijccs.51646>
- Attabi, A. W., Muflikhah, L., & Fauzi, M. A. (2018). Penerapan Analisis Sentimen untuk Menilai Suatu Produk pada Twitter Berbahasa Indonesia dengan Metode Naive Bayes Classifier dan Information Gain. *Jurnal Pengembangan Teknologi Informasi Dan Ilmu Komputer*, 2(11), 4548–4554.
- Bassil, Y. (2012). A Simulation Model for the Waterfall Software Development Life Cycle.No Title. *International Journal of Engineering & Technology (IJET)*, 2 No. 5. http://iet-journals.org/archive/2012/may_vol_2_no_5/255895133318216.pdf
- Bologna, G. (2019). *applied sciences A Simple Convolutional Neural Network with Rule Extraction*. <https://doi.org/10.3390/app9122411>
- Chen, T., Xu, R., He, Y., & Wang, X. (2017). Improving sentiment analysis via sentence type classification using BiLSTM-CRF and CNN. *Expert Systems With Applications*, 72, 221–230. <https://doi.org/10.1016/j.eswa.2016.10.065>
- Do, H. H., Prasad, P. W. C., Maag, A., & Alsadoon, A. (2019). Deep Learning for Aspect-Based Sentiment Analysis: A Comparative Review. *Expert Systems with Applications*, 118, 272–299. <https://doi.org/10.1016/j.eswa.2018.10.003>
- Dong, J. (2020). Financial investor sentiment analysis based on FPGA and convolutional neural network. *Microprocessors and Microsystems*, October, 103418. <https://doi.org/10.1016/j.micpro.2020.103418>
- Dzulqarnain, M. F., Suprpto, S., & Makhrus, F. (2019). Improvement of Convolutional

- Neural Network Accuracy on Salak Classification Based Quality on Digital Image. *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, 13(2), 189. <https://doi.org/10.22146/ijccs.42036>
- Fauzi, M. A., Utomo, D. C., Setiawan, B. D., & Pramukantoro, E. S. (2017). *Automatic Essay Scoring System Using N-Gram and Cosine Similarity for AUTOMATIC ESSAY SCORING SYSTEM USING N-GRAM AND COSINE SIMILARITY FOR GAMIFICATION BASED E- LEARNING*. October. <https://doi.org/10.1145/3133264.3133303>
- Ferreira, A., & Giraldi, G. (2017). Convolutional Neural Network approaches to granite tiles classification. *Expert Systems with Applications*, 84, 1–11. <https://doi.org/10.1016/j.eswa.2017.04.053>
- Fikry, M., & Helmina, A. (2020). *OPINION MINING ABOUT PARFUM ON E-COMMERCE BUKALAPAK . COM USING THE NAÏVE BAYES ALGORITHM*. 6(1), 107–114. <https://doi.org/10.33480/jitk.v6i1.1448>
- Ghiffarie, A., Salsabila, K. D. A., & Baistama, R. P. (2018). (Abyan Ghiffarie, Ken Dheanis Adhine Salsabila, Rayesha Putra Baistama, Muhammad Iqbal Variadi, Mochamad Daffa Rhajendra, 2019) - Analisis Sentimen Terhadap Produk The Body Shop Tea Tree Oil.pdf. 5(1).
- Haddi, E., Liu, X., & Shi, Y. (2013). The role of text pre-processing in sentiment analysis. *Procedia Computer Science*, 17, 26–32. <https://doi.org/10.1016/j.procs.2013.05.005>
- Haitao, W., Jie, H. E., Xiaohong, Z., & Shufen, L. I. U. (2020). *A Short Text Classification Method Based on N -Gram and CNN*. 29(2). <https://doi.org/10.1049/cje.2020.01.001>
- Hidayatullah, A. F., & SN, A. (2014). Analisis Sentimen dan Klasifikasi Kategori Terhadap Tokoh Publik Pada Twitter. *Seminar Nasional Informatika 2014 (SemnasIF 2014)*, 2014(semnasIF), A-1. https://www.academia.edu/9844318/ANALISIS_SENTIMEN_DAN_KLASIFIKASI_KATEGORI_TERHADAP_TOKOH_PUBLIK_PADA_TWITTER
- Hidayatullah, A. F., Teknik, J., Fakultas, I., Industri, T., Indonesia, U. I., Matematika, F., Mada, U. G., & Sarjadi, S. (2014). *Analisis sentimen dan klasifikasi kategori terhadap tokoh publik pada twitter. 2014(semnasIF)*, 115–122.
- Ilmiah, J., Komputa, I., & Effendy, V. (2015). *ANALISIS SENTIMEN BERBAHASA INDONESIA DENGAN PENDEKATAN LEXICON BASED (STUDI KASUS : SOLUSI PENGELOLAAN SAMPAH) Jurnal Ilmiah Komputer dan Informatika (KOMPUTA)*. 4(1).
- Indhiarta, W. C. (2017). *PENGGUNAAN N-GRAM PADA ANALISA SENTIMEN PEMILIHAN KEPALA DAERAH JAKARTA MENGGUNAKAN ALGORITMA NAIVE BAYES*.
- Indrayuni, E. (2019). Klasifikasi Text Mining Review Produk Kosmetik Untuk Teks Bahasa Indonesia Menggunakan Algoritma Naive Bayes. *Jurnal Khatulistiwa Informatika*, 7(1), 29–36. <https://doi.org/10.31294/jki.v7i1.5740>
- Jang, B., Kim, I., & Kim, J. W. (2019). Word2vec convolutional neural networks for classification of news articles and tweets. *PLoS ONE*, 14(8), 1–20.

<https://doi.org/10.1371/journal.pone.0220976>

- Johnson, R., & Zhang, T. (2015). Effective use of word order for text categorization with convolutional neural networks. *NAACL HLT 2015 - 2015 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Proceedings of the Conference*, 103–112. <https://doi.org/10.3115/v1/n15-1011>
- Kalchbrenner, N., Grefenstette, E., & Blunsom, P. (2014). A convolutional neural network for modelling sentences. *52nd Annual Meeting of the Association for Computational Linguistics, ACL 2014 - Proceedings of the Conference, 1*, 655–665. <https://doi.org/10.3115/v1/p14-1062>
- Kim, H. (2019). *applied sciences Sentiment Classification Using Convolutional Neural Networks*. 1–14. <https://doi.org/10.3390/app9112347>
- Kim, Y. (2014). An analysis of convolutional neural networks for sentence classification. *2017 43rd Latin American Computer Conference, CLEI 2017, 2017-Janua*, 1–5. <https://doi.org/10.1109/CLEI.2017.8226381>
- Kristiyanti, D. A. (2015). *Analisis Sentimen Review Produk Kosmetik Melalui*. 74–81.
- Mardianti, S., Zidny, M., & Hidayatulloh, I. (2018). *Ekstraksi Tf-Idf N-Gram Dari Komentar Pelanggan Produk Smartphone Pada Website E-Commerce*. 79–84.
- Mikolov, T. (2014). *Efficient Estimation of Word Representations in Vector Space*. January 2013.
- Mining, T. (2015). *Media Masa Online Menggunakan Algoritma*. 1(1), 1–7.
- Muthia, D. A. (2016). Opinion Mining Pada Review Buku Menggunakan Algoritma Naive Bayes. *Jurnal TEKNIK KOMPUTER*, II(1), 1–8. <http://ejournal.bsi.ac.id/ejournal/index.php/jtk/article/view/357>
- Naili, M., Chaibi, A. H., & Ben Ghezala, H. H. (2017). Comparative study of word embedding methods in topic segmentation. *Procedia Computer Science*, 112(December), 340–349. <https://doi.org/10.1016/j.procs.2017.08.009>
- Nedjah, N., Santos, I., & de Macedo Mourelle, L. (2019). Sentiment analysis using convolutional neural network via word embeddings. *Evolutionary Intelligence*, 0123456789. <https://doi.org/10.1007/s12065-019-00227-4>
- Nugroho, A. (2018). *Analisis Sentimen Pada Media Sosial Twitter Menggunakan Naive Bayes Classifier Dengan Ekstraksi Fitur N-Gram*. 2, 200–209.
- Nurdin, A., Aji, B. A. S., Bustamin, A., & Abidin, Z. (2020). *Perbandingan Kinerja Word Embedding Word2Vec , Glove ,. 14(2)*.
- Permadi, Y. (2008). *KATEGORI TEKS MENGGUNAKAN N-GRAM UNTUK DOKUMEN BERBAHASA INDONESIA*.
- Prasanti, A. A., Fauzi, M. A., & Furqon, M. T. (2018). *Klasifikasi Teks Pengaduan Pada Sambat Online Menggunakan Metode N- Gram dan Neighbor Weighted K-Nearest Neighbor (NW-KNN)*. 2(2), 594–601.
- Putra, B. P., Irawan, B., Setianingsih, C., Elektro, F. T., Telkom, U., & Learning, D. (2019).

CONVOLUTIONAL NEURAL NETWORK PADA GAMBAR HATESPEECH DETECTION USING CONVOLUTIONAL NEURAL NETWORK ALGORITHM BASED ON IMAGE. 3.

- Putri, S. K. (2020). PRE-TRAINEE WORD VECTOR AHASA INDONESIA GENERATION DENGAN MENGGUNAKAN WORD2VES UNTUK BIDANG KOMPUTER DAN TEKNOLOGI INFORMASI. *Malaysian Palm Oil Council (MPOC)*, 21(1), 1–9. <http://mpoc.org.my/malaysian-palm-oil-industry/>
- Ray, B., Garain, A., & Sarkar, R. (2021). An ensemble-based hotel recommender system using sentiment analysis and aspect categorization of hotel reviews. *Applied Soft Computing Journal*, 98, 106935. <https://doi.org/10.1016/j.asoc.2020.106935>
- Sadida, R., Azkia, M. R., Candra, B. P., Rezeki, N., & Rendy, M. O. C. (2017). *PERANCANGAN SISTEM ANALISIS SENTIMEN MASYARAKAT PADA SOSIAL MEDIA DAN PORTAL BERITA. 2015*, 2–7.
- Santoso, J., Dewa, A., Soetiono, B., Setyati, E., & Yuniarno, E. M. (2018). *Self-Training Naive Bayes Berbasis Word2Vec untuk Kategorisasi Berita Bahasa Indonesia. 7(2)*, 158–166.
- Sari, D. N., Sari, D. N., Adelia, F., Rosdiana, F., Butar, B. B., & Hariyanto, M. (2020). Analisa Sentimen Terhadap Review Produk Kecantikan Menggunakan Metode Naive Bayes Classifier. *JIKA (Jurnal Informatika)*, 4(3), 109. <https://doi.org/10.31000/jika.v4i3.3086>
- Sartini. (2020). *ANALISIS SENTIMEN TWITTER BAHASA INDONESIA MENGGUNAKAN ALGORITMA CONVOLUTIONAL NEURAL NETWORK.*
- Shafirra, N. A., & Irhamah, I. (2020). Klasifikasi Sentimen Ulasan Film Indonesia dengan Konversi Speech-to-Text (STT) Menggunakan Metode Convolutional Neural Network (CNN). *Jurnal Sains Dan Seni ITS*, 9(1). <https://doi.org/10.12962/j23373520.v9i1.51825>
- Susanti, H. S. (2017). *MENGUKUR TINGKAT KEPUASAN BELANJA DI E-COMMERCE MENGGUNAKAN MULTILAYER PERCEPTRON. 1(2)*, 117–125.
- Syafira, D. (2020). *Analisis Sentimen Ulasan Produk Kecantikan Menggunakan Metode BM25 dan Improved K-Nearest Neighbor dengan Seleksi Fitur Chi-Square. 4(11)*, 4103–4109.
- Symeonidis, S., Effrosynidis, D., & Arampatzis, A. (2018). A comparative evaluation of pre-processing techniques and their interactions for twitter sentiment analysis. *Expert Systems with Applications*, 110, 298–310. <https://doi.org/10.1016/j.eswa.2018.06.022>
- Tamina, S., & Annareddy, S. (2020). Sentiment analysis on customer reviews using convolutional neural network. *2020 International Conference on Computer Communication and Informatics, ICCCI 2020*, 20–25. <https://doi.org/10.1109/ICCCI48352.2020.9104086>
- Utami, L. D. (2015). Integrasi Metode Information Gain untuk Seleksi Fitur dan AdaBoost untuk Mengurangi Bias pada Analisis Sentimen Review Restoran Menggunakan Algoritma Naive Bayes. *Journal of Intelligent Systems*, 1(2), 120–126.
- Utami, P. D. (2018). Analisis Sentimen Review Kosmetik Bahasa Indonesia Menggunakan

Algoritma Naïve Bayes. *Departemen Teknik Informatika & Komputer, Politeknik Negeri Jakarta Jl. Prof. Dr. G.A Siwabessy, Kampus Baru UI Depok, Indonesia, 16424.*

Verly, M., Sibaroni, Y., Arisal, A., & Telkom, U. (n.d.). *Analisis Sentimen Provider Telekomunikasi Indonesia dengan Metode Convolutional Neural Network Pendahuluan Studi Terkait.*

Yang, L., Li, Y., Wang, J., & Sherratt, R. S. (2020). Sentiment Analysis for E-Commerce Product Reviews in Chinese Based on Sentiment Lexicon and Deep Learning. *IEEE Access*, 8, 23522–23530. <https://doi.org/10.1109/ACCESS.2020.2969854>

Yutika, C. H., & Faraby, S. Al. (2021). *Analisis Sentimen Berbasis Aspek pada Review Female Daily Menggunakan TF-IDF dan Naïve Bayes.* 5(April), 422–430. <https://doi.org/10.30865/mib.v5i2.2845>