

Proceedings of

International Symposium on **Earth Science** and Technology 2020

November 26 - 27, 2020 Shiiki Hall

Kyushu University, Fukuoka, Japan

Organized by

Cooperative International Network for Earth Science and Technology (CINEST)

Sponsored by

MITSUI MATSUSHIMA CO.,LTD.

Assisted by



The Mining and Materials Processing Institute of Japan

Supported by

Mining and Materials Processing Institute of Japan (MMIJ) Kyushu Branch **MMIJ-Division of Coal Mining Technology**

International Symposium on Earth Science and Technology 2020

Greetings from Cooperative International Network for Earth Science and Technology (CINEST)

We are facing with global environmental problems with problems on resources depletion at behind. In particular, the rapid increases in mineral resources and energy consumptions have cast a shadow over the sustainability of human activities. The CINEST was founded in 2008 to enhance cooperative studies and activities by young researchers and engineers, because their boldly tackles must be keys and absolute foundation to solve problems found on the earth, especially in Asia and Africa. I would like to emphasize to young researchers that performing research "by hand" rather than "by manual" may develop their potential to find new solutions.

This international symposium started from 2008 cooperating with The JSPS International Training Program during 2008 to 2012, and has been supported by Mitsui-Matsushima Co., Ltd. from 2013. The important objective of the symposium is strong networking of young researchers to enhance international collaboration to solve both of global and domestic problems on mineral resource and environment.

Finally, I would like to sincerely thank all of the organizations and participants, and believe the symposium will provide fruitful successes for all.

Welcome to "International Symposium on Earth Science and Engineering 2020."

Kyuro Sasaki CINEST Chair

Organizing Committee (CINEST)

Chair:

Kyuro Sasaki (Kyushu University, Japan)

Vice-Chairs:

Hideki Shimada (Kyushu University, Japan)

Budi Sulistianto

(Institute Teknologi Bandung, Indonesia)

Vladimir Kebo

(VŠB - Technical University of Ostrava, Czech Republic)

Tsuneo Amano

(Mitsui Matsushima Co., Ltd., Japan)

Xiaoming Zhang

(Liaoning Technical University, China)

Members:

Koichiro Watanabe (Kyushu University, Japan)

Keiko Sasaki (Kyushu University, Japan)

Yasuhiro Fujimitsu (Kyushu University, Japan)

Akira Imai (Kyushu University, Japan)

Takeshi Tsuji (Kyushu University)

Masami Nakagawa (Kyushu University, Japan)

Yuzo Obara (Kumamoto University, Japan)

Rudy Sayoga Gautama

(Institute Teknologi Bandung, Indonesia)

Oldřich Kodym

(VŠB - Technical University of Ostrava, Czech Republic)

Thitisak Boonpramote

(Chulalongkorn University, Thailand)

Sugeng Surjono

(Gadjah Mada University, Indonesia)

Wisup Bae (Sejong University, Korea)

Nguyen Xuan Huy

(Ho Chi Minh City University of Technology, Vietnam)

Secretariat:

Akihiro Hamanaka (Kyushu University, Japan)

Advisory Committee

Chair:

Koichiro Watanabe (Kyushu University, Japan)

Vice-Chairs:

Kyuro Sasaki (Kyushu University, Japan) Suseno Kramadibrata (University of Maryland, Indonesia)

Members:

Aryo Prawoto Wibowo (Institute Teknologi Bandung, Indonesia) Hikari Fujii (Akita University, Japan) Katsuaki Koike (Kyoto University, Japan) Hiroshi Takahashi (Tohoku University, Japan) Naoki Hiroyoshi (Hokkaido University, Japan) Takehiko Tsuruta (Hachinohe Institute of Technology, Japan) B. Altantuya

(Mongolian University of Science and Technology, Mongolia) Jiren Wang (Liaoning Technical University, China) Mingwei Zhang

(China University of Mining and Technology, China) Kreangkrai Maneeintr

(Chulalongkorn University, Thailand)

Nuhindro Priagung Widodo

(Institute Teknologi Bandung, Indonesia)

Arif Widiatmojo

(National Institute of Advanced Industrial Science and Technology, Japan) Atsushi Sainoki (Kumamoto University, Japan)

Editorial and Awarding Committee

Chair:

Yasuhiro Fujimitsu (Kyushu University, Japan)

Members:

Yuichi Sugai (Kyushu University, Japan) Takashi Sasaoka (Kyushu University, Japan) Akihiro Hamanaka (Kyushu University, Japan) Naoko Okibe (Kyushu University, Japan) Hajime Miki (Kyushu University, Japan) Moriyasu Nonaka (Kyushu University, Japan) Kotaro Yonezu (Kyushu University, Japan) Hideki Mizunaga (Kyushu University, Japan) Jun Nishijima (Kyushu University, Japan) Tatsuya Wakeyama (Kyushu University, Japan) Saeid Jalilinasrabady (Kyushu University, Japan) Toshiaki Tanaka (Kyushu University, Japan) Tindell Thomas David (Kyushu University, Japan) Nguele Ronald (Kyushu University, Japan) Mitsuo Matsumoto (Kyushu University, Japan) Arata Kioka (Kyushu University, Japan) Tatsunori Ikeda (Kyushu University, Japan)

Steering, Publication and Fund Committee

Chair:

Yuichi Sugai (Kyushu University, Japan)

Members:

Takashi Sasaoka (Kyushu University, Japan) Kotaro Yonezu (Kyushu University, Japan) Akihiro Hamanaka (Kyushu University, Japan) Tindell Thomas David (Kyushu University, Japan) Mitsuo Matsumoto (Kyushu University, Japan)

Time Table on 26th of November

	Room B			
	9:00~9:10 Opening Address			
	9:10~9:45 Plenary Lecture I by Kyuro Sasak	x i		
Plen	9:45~10:20 Plenary Lecture II by Suseno Kramadibrata			
	~10:40 Coffee Break			
	Technical Sessions			
Room A	Room B	Room C		
10:40~12:00 Tunneling & Rock Mechanics	10:40~12:00 Economic Geology	10:40~12:00 Slope Stability		
	~13:20 Lunch			
13:20~15:00 Geophysics I				
	~15:20 Coffee Break			
15:20~17:20 E-Poster A	15:20~17:20 E-Poster B	15:20~17:20 E-Poster C		

Time Table on 27th of November

Room A	Room B	Room C	Online Room	
10:20~12:00 Civil Engineering	10:20~12:00 Geophysics II	10:20~12:00 Mineral Processing		
	~1	3:20 Lunch		
13:20~15:00 Mineralogy	13:20~15:00 Hydrocarbon Resources & Environment	13:20~ JPSRE Special Program	13:20~15:00 Geotechnology	
~15:20	Coffee Break		~15:20 Coffee Break	
15:20~17:00 Geothermal II	15:20~17:00 Oil & Gas		15:20~16:40 Geology	
	Room B			
17:00~17:30 Awards Ceremony* & Closing Session				

^{*&}quot;MITSUI MATSUSHIMA AWARD" will be given to Best Papers, Best Presentations and Best Posters at the Awards Ceremony

Contents

Paper No.	Paper Title	Authors	Page
Prenary I	Three technical challenges to reduce CO ₂ emissions by extinguishing a large scale of natural coal fires and spontaneous combustions	Kyuro Sasaki	1
Prenary II	General Risk Management in Rock Mechanics and Rock Engineering in Indonesia	Suseno Kramadibrata	3
01	Study on Estimation of Optimum Mixing Conditions for Fiber-cement-stabilized Soil by Multilayer Neural Network	Moeka KUSE, Tomoaki SATOMI, Hiroshi TAKAHASHI	5
02	Study on Excavating Resistive Forces for Crushed Rocks under Bucket Excavation	Kanna KAJI, Tomoaki SATOMI, Hiroshi TAKAHASHI	11
03	Study on Recycling of Bottom Sludge of Reservoir as Banking Materials	Rina KASAI, Tomoaki SATOMI, Hiroshi TAKAHASHI	17
04	Study on Strength Characteristics of Fiber-Cement-Stabilized Soil with Perlite By-products	Hina OMURO, Kazumi RYUO, Tomoaki SATOMI, Hiroshi TAKAHASHI	20
05	Spatial prediction of shear-wave velocity structure for detecting fractured zones using microtremor data analysis	Mohamed Mourad, Takeshi Tsuji, Tatsunori Ikeda, Shigeki Senna, Kazuya Ishitsuka	24
06	Influence of 3D Seismic Velocity Structure on Ground Amplification Factor Using Seismic Wave Simulation	Tenno Hagimon, Takesin 1865.	29
07	S Wave Velocity Model Estimation using full waveform tomography in Central Japan Island	Kota Mukumoto, Takeshi Tsuji	33
08	Influence of shear zone thickness and strike slip fault upon the low frequency tremor in the Nankai Trough	a land to the same against the same and the	36
09	A Study of Coastal Sea Variability Influence in Temporal Changes of Seismic Velocity Estimated from Ambient Noise Monitoring	Rezkia Dewi Andajani, Tukesii	i 39

10	Mineralization and alteration in Mahar San prospect Sagaing region, northern Myanmar	Kentaro Abe, Genshi Toyota, Myo Kyaw Hlaing, Sai Pyae Sone, Kotaro Yonezu	43
11	Ore Mineralalization, Alteration, on Washington Vein and National Belle, Silverton Caldera, Red Mountain, Colorado	December 1.1.1. The ment of	49
12	Formation condition of submarine hydrothermal ore deposits revealed by fluid Inclusions microthermometry at the Hakurei Site, Izena Hole, middle Okinawa Trough	Kotaro Yonezu, Thomas Tindell,	55
13	Chemical Properties of High Temperature Alteration Minerals in the Sanjin Deposit, Hishikari Mine, Japan	3 , initing rectard	61
14	Effects of underground mining on the open pit slope walls	Tumelo K M Dintwe, Takashi Sasaoka, Hideki Shimada, Akihiro Hamanaka, Dyson Moses, Ma Peng, Meng Fanfei	66
15	Mechanical behavior of broken rock mass under triaxial compression based on particle discrete elements	Fanfei Meng, Takashi Sasaoka, Hideki Shimada, Akihiro Hamanaka	70
16	Analyze the Stability of Underground Mine Based on Different Vein Angles and GSI values (Sn-W Deposits) at HermyinGyi Mine, Myanmar	Cho Thae Oo, Takashi SASAOKA, Hideki SHIMADA, Akihiro HAMANAKA	76
17	Numerical study on applicability of under-pinning method using pipe jacking and influence on surrounding ground	Ryota Takahashi, Hu Xiaohu, Hideki Shimada, Takashi Sasaoka, Akihiro Hamanaka, Fumihiko Matsumoto, Tomo Morita, Masatomo Ichinose	82
18	Control the size by Delay time considering the discontinuity of rock mass	Yoshitaka NAKAO, Takashi SASAOKA, Akihiro HAMANAKA, Hideki SHIMADA	86
19	· · · · · · · · · · · · · · · · · · ·	Samod Youssouf Hassan, Kotaro Yonezu, Saadi Nureddin	90

20	Study on the removal of silica from geothermal water: a case study at Dieng geothermal power plant, Indonesia	Saefudin Juhri, Kotaro Yonezu, Agung Harijoko, Takushi Yokoyama	96
21	GEOTHERMAL CHARACTERISTICS WITH 3G DATA ANALYSIS OF THE PROSPECT AREA OF GEDONGSONGO, SOUTH SLOPE GUNUNG UNGARAN, SEMARANG, CENTRAL JAVA	Anggita Mahyudani Rkt, Muhammad Al Hakim, Muhammad Dzakiya Mukhlish	102
22	MODELING OF SUBSURFACE PERMEABILITY ZONE BASED ON THE SPATIAL CORRELATION BETWEEN FRACTURE INTENSITY AND PRESSURE-TEMPERATURE DATA IN WAYANG WINDU GEOTHERMAL FIELD, WEST JAVA, INDONESIA	Khairul Azmi, Mohamad Nur Heriawan, Andy Yahya Al Hakim, Dwiyogarani Malik	108
23	Quartz textures and their relationship to gold mineralization at the Taio gold and silver deposit, northern Kyushu, Japan	Marc Henrik Udri, Tindell, T., Yonezu, K., Imai, A.	115
24	Occurrence of Ore Minerals and Fluid Inclusion Study at the Masara gold deposit, Southeastern Mindanao, Philippines	Ryota Kokubu, Akira Imai, Kotaro Yonezu, Tindell Thomas, Koichiro Watanabe	120
25	Trace elements mineral chemistry of the sulfides from the Woxi Au-Sb-W deposit, Southern China	Zhekai Zhou, Kotaro Yonezu, Akira Imai, Huan Li	125
26	Alteration and Mineralization of the Hu'u High Sulfidation – Porphyry Copper – Gold Prospect in Sumbawa Island, West Nusa Tenggara Province, Indonesia	Agata Vanessa Kindangen, Agata Vanessa Kindangen, Akira Imai, Rahmat Pratiwindra, Arifudin Idrus	131
27	Organic leaching of spent oil refinery catalyst for rare metal recovery	Yu Tanaka, Naoko Okibe	135
28	Chemical-microbiological synergistic treatment of Mn(II)-contaminating wastewater using "bioactive" birnessite	Kohei Nonaka, Naoko Okibe	138
29	Antibiofilm Activity of Biosurfactant F7 And Its Effects On Microbially-Influenced Corrosion of ST37 Carbon Steel	Fajar Dewantoro, Isty Adhitya Purwasena	141

30	Optimization of Media Nutrition for Biosurfactant Production by Bacillus sp. F7 Using Response Surface Methodology	Aulia Gusning Ati, Dea Indriani Astuti, Isty Adhitya Purwasena	148
31	Characterization and leaching behavior of playground soils in Kabwe, Zambia.	Walubita Mufalo, Pawit Tangviroon, Toshifumi Igarashi, Mayumi Ito, Tsutomu Sato, Meki Chirwa, Imasiku Nyambe, Hokuto Nakata, Shouta Nakayama, Mayumi Ishizuka	154
32	REMOTE SENSING, GEOPHYSICAL AND GEOLOGICAL DATA FOR STRUCTURAL AND ALTERATION MAPPING OF CHIPANGA GOLD PROSPECT, CENTRAL TANZANIA	Muhudi Ngerezi, Akira Imai, Nureddin Saadi, Essam Aboud	158
33	Subsurface characterization using geophysical and hydrochemical data: An application to groundwater resource management in Pampanga, Philippines	Casulla Mel Anthony Asis, Hideki Mizunaga, Toshiaki Tanaka, Torres Aniano	162
34	New strategy to calculate robust impedance using RMHHT estimator for continuous and discontinuous broadband magnetotelluric time-series data	Hao Chen, Hideki Mizunaga, Toshiaki Tanaka, Gang Wang	169
35	Dynamic evolution of hydraulic and electrical properties of porous rock induced by mineral dissolution in pore-scale	Yutian Zhang, Fei Jiang, Takeshi Tsuji	173
36	The Utilization of Pseudo-3D Electrical Resistivity Imaging Method to Characterize Coal Seams Hosted in Mmamabula Coalfield, Central Botswana	Bokani Nthaba, Elisha Shemang, Amogelang Hengari, Boniface Kgosidintsi, Takeshi Tsuji	178
37	Experimental Study on Co-axial System with A Horizontal Well of Underground Coal Gasification to Evaluate Gasification Efficiency	Yoshimitsu Makabe, Akihiro Hamanaka, Ken-ichi Itakura, Jun-ichi Kodama, Gota Deguchi, Nuhindro Priagung Widodo, Budi Sulistianto, Takashi Sasaoka, Hideki Shimada	182
38	Preparation of High Strength Coke from Hydrothermally Treated Lignites in Sequence of Hot Briquetting and Temperature of carbonization	Aditya Wibawa	186

39	The study of selective flotation separation of copper – molybdenite with seawater	Yuki Semoto, Gde Pandhe Wisnu Suyantara, Hajime Miki, Keiko Sasaki, Tsuyoshi Hirajima, Yuji Aoki	192
40	Effects of Addition of Adsorbents on Arsenic Leaching from Shied-Tunneling Excavated Soils	Gia Duc Ho, Carlito Baltazar Tabelin, Pawit Tangviroon, Shuji Tamamura, Toshifumi Igarashi	194
41	Groundwater Modelling Karst Ponjong Yogyakarta-Indonesia	Avellyn Shinthya Sari, Sari Bahagiarti K. Suharsono, C. Prasetyadi	197
42	Fundamental study on the enhanced oil recovery technique using CO ₂ microbubble solution	Yuta Suzuki, Yuichi Sugai, Kyuro Sasaki, Ronald Nguele	201
43	Mitigation of Asphaltene Precipitation during CO ₂ Injection using modified Polyvinyl Alcohol and nanofluids	Hikaru Hirota, Ronald Nguele, Kyuro Sasaki, Yuichi Sugai	205
44	Study on Soil Methane Gas Emissions Monitoring Using Adsorbent in a Wide-Scale Area	Muhammad Alfiza Farhan, Yuichi Sugai, Kyuro Sasaki, Ronald Nguele	209
45	Hydrocarbon Reservoir Characterization Using Well logs Data Analysis, Offshore Cambodia	Sokvireak Say, Chanmoly OR, Muoyyi HENG	216
46	Algae Biodiesel as a Renewable Alternative Energy Source	Fauzan Atyanta Mahardisatia, Nazwa Khoiratun Hisan, Tan Elfianka Novyza Siagian	222
47	Study on Stability of Slope Covered by Modified Landslide Sludge	Delima Canny Valentine SIMARMATA, Thomas Teguh WIJAYA, Tomoaki SATOMI, Hiroshi TAKAHASHI	227
48	Slope Stability Analysis of Hamata Tailings Dam, Hidden Valley Mine, Papua New Guinea	Las Kuri, Takashi Sasaoka, Hideki Shimada, Akihiro Hamanaka, Cho Thae Oo	233
49	Slope Design and Slope Stability Analysis in Carbonatite Mine	Yuki Sakamoto, Hideki Shimada, Takashi Sasaoka, Akihiro Hamanaka, Dyson Moses	. 237

50	Assessment of the Influence of a Brecciated Zone on Slope Stability	Dyson Moses, Hideki Shimada ,Takashi Sasaoka , Akihiro Hamanaka, Tumelo K.M. Dintwe, Peng Ma, Fanfei Meng, Cho Thae Oo	241
51	Study on the subsurface structure and the hydrothermal system at Harazuru hot spring, Fukuoka Prefecture	Hirofumi Takai, Jun NISHIJIMA, Yasuhiro FUJIMITSU, Tatsuya WAKEYAMA, Mitsuo MATSUMOTO	247
52	Development of two-phase fracture flow simulation method using Shan-Chen type lattice Boltzmann model	Kazuki Sawayama, Fei Jiang, Takeshi Tsuji, Yasuhiro Fujimitsu	250
53	Exergoeconomic Analysis of Olkaria IV Topping Unit and Single Flash	Kiprono Bett Alvin, Saeid Jalilinasrabady, Leonard K Langat	254
54	Analysis of Land Use Within Close Proximity of Menengai Geothermal Resource in Kenya via Remote Sensing	Ngethe John, Saeid Jalilinasrabady	259
- 55	Hydrothermal Alteration Mapping using ASTER Image of Arta, Geothermal Area of Djibouti	Samatar Abdi Mohamed, Tatsuya Wakeyama, Yasuhiro Fujimitsu, Jun Nishijima	264
56	Review of the double refectory gold ore pretreatment by lignin-degrading enzymes to minimize preg-robbing	Kojo T. Konadu, Keiko Sasaki	270
57	Degradation of powder activated carbon by laccase mediated system: model experiment for improvement of gold recovery from carbonaceous gold ore	Diego M. Mendoza, Kojo T. Konadu, Hirofumi Ichinose, Keiko Sasaki	274
58	Interaction of amino acids with selenate bearing hydrocalumite as a cementitious material	Mengmeng WANG, Hirofumi AKAMATSU, Keiko SASAKI	278
59	Electronic structure of ferric doped montmorillonite and its application to photocatalytic reduction of chromate	Li Zhang, Chitiphon Chuaicham, Keiko Sasaki	282

60	Study of Intermittent Bottle Roll Test on Variation of Gold and Silver Content on Oxide and Sulfide Ores at PT. Bumi Suksesindo	Aristya Marzuki, Hidayat Purwoko	286
61	Circular Tunnel Lining Behavior due to Earthquake Load Based on Finite Element Method in MRT Jakarta Underground Tunnel CP-106 Area	Fathurrizal Muhammad	292
62	EVALUATION OF THE EFFECT OF PHYSICAL AND MINERALOGICAL CHARACTERISTICS OF SOME ROCK TYPES ON THEIR MECHANICAL PROPERTIES (A CASE STUDY OF EKITI, ONDO AND KWARA STATE)	AGBALAJOBI, S.A, JETHRO, M. A, AKANBI, S.A	297
63	Evaluation on Slope Stability in Lowwall with Saturated Bedding Shear And Its Countermeasure	Nurbaiti Melistia Akhmadi, Hideki Shimada	304
64	Study of the roadway stability and design of support system in underground coal mine	Ulaankhuu Batsaikhan, Takashi Sasaoka, Hideki Shimada, Sugeng Wahyudi	311
65	Exploring Spectral Reflectance to Identify Rare Earth Element-Bearing Minerals Associated with Alluvial Tin Deposits	Arie Naftali Hawu Hede, Muhammad Anugrah Firdaus, Arie Naftali Hawu Hede, Syafrizal, Mohamad Nur Heriawan	317
66	MORPHOTECTONIC CONTROL ON CLEAT ASAM-ASAM BASIN, SOUTH KALIMANTAN, INDONESIA	Alviani Permatasari, Arhananta, Nazwa Khoiratun Hisan, Pius Artdanno Bernaldo, Ludovicius Damardika Jasaputra, Aditya Rizky Wibowo, Agung Prayoga	323
67	Spatial Analysis of Lineament Densities Extracted from DTM using Segment Tracing Algorithm and Modelled using Sequential Gaussian Simulation in a Mining Site of Primary Tin, South Bangka, Indonesia	Horasman Parsaulian Simarmata, Mohamad Nur Heriawan, Arie Naftali Hawu Hede, Teti Indriati	328
68	Petrophysical and Petrographic Characterization of Reservoir sandstones in Kulen Formation, Siem Reap Province, Cambodia	Pidao Choon, Chandoeun ENG, Sopheap PECH	333

69	CHARACTERISATION OF ARCHEAN BANDED IRON FORMATION GOLD MINERALISATION AT MUPANE GOLD MINE, BOTSWANA	Onameditse Lulu Seaba, Professor Akira Imai, Kemmonye Baliki	339
70	Mapping of Small-Scale Gold Deposits Using Sentinel-2 and DEMNAS in Cineam, Tasikmalaya, Indonesia	Arie Naftali Hawu Hede, Arie Naftali Hawu Hede, Syafrizal, Andy Yahya Al Hakim, Dzaki Fakhri Khairo, Safira Putri Rahmadica	344
71	The ore mineralogy of the Thae Phyu Chaung Au-Ag-Bi-Te mineralization in the Kyaikhto district, Mon State, southern Myanmar	Myo Kyaw HLAING, Kotaro YONEZU, May Thwe AYE, Koichiro WATANABE	348
72	Nature of ore-forming fluids and P-T conditions of the Thae Phyu Chaung Au-Ag-Bi-Te mineralization in the Kyaikhto district, Mon State, southern Myanmar	Myo Kyaw Haling, Kotaro YONEZU, May Thwe AYE, Koichiro WATANABE	354
73	Distribution of Rare Earths Minerals of the Semarule Syenite Complex, Botswana.	Taniguchi Noriaki	360
74	Sedimentation and Depositional Mechanism of Shale in Phnom Mrech, Angkor Chum district, Siem Reap province, Cambodia.	Meta CHORN, Sopheap PECH, Chandoeun ENG	364
75	Numerical Simulation of Rock Breaking by TBM Disc Cutter in Soil-Rock Composite Formations	Xin Zhou, Chenglong Guo, Qing Yu	370
76	Study on Evaluation Technology of Coal Pillar Stability Base on Vision Technology	Liu Sifei, Cheng Jingyi, Takashi Sasaoka, Hideki Shimada, Wan Zhijun, Zhang Yuan	376
77	Stability Analysis of Retaining Structure by Using Contiguous Pile Wall and Brace Excavation System for Underground Car Parking at Central Jakarta, Indonesia	Daro ROEUN, Phanny YOS	382
78	The Reduction of Gold(III) from Aqueous Hydrogen Tetrachloroaurate Solution by Gallic Acid	Sho Miyasato, Takehiko Tsuruta	388
79	Efficient Cs ⁺ Removal from Contaminated Water Using Nano-Fe/Cu–Loaded Zeolite	Tamer SHUBAIR, Osama ELJAMAL, Yuji SUGIHARA	392

		The state of the s	
80	Three-dimensional simulation of methane combustion with a detailed reacting system	Atsuyoshi Sato, Arata Kioka, Masami Nakagawa	394
81	Characteristics of Cleat and Geometry Coal Seam of Keban Area, Lahat Sub-District, South Sumatera, Indonesia	Basuki RAHMAD, C. PRASETYADI, Fadhil ZUHDI, Indra DARMAWAN, Sugeng RAHARJO, EDIYANTO, Gerhana Prasetya PUTRA	397
82	Characteristics of Coal Porosity and Quality on Methane Gas Absorption of Tanjung Formation in Barito Basin, Arang Alus, Banjar Regency, South Kalimantan, Indonesia.	SUGENG, Sari BAHAGIARTI, Heru Sigit PURWANTO, Basuki RAHMAD	403
83	Selection and Characterization of Extracellular Biopolymer-Producing Bacteria and Analysis of Potential Applications for Microbial Enhanced Oil Recovery (MEOR)	Maghfirotul Amaniyah, Tera Wahyu Dwiningrum, Dea Indriani Astuti, Isty Adhitya Purwasena	409
84	Ultrafine bubbles can change wettability of water droplet	Toru Kodama, Arata Kioka, Masami Nakagawa, Satoshi Anzai4	415
85	Ultra Fine Bubbles as a Lubricant	Ken Tagomori, Arata Kioka, Masami Nakagawa, Satoshi Anzai	417
86	Numerical modeling and optimization of the hybrid power generation of geothermal and wind power	Minami Kai, Saeid Jalilinasrabady, Ryuichi Itoi	419
87	Contribution of Magnetic Data Analysis in the Interpretation of Radiometric Data of South West England	Tamer Farag, Remon Aziz, Hideki Mizunaga, Toshiaki Tanaka	422
88	An Experimental Study on Quad-Loop EM Method	Yushin HIGASHI, Toshiaki TANAKA, Hideki MIZUNAGA	426
89	Geological Structure and Hydrocarbon Detection of 2D Seismic Data, Northern Tonle Sap, Onshore Cambodia	Chhaisreng HUN, Chandoeun ENG, Sopheap PECH	430
90	A New Techniques of Resistivity Measurement for Drilling Cores	Soichiro Hashimoto, Toshiaki Tanaka, Hideki Mizunaga	436

91	1-D and 2-D Inversions of Magnetotelluric Data in Butajira Geothermal Field, Ethiopia	Andarge Mengiste Abebayehu, Hideki MIZUNAGA, Toshiaki TANAKA	440
92	Remote Sensing Application for Identification of Tsunami Vulnerability in Yogyakarta International Airport, Kulonprogo, Special Region of Yogyakarta	Nazwa Khoiratun Hisan, Silvanus Sefrian Prakoso, Dissa Firlina Aya Chania, Firdausya Adhwa Tastama	445
93	Agent-based model simulation for social acceptance of geothermal resource development	Yuya Komori, Masami Nakagawa, Arata Kioka	448
94	Primary investigation on lithology and alteration minerals for geothermal resource in Te Teuk Pus, Oral district Kampong Speu province, Cambodia	Menghor LEAP, Muoyyi HENG, Chanmoly OR, Sirisokha SEANG	450
95	Analysis of the Impact of Renewable Energy Expansion on Geothermal Power Projects Using Power Market Model	Ko Setoguchi, Tatsuya Wakeyama	457
96	Ore and alteration mineral assemblage in the Runwruno deposit, Philippines	Hara Yuki, Imai Akira	461
97	Study on silica scale behavior and suppression in geothermal water by acidification: a case study at Yamagawa geothermal power plant, Japan	Kohei Tsuru, Yuki Tasaka, Saefudin Juhri, Kotaro Yonezu, Takushi Yokoyama	466
98	Coal Modeling Techniques with using Minescape Software	Alexandro Amendo	472

Characteristics of Coal Porosity and Quality on Methane Gas Absorption of the Tanjung Formation in Barito Basin, Arang Alus, Banjar Regency, South Kalimantan, Indonesia.

SUGENG¹, Sari BAHAGIARTI², Heru Sigit PURWANTO², Basuki RAHMAD²
Corresponding authors: b_rahmad2004@yahoo.com; basukirahmad@upnyk.ac.id

1. Post Graduate Programme of Geological Engineering Universitas Pembangunan Nasional "Veteran" Yogyakarta,

Indonesia
2. Geological Engineering, Universitas Pembangunan Nasional 'Veteran' Yogyakarta, Indonesia

ABSTRACT

Research Characteristics of quality and porosity Coal Formation Tanjung, Barito Basin aims to determine the relationship among the permeability with coal quality. Sampling was conducted at PT Tanjung Alam Jaya in Tanjung Formation coal in seam A,B, C, and D by channel sampling. Proximate analysis, permeability and porosity were performed on the above samples. The problem in this research is how the relationship with coal porosity, permeability, and quality in Tanjung Formation middle coal rank on methane gas absorption. Based on the characteristics of the porosity in the coal seam A, B, C, and D have a porosity range of 2. 38 to 2.64 % while the permeability has a value of 0.52 – 0.62 mDarcy. Proximate analysis results on ash 2.56 – 23.16 %,adb, moisture 2.51 – 3.74 %, adb, carbon 35.91 – 47.7 %, adb, and sulfur 0.32 – 044 %, adb. Methane gas absorption on seam A: 294 scf/t,seam B: 315 scf/t, seam C: 431 scf/t, and seam D: 425 scf/t. The relationship between ash content, carbon, and permiability to the absorption of methane gas has a regular graph, where the lower ash content, the greater of carbon, the greater of permiability will have a large absorption of methane

Keyword: adsorption, Tanjung Formation, ash, methane gas, coal rank.

INTRODUCTION

The Barito Basin in South Kalimantan province has several thick and widespread coal seams, One of the area that the coal currently being explored is Arang Alus area. The Arang Alus area is an area where the coal carrier formation is exposed. Coal outcrops include the Eocene Tanjung Formation (Hervanto, 2009). Coal in the Barito basin is currently exploring the potential of coal methane gas (GMB). Based on hypothetical calculations, the volume of coal methane gas is quite large, namely 101 TCF (Steven and Hadiyanto, 2004). The volume of coal methane gas is influenced by the ability to absorb methane gas in each different coal layer. Coalbed methane (CBM) is a form of natural gas (hydrocarbon) with methane gas as its main component. This methane gas is formed naturally in the formation of coal. This gas is trapped and adsorbed into coals in the form of cleat and matrix, so that the pores' structure, depth, maceral composition, and coal rank are some important factors in the development of coalbed methane gas field (Flores, 2014). Methane gas isn't the only gas contained in coals, but this gas can provide 90-95% of the total gas contained in coals. Different kinds of coals have different levels of absorbency (Singh, 2010). The success of coalbed methane is very

dependent to the gas flow rate, the gas price, and economy of the gas (Moore and Mares, 2008). Gas flow rate is reliant on porosity and permeability. This gas is expected to be an alternative energy in Indonesia that needs to be developed.

There are two kinds of porosity in coalbeds, porosity that's located in cleats and matrix. Pores classification is classified into micropores (pores that have diameter less than 2 nm), mesopores (diameter of 2-50 nm), and macropores (diameter bigger than 50 nm) follows International Union of Pure and Applied Chemistry (Orr, 1977). Pores in a matrix have various structures that aren't uniform and irregular surface. Porosity is affected by the composition and characteristics of maceral and chemical structure in coalbed (Liwen, et al, 2012), other than that porosity is also affected by the rank of coal (Flores, 2014). According to the size of pores in matrix, there are two kinds that are macropores and micropores, macropores are found in low-grade coals while micropores are found in high-grade coals (Flores, 2014).

Coal maceral have an influence on pore's surface area and volume. Coal with vitrainous lithotypes composed by vitrinite and inertinite macerals have micro pores, while coal with fusing lithotypes have mesopores (Flores, 2014). According Hou et al, 2017 when coal has a vitrinite percentage of less than 82% of pores that develop mesopore size composed by inertinite, the micropores are composed by vitrinite. If the vitrinite percentage is more than 82% mesopore in vitrinite and micropore dominance is arranged inertinite.

This research is to know the relationship between porosity with maceral in lignite coal Formation of Tanjung in Arang Alus area, Banjar Regency, South Kalimantan Province.

LOCATION RESEARCH

The research area is located at PT ALAM TANJUNG RAYA, Arang Alus, Banjar - South Kalimantan, which is one of the Tertiary Basins in South Kalimantan (Figure 1). Primary data collected from the field data of four sampling locations representing coal seam A, B, C, and D. The sampling locations can be seen in the following table (Table 1.)




Figure 1. The location of research area to element tectonics of Barito Basin

Table 1 Location sampling coordinates

Seam Coals	Meter East	Meter North	
A	294610	9638026	
В	294612	9638039	
C	294613	9638040	
D	294620	9638085	

SAMPLING

Sampling is done in the open mine of PT ALAM TANJUNG RAYA approximately 10 km East Binuang city. In this open pit there are 4 seam of coal contained in the Tanjung Formation..

Coal sample data is taken using the channel sampling method from the top to the bottom of each coal seam. Each coal seam correlated with wells at coordinates 292858,693 meters East and 9638682,718 meters North (Figure.2). The samples were wrapped in aluminium foil, stored in plastic bags and transported to the laboratory.




Figure 2. Correlation well log with outcrop along with number sampling

METHOD

Coal samples were dried at 40°C then crushed, then samples were taken using a reliable 250 gram method, Then sieved with 1 mm particle for coal petrographic and 0.012 mm for isotherm analysis. The samples resulting from sieving 0.6 - 1.0 mm, were used to make polishing sections with the Meta Serv 250 tool, standard observation procedures (ASTM 2856,1986).

Vitrinite reflectance was measured using the Craic Coal Pro microscope (ASTM 2856, 1986. ASTM, 2009). The procedure to determine vitrinite reflectance is to standardize the sample first with the vitrinite reflectance measurement standard in the microscope: Spinel = 0.427, Sapphire = 0.505, N Last 46 A = 1.37, after standardizing the vitrinite reflectance and then observing the magnitude of the vitrinite reflectance. The Isotherm Adsorption Test requires a weight of 250 grams of the sample, the sample is crushed with a crusher to form a grain-sized powder that passes through the screen 0.121 mm (80 mesh) opening. The initial isotherm adsorption test process uses ASTM D1412-85. The sample reconditioning must weigh and place the sample in the decicator below given a K2 SO4 solution then in a vacuum condition conditioned at 300 C. The adsorption isotherm test is carried out based on the volumetric method to determine sorption, capacity as a function of pressure; the gas used is methane gas (CH4) purity 99.9%.

The volumetric method refers to Australia's Commonwealth Scientific and Industrial Research Organization (CSIRO). In this method, the volume of gas absorbed by the sample is measured indirectly by injecting methane gas gradually with pressure varying to 16 Mpa (2320 psi) with varying temperatures. This test kit is operated automatically via a computer with the software Adsorption Isotherm System (CSIRO) so that the pressure when injection can control.

The relationship of volume - pressure at a certain temperature (sorption isotherm) can be used to determine the gas storage capacity and estimate the volume of released gas from the sample in line with the decrease in reservoir pressure. In general, the relationship between storage gas capacity and pressure uses the Langmuir equation:

Gs = ((VLP))/((PL+P)

Where: Gs = Storage gas capacity, m3 / ton

P = Pressure, KPa

VL = Langmuir Volume Constant, m3 / ton

PL = Langmuir pressure constant, KPa

Porosity and permeability measurement are done by cutting the coal sample into beam shape with size 2 cm and length 2,5 cm. Next put the dry sample into the vacuum desiccator to be expressed 1 hour and then saturated with kerosene, then the weighing are done.

RESULT AND DISCUSSION

Based on the analysis of permiability, porosity, vitrinite reflectance, mineral matter, and adsorption of methane gas from 4 samples (Table 2).

Table 2 Analysis data of Tanjung coal

No	Seam	RV	Porosity	Permeability	Mineral Matter	Adsorption Gas
	-	%	%	m Darcy	%	Scf/T
1	Α	0.52	2.51	0.341	1.4	294
2	В	0.53	2.63	0.221	6	315
3	C	0.58	2.38	0.356	1.2	431
4	D	0.62	2.64	0.12	4	425

Based on vitrinite reflectance (RV) showed coal in the study area including bituminious coal. Porosity has an effect on permeability, from table 2 it shows that if the porosity of coal is low, it will have high permeability, and vice versa. Mineral matter is one of the factors that causes the differences above. If the mineral matter is high, it will cause a small permeability, conversely, if the mineral matter is small, the permeability will be large. Mineral matter generally resides in the intergranular space (the space between the maceral detritus) or fills in the maceral, especially the inertinite maceral group (Figure 3).




Figure 3 Photomicrography of SEM shows pyrite minerals that fill inertinite group maceral

The porosity and permeability of coal also depend on the pores of coal. Chen et al, 2015 grouped coal pores into: plant tissue pores, intergranular pores, namely the space between maceral detritus, metamorphic pores, especially pores due to gas release, and inter-molecular pores (i.e. pores between chains).

Porosity is influenced by coal rank, when coal rank gradually increases from 0.52% - 0.62%, the relationship between the two is not very clear because the increase in coal rank is very small (Figure 4).




Figure 4 Relationship between coal rank and porosity

The relationship between porosity and coal rank has a positive correlation with R2 = 0.0059. The low correlation is because this coal has almost the same reflectance value so that the pores that develop are the same, in this rank coal the pores that develop are mesopores and micro-pores. This is due to the fact that the meso-pores and micro-pores are evenly distributed and homogeneous due to mass compaction with increasing rank of coal (Liu and Nie, 2016). Meso-pores and micro-pores are affected by the coalification process combined with physical compaction which increases slowly. When an increase in coal rank will cause an increase in the gas produced, as a result, the porosity will increase.

The permeability of gas absorption depends on the connectivity between the pores. Low rank coals generally have high permeability because the connectivity of the pores that develop is macro-pores and fractures, while for coal with bituminious rank, the pores that develop are meso-pores and micro-pores so that the permeability will be small (Table 2). The relationship between coal rank and permeability in the

study area has a negative relationship with the correction value (R2) = 0.3056 (Figure 5).




Figure 5 Relationship between coal rank and permeability

his low relationship is due to the decrease in mesopores and micro-pores decreasing slowly which will cause a gradual decrease in permeability.

The absorption capacity of methane gas is affected by the pore size distribution and the complexity of the pore surface structure in terms of almost the same coal rank. The smaller the pore diameter and the more complex the pore surface, the he greater the pore surface area. The pore surface area will affect the absorption of methane gas, the higher the rank of the coal, the greater the surface area which will lead to stronger absorption capacity of methane gas (Figure 6).




Figure 6 Relationship between coal rank and adsorption of methane gas

Coal with the same coal rank may not necessarily have the same absorption of methane gas, this depends on the presence of ash content, carbon, and mineral matter Table 3. Figure 7 shows the relationship between ash content, mineral matter, carbon and permeability. If the ash content is high, it will reduce the permeability as a result, the gas absorption will also be reduced. This is because the ash content will affect the size of the carbon content. If the carbon content is high, the ash content is small which will cause high gas absorption, and vice versa.

Table 3. Proximate analysis from coal bearing Tanjung Formation

Sampel	Moisture (%,adb)	Ash (%, adb)	Volatile Matter (%, adb)	Fix Carbon (%, adb)	Calory (cal/gr,adb)	Sulfur
Α	3.74	2.56	48.75	44.95	7756	0.41
В	2.51	14.94	45.26	37.29	6722	0.32
C	3.7	5.44	43.16	47.7	7318	0.39
D	2.91	23.16	38.02	35.91	6936	0.44




Figure 7 The Value of adsorption methane gas, mineral matter, crbon, and ash content

The graphic pattern in the image above shows that the greater the value of mineral matter, the smaller the carbon value, and the greater the ash value which can reduce the volume of gas absorption, and vice versa.

Coal with the same rank will cause differences in methane gas uptake depending on the size of the mineral matter content. If coal contains large mineral matter, absorption of methane gas will be small, and vice versa. This is because mineral matter generally fills the pores between maceral detritus or fills the pores in inertinite maceral. The presence of mineral matter will disturb the absorption of methane gas.

CONCLUSION

The size of the methane absorption depends on the rank of the coal, the ash content, and the mineral matter. If coal has large mineral matter, the coal will have a small methane gas absorption, meaning that the coal reservoir will have a small gas content.

if the carbon content is low, the ash content is high as a result, the gas absorption will be low

ACKNOWLEDGMENTS

The research was carried out by a Doctoral Dissertation Research Grant Program from Ministryof Research Technology and Higher Education of Republic of Indonesia (RISTEK – DIKTI). The authors thank the Institute of Research and Community Service, Universitas Pembangunan Nasional "Veteran" Yogyakarta and PT Tanjung Alam Raya for which the authors expressed their gratitude.

REFERENCES

Australian Standart – As 2856., Coal maceral analysis, Published by Standart Association of Austalian Standart House, NSW (1986).

Chen, Y., Tang, D., Xu, H., Tao, S., Li, S., Yang, G., and Yu, J., Pore dan fracture characteristics of different coal ranks in the eastern margin of the Ordos Basin, China, Journal of Natural Gas Science dan Engineering. Vol. 26 Pages 1264 – 1277 (2015).

Flores, R.M., Coal dan Coal bed Gas, Waltham, MA. Elsevier (2014).

Hou, H., Shao, L., Li, L., Li, Z., Wang, S., Zhang, W., and Wang, X., Influence of Coal Petrology on Methane Adsorption Capacity of Midle Yurassic Coal in Qaidan Basin, Journal of Petroleum Science dan Engineering xx (2017).


Liu, X.F., and Nie, B.S., Fraktal characteristics of coal samples utiliting image analysis and gas adsorption. Fuel 182, pp 314 - 322 (2016).

Moore, T.A., and Mares, T.E., The influence of macroscopic texture on biogenically-derived coalbed

methane, Huntly coalfield, New Zealdan, International Journal of Coal Geology.Vol. 76 Pages 175 – 185 (2008).

Orr, C., Pore size dan volume measurement. Treatise on Analytical Chemistry (Part III) (1997).

Singh,K.N., Coal Bed Methane Potensiality – Case Studies from Umaria Korba dan Ib-Valley Caoals, Son-Mahanadi Basin. Journal Geological Society of Hindia (2010).



Nishi tetu

Ono jyo

to Dazaifu IC

Kyudaigakkentoshi

24min[¥510]

30min[¥510]

35min[¥540]

