

DAFTAR PUSTAKA

- Abbas, H.K., Boyette, C.D., Hoagland, R.E., & Vesonder, R.F. 1991. Bioherbicial potential of *Fusarium moniliforme* and its phytotoxin, fumonisin. *Weed Science* 39: 673–677.
- Agrios, G.N., 2005. *Plant Pathology. Academic Press, New York*. (Ilmu Penyakit Tumbuhan, alih bahasa Busnia M). Edisi ke-3. Gadjah Mada University Press. Yogyakarta.
- Aji, T.G.G & Susanto, S. 2013. Pengaruh Jumlah Cabang terhadap Pertumbuhan Vegetatif dan Generatif Rosela (*Hibiscus sabdariffa*). *Makalah Seminar Agronomi dan Hortikultura*. Fakultas Pertanian. IPB. Bogor
- Alexopoulos, C.J. & Mims, C.W. 1979. *Introductory mycology*. Third edition John Wiley and Sons. New York, USA.
- Antara, I Made Susila., Rosmini., dan Panggeso, J. 2015. Pengaruh Berbagai Dosis Cendawan Antagonis *Trichoderma* spp. Untuk Mengendalikan Penyakit Layu *Fusarium oxysporum* Pada Tanaman Tomat. *Jurnal Agroteknologi dan Agribisnis* 5: 622-629.
- Amalfitano, C., Pengue, R., Andolfi, A., Vurro, M., Zonno, M.C. & Evidente, A. 2002. HPLC analysis of FA, 9,10-dehydrofusaric acid, their methyl esters, toxic metabolites from weed pathogenic *Fusarium* species. *Phytochemical Analysis* 13: 277–282.
- Ambar, A.A. 2003. Efektifitas Waktu Inokulasi *Trichoderma viride* dalam Mencegah Penyakit Layu *Fusarium* Tomat (*Lycopersicon esculentum* Mill.) di Rumah Kaca. *Jurnal Fitopatologi Indonesia* 7(1): 8-11.
- Ambarwati, D.T., Syuriani, E.E. & Pradana, O.C.P. 2020. Uji Respon Dosis Pupuk Kalium terhadap Tiga Galur Tanaman Tomat (*Lycopersicon esculentum* Mill.) di Lahan Politeknik Negeri Lampung. *Jurnal Planta Simbiosis*. 2(1): 231-239.
- Amrullah, S.H. 2019. Pengendalian Hayati (*Biocontrol*): Pemanfaatan Serangga Predator sebagai Musuh Alami untuk Serangga Hama (Sebuah Review). *Journal UIN Alauddin*.
- Astari, W., Purwani, K.I., & Anugerahani, W. 2014. Pengaruh Aplikasi Pupuk

- Hayati terhadap Pertumbuhan dan Produktivitas Tanaman Tomat (*Solanum lycopersicum L.*) Var. Tombatu di PT Petrokimia Gresik. *Jurnal Sains dan Seni Pomits* 2: 1-4.
- Bacon, C.W., Porter, J.K., Norred, W.P. & Leslie, J.F. 1996. Production of fusaric acid by *Fusarium* species. *Applied and Environmental Microbiology* 63: 4039–4043.
- Baker, S.K. & Cook, J.R. 1974. *Biological Control of Plant Pathogens*. San Fransisco: WH Freeman and Company.
- Barbosa, M.A.G., Rehn, K.G., Menezes, M., Lima, R. & Mariano, R. 2001. Antagonism of *Trichoderma* species on *Cladosporium herbarum* and Their Enzimatic Characterization. *Brazilian Journal of Microbiology* 32: 98-104.
- Barnett, H.L. & Hunter. 1998. *Illustrated Genera of Imperfect Fungi*. Burgess Publishing Company. Mineapolis.
- Bokhari, N.A. & Perveen, K. 2012. Antagonistic action of *Trichoderma harzianum* and *Trichoderma viride* against *Fusarium solani* causing root rot of tomato. *African Journal Microbiology Research* 6:7193–7197.
- Chen, J., Sun, S., Miao, C., Wu, K., Chen, Y., Xu, L., Guan, H & Zao, L. 2016. Endophytic *Trichoderma gamsii* YIM PH30019: a promising biocontrol agent with hyperosmolar, mycoparasitism and antagonistic activities of induced volatile organic compounds on on root rot pathogenic fungi of *Panax notoginseng*. *Journal of Ginseng Research* 40:315–324.
- Cahyono, Bambang. 2008. *Tomat Usaha Tani dan Penanganan Pasca Panen (Edisi Revisi)*. Kanisius. Yogyakarta.
- Capasso, R., Evidente, A., Cutignano, A., Vurro, M., Zonno, M.C. & Bottalico, A. 1996. Fusaric and dehydrofusaric acids and their methyl esters from *Fusarium nygamai*. *Phytochemistry* 41: 1035–1039.
- Devi, Y. 2000. *Pengaruh Introduksi Jamur Trichoderma sp. dan Efektive Mikroorganisme MS (EM4) Terhadap Perkembangan Penyakit Layu (Fusarium oxysporum f.sp. Lycopersicii) pada Tanaman Tomat (Laporan Penelitian)*. Fakultas Pertanian Universitas Padjadjaran Bandung. Bandung.
- Desjardins, A.E. & Hohn, T.V. 1997. Mycotoxins in plant pathogenesis. *Molecular Plant-Microbe Interactions* 10: 147– 152.
- Edreva, A. 2004. A novel strategy for plant protection: induced resistance. *Journal*

of *Molecular Cell Biology* 3: 61–69.

- El-Khallal, S.M. 2007. Induction and modulation of resistance in tomato plants against *Fusarium* wilt disease by bioagent fungi (arbuscular mycorrhiza) and/or hormonal elicitors (jasmonic acid & salicylic acid): 1-changes in growth, some metabolic activities and endogenous hormones related to defence mechanism. *Australian Journal of Basic Applied Sciences* 1:691–705.
- Farida, S. 1992. Penggunaan Jamur Saprob Tanah untuk Mengendalikan Tomat pada Berbagai Bahan Organik dan Dosis *Trichoderma*. *Jurnal Akta Agrosia* 13: 37-40.
- Fazil, M., Sriwati.R. & Chamzurni, T. 2018. Aplikasi Beberapa Bentuk Formulasi *Trichoderma* spp dalam Mengendalikan Penyakit Layu *Fusarium* pada Tanaman Tomat. *Jurnal Ilmiah Mahasiswa Unsyiah* 3: 20-30.
- Freeman, S., Zveibil, A., Vintal, H. & Maymon, M. 2002. Isolation of non-pathogenic Mutants of *Fusarium oxysporum* f. sp. *melonis* for Biological Control of *Fusarium* wilt in cucurbits. *Phytopathology* 92: 164-168.
- Gao, L.L., Delp, G. & Smith, S.E. 2001. Colonization patterns in a mycorrhiza-defective mutant tomato vary with different arbuscular-mycorrhizal fungi. *New Phytologist* 151(2), 477-491.
- Gams, W & Bissett, J. 1998. Morphology and identification of *Trichoderma*. In: Harmann GE, Kubicek CP (eds) *Trichoderma and Gliocladium*. Taylor and Francis, London 3–34
- Gazali, A. 2015. *Pengendalian Hayati*. Mujahid Press Bandung. Banjarbaru
- Gothandapani, S., Boopalakrishnan, G., Prabhakaran, N., Chethana, B.S., Aravindhan, M., Saravanakumar, M. & Ganeshan, G. 2014. Evaluation of entomopathogenic fungus against *Alternaria porri* (Ellis) causing purple blotch disease of onion. *Journal Phytopathology and Plant Protection* 48: 135-144.
- Gusnawaty, H.S., Taufik, M., Triana, L. & Asniah. 2014. Karakterisasi Morfologis *Trichoderma* spp. Indigenus Sulawesi Tenggara. *Jurnal Agroteknos* 4: 88-94.
- Hanaa, R.M.F., Abdou, Z.A., Salama, D.A., Ibrahim, M.A.R. & Srour, H.A.M. 2011. Effect of neem and willow aqueous extracts on *Fusarium* wilt disease in tomato seedlings: induction of antioxidant defensive enzymes. *Annals of Agricultural Science* 56:1–7
- Hardianti, Alfi, et al. 2014. Efektivitas Waktu Pemberian *Trichoderma harzianum*

dalam Mengatasi Serangan Layu Fusarium pada Tanaman Tomat Varietas Ratna. *Lentera Bio* 3: 21-25.

- Harjono & Widyastuti, S.M. 2001. Optimasi Produksi Endokitinase dari Jamur Mikoparasit *Trichoderma reesei*. *Jurnal Perlindungan Tanaman Indonesia* 7(1): 55-58.
- Harman, G.E., Howell, C.R., Viterbo, A.C.I. & Lorito, M. 2004. *Trichoderma* species, opportunistic, avirulent plantsymbionts. *Nature Rev Microbiol* 2:43–56.
- Herlina, L. 2009. Potensi *Trichoderma harzianum* sebagai Biofungisida pada Tanaman Tomat (*Trichoderma harzianum*). *Biosaintifika*. 1(1): 62 – 69.
- Hok, Kang Tuan *et al.* 2007. Pengaruh Suhu dan Waktu Pemanasan terhadap Kandungan Vitamin A dan C pada Proses Pembuatan Pasta Tomat. *Widya Teknik* 6: 111-120.
- Idris, A.E., Abouzeid, M.A., Boari, A., Vurro, M., & Evidente, A. 2003. Identification of phytotoxic metabolites of a new *Fusarium sp.* inhibiting germination of *Striga hermonthica* seeds. *Phytopathologia Mediterranea* 42: 65–70
- Jaklitsch, W.M. 2009. European species of *Hypocrea*. Part I. The green-spored species. *Studies in Mycology* 63:1–91.
- Jayanti, N.K., Ayu, K. & Wijaya, I.N. 2018. Potensi Predator *Coccinella transversalis* Fabricius sebagai Agen Hayati Pengendali Hama *Thrips parvispinus* Karny pada Tanaman Cabai Besar. *E-jurnal Agroekoteknologi Tropika* 7
- Jeger, M.J. & Viljanen-Rollinson, S.L.H. (2001). The use of the area under disease-progress curve (audpc) to asses quantitative disease resistance in crop cultivars. *Theoretical Applied Genetics* 102(1): 32–40.
- Kapsiya, J., Gungula, D.T., Tame, V.T. & Bukar, N. 2015. Effects of storage chemicals and packaging systems on physicochemical characteristics of tomato (*Solanum lycopersicum* L.) fruits. *American Association for Science and Technology Journal Biology Sciences* 1:41–46.
- Kubicek, C.P., Mikus, M., Schuster, A., Schmoll, M. & Seiboth, B. 2009. Metabolic engineering strategies for the improvement of cellulose production by *Hypocrea jecorina*. *Biotechnology Biofuel* 2:19.
- Manibhusanrao, K., Sreenivasaprasad, S., Baby, U.F. & Joe, Y. 1989. Susceptibility of rice sheath pathogen to mycoparasites. *Current Science* 58:515–518.

- Maurhofer, M., Hase, C., Meuwly, P., Mettraux, J.P. & Defago G. 1994. Induction of systemic resistance of tobacco to tobacco necrosis virus by the rootcolonizing *Pseudomonas fluorescens* strain CHAO: influence of the *gacA* gene and of pyoverdine production. *Phytopathology* 84:139–146.
- Meilin, Araz. 2014. *Hama dan Penyakit pada Tanaman Cabai serta Pengendaliannya*. Balai Pengkajian Teknologi Pertanian (BPTP). Jambi
- Monaco, C., Perello, A., Alippi, H.E. & Pasquare, A.O. 1991. *Trichoderma* spp.: biocontrol agent of *Fusarium* spp. and *Sclerotium rolfsii* by seed treatment. *Advances in Horticultural Science* 5:92–95.
- Monte, E. 2001. Understanding *Trichoderma*: between biotechnology and microbial ecology. *International Microbiology* 4:1–4.
- Mukhopadhyay, Ria. & Kumar, D. 2020. Trichoderma: A Beneficial Antifungal Agent And Insights Into Its Mechanism Of Biocontrol Potential. *Egyptian Journal of Biological Pest Control* 30:133.
- Natawigena, H. 1993. *Dasar-dasar Perlindungan Tanaman*. Trigenda Raya. Bandung.
- Novita, Trias. 2011. *Trichoderma* sp. dalam Pengendalian Penyakit Layu Fusarium pada Tanaman Tomat. *Biospecies* 4: 27-29.
- Novizan. 2002. *Membuat dan Memanfaatkan Pestisida Ramah Lingkungan*. Agromedia Pustaka. Jakarta.
- Papavizas, G.C. 1985. *Trichoderma* and *Gliocladium*: biology, ecology and potential for biontrol. *Annual Review of Phytopathology* 23:23–54.
- Park, K.S. & Kloepper, J.W. 2000. Activation of PR-1 a promoter by rhizobacteria that induce systemic resistance in tobacco against *Pseudomonas syringae* pv. tabaci. *Biology Control* 18:2–9.
- Pearson, J.N. & Jacobsen, I. 1993. The relative contribution of hiphae and roots to phosphorus uptake by *Trichoderma* plants, measured by dual labeling with P-32 and P-33. *New Phytologist* 124(3), 489-494
- Poulton, J.L., Koide, R.T. & Stephenson, A.G. 2011. Effects of *Trichoderma* infection and soil phosphorus availability on in-vitro and in-vivo pollen performance in *Lycopersicon esculentum* (*Solanaceae*). *American Journal Botany* 88, 1786-1793.
- Prabowo, A.K.E., Prihatiningsih, N. & Soesanto, L. 2006. Potensi *Trichoderma*

harzianum dalam mengendalikan Sembilan isolat *Fusarium oxysporum* Schlecht f.sp. *zingiberi* Trujillo pada kencur. *Jurnal Ilmu-Ilmu Pertanian Indonesia* 8: 76-84.

Purwantisari, S. & Hastuti, R.H. 2009. Uji Antagonism Jamur *Phitophthora infestans* Penyebab Penyakit Busuk Daun dan Umbi Kentang dengan Menggunakan *Trichoderma* spp. Isolat Local. *Jurnal Berkala Ilmiah Biologi* 11: 24-32

Putri, O. S. D., Sastrahidayat, I.R. & Djauhari, S. 2014. Pengaruh Metode Inokulasi Jamur *Fusarium oxysporum* f.sp. *lycopersici* (Sacc) terhadap Kejadian Penyakit Layu Fusarium pada Tanaman Tomat (*Lycopersicon esculentum* Mill.). *Jurnal HTP* 2: 74-81.

Ragab, M.M.M., Abada, K.A., Abd-El-Moneim, M.L. & Abo-Shosha, Y.Z. 2015. Effect of different mixtures of some bioagents and *Rhizobium phaseoli* on bean damping-off under field condition. *International Journal of Scientific and Engineering and Research* 6:1009–1106.

Rahayuniati, R.F. & Mugiastuti, E. 2009. Pengendalian Penyakit Layu Fusarium Tomat: Aplikasi Abu Bahan Organik dan Jamur Antagonis. *Jurnal Pembangunan Pedesaan* 1: 25-27.

Ramamoorthy, V., Viswanathan, R., Raguchandar, J., Prakasham, T. & Samiyappan, R. 2001. Induction of systemic resistance by plant growth promoting rhizobacteria in crop plants against pest and diseases. *Crop Protection* 20:1–11.

Rinasari, S.P.O., Kadir, Z. & Oktafri. 2015. Pengaruh konsentrasi pupuk organinitrofos terhadap pertumbuhan dan produksi tanaman tomat (*Lycopersicon esculentum* Mill) secara organik dengan sistem irigasi bawah permukaan (*Sub Surface Irrigation*). *Jurnal Teknik Pertanian Lampung* 4: 325-334.

Rokhminarsi, Eny., Utami, D.S. & Begananda. 2020. Hasil dan Kualitas Tomat pada Pemberian Pupuk Mikotricho dan Pupuk N-P-K. *Jurnal Horti Indonesia* 3: 192-201.

Seebold, K. W. 2014. *Tomato Wilt Problems*. California: University of Kentucky.

Semangun, H. 1996. *Ilmu Penyakit Tumbuhan*. Gadjah Mada University Press. Yogyakarta.

Semangun, H. 2001. *Pengantar Ilmu Penyakit Tumbuhan*. Gadjah Mada University Press. Yogyakarta.

Semangun, H. 2004. *Penyakit-penyakit Tanaman Hortikultura di Indonesia*. Edisi

ke-2. Gadjah Mada University. Yogyakarta.

- Shah, S., Nasreen, S. & Sheikh, P.A. 2012. Cultural and morphological characterization of *Trichoderma* spp. associated with green mold disease of *Pleurotus* spp. in Kashmir. *Research Journal Microbiology* 7:139–144.
- Sharma, S., Aneja, M.K., Mayer, J., Much, J.C. & Schloter, M. 2005. Characterization of bacterial community structure in rhizosphere soil of grain legumes. *Microbial Ecology* 49:407–15.
- Smith, S.E., Smith, F.A. & Jacobsen, I. 2003. *Trichoderma* fungi can dominate phosphate supply to plants irrespective to growth responses. *Plant Physiology* 133: 16-20.
- Soesanto, L. 2008. *Pengantar Pengendalian Hayati Penyakit Tanaman*. Raja Grafindo Persada. Depok.
- Soesanto, L. 2013. *Pengantar Pengendalian Hayati Penyakit Tanaman*. PT. Raja Grafindo Persada. Jakarta
- Solikin. 2013. PERTUMBUHAN VEGETATIF DAN GENERATIF *Stachytarpetta jamaicensis* (L.) Vahl. UPT Balai Konservasi Tumbuhan Kebun Raya Purwodadi-LIPI.
- Sopialena. 2015. Ketahanan Beberapa Varietas Tomat Terhadap Penyakit *Fusarium oxysporum* dengan Pemberian *Trichoderma* sp. *Jurnal Agrifor* 14: 131-140.
- Sopialena. 2018. *Pengendalian Hayati dengan Memberdayakan Potensi Mikroba*. Mulawarman University Press. Samarinda
- Srinivas, C., et al. 2019. *Fusarium oxysporum* f. sp. *lycopersici* causal agent of vascular wilt disease of tomato: Biology to diversity– A review. *Saudi Journal of Biological Sciences*.
- Sutejo, Ade Mahendra, et al. 2008. Identifikasi Morfologi Beberapa Species Jamur *Fusarium*. *Jurnal Perlindungan Tanaman Indonesia* 14.
- Suwahyono, U. 2011. *Petunjuk Praktis Penggunaan Pupuk Organik Secara Efektif Dan Efisien*. Jakarta: Penebar Swadaya
- Van, A.M.A.J., Rijkenberg, F.H.F., & Coutinho, T.A. 1992. Phytotoxicity of fumonisin B1, moniliformin and T-2 toxin in corn callus cultures. *Phytopathology* 82: 1330–1332.
- Wakulinski, W. 1989. Phytotoxicity of *Fusarium* metabolites in relation to

- pathogenicity. In: *Fusarium Mycotoxins, Taxonomy and Pathogenicity* (ed. J Chelkowski), 257–268. Elsevier, Amsterdam, The Netherlands
- Weindling, R. 1934. Studies on lethal principle effective in the parasitic action of *Trichoderma lingorum* on *Rhizoctonia solani* and other soil fungi. *Phytopathology* 24:1153–1179.
- Wibowo, A. 2005. Kemampuan Strain Bakteri Antagonis Terhadap *Fusarium* Penyebab Layu pada Tomat dalam Kolonisasi Perakaran Tomat. *Jurnal Perlindungan Tanaman Indonesia* 11.
- Wijaya, S.K.S. 2002. Isolasi Kitinase dari *Scleroderma columnare* dan *Trichoderma harzianum*. *Jurnal Ilmu Dasar*. 3: 30-35.
- Winarsih, S. 1997. Uji Kemampuan Tiga Isolat Jamur Saprofit dalam Menekan Pertumbuhan *Sclerotium rolfsii* pada Kacang Tanah. Kongres Nasional XIV 27-29 September dan Seminar Ilmiah. Perhimpunan Fitopatologi Indonesia (PFI). Palembang.
- Zaher, E.A., Abada, K.A. & Zyton, M.A. 2013. Effect of combination between bioagents and solarization on management of crown-and stem-rot of Egyptian clover. *American Journal of Plant Science* 1:43–50.
- Zonno, M.C., Vurro, M., Evidente, A., Capasso, R., Cutignano, A. & Sauerborn, J. 1996. Phytotoxic metabolites produced by *Fusarium nygamai* from *Striga hermonthica*. In: *Proceedings 1996 IX International Symposium on Biological Control of Weeds*. Stellenbosch, South Africa, 223–226.