

## DAFTAR PUSTAKA

- Ahmed, Tarek. 2006. “*Reservoir Engineering Handbook: Third Edition*”. Oxford: Gulf Professional Publishing. p. III-169, IV-190, IV-227.
- Ansyori, M. R. (2018). Mengenal Enhanced Oil Recovery (EOR) Sebagai Solusi Meningkatkan Produksi Minyak. *Swara Patra*, 8(2), 16–22. <http://ejurnal.ppsdmmigas.esdm.go.id/sp/index.php/swarapatra/article/view/25>
- Arifin, D. S. (2021). Sensitivitas Konsentrasi Biosurfaktan "U-Champ" dan Soaking Time Metode Huff & Puff Pada "Core Flood" Menggunakan Simulator CMG. Yogyakarta: UPN "Veteran" Yogyakarta.
- CMG. (n.d.). *Exercise 1 - create a model of the coreflood*. 65–70.
- El-Sheshtawy, H. S., & Doheim, M. M. (2014). Selection of *Pseudomonas aeruginosa* for biosurfactant production and studies of its antimicrobial activity. *Egyptian Journal of Petroleum*, 23(1), 1–6. <https://doi.org/10.1016/j.ejpe.2014.02.001>
- H. Janshekar. (1985) “Microbial Enhanced Oil Recovery Processes, Microbes and Oil Recovery”. Bioresource Pub, Texas.
- He, K., Xu, L., Gao, Y., Yin, X., & Neeves, K. B. (2015). Evaluation of surfactant performance in fracturing fluids for enhanced well productivity in unconventional reservoirs using Rock-on-a-Chip approach. *Journal of Petroleum Science and Engineering*, 135, 531–541. <https://doi.org/10.1016/j.petrol.2015.10.008>
- Java, N. W., Java, N. W., & Temp, B. (2006). *BASIN AREA STATUS • W. JAVA SEA Producing Oil & Gas BASIN AREA • N. W. Java • N. W. Java PSC LOCATION STATUS OPERATOR • Producing Oil & Gas*. 4.
- Koesoemadinata, R. P. 1980. “Geologi Minyak-Dan Gasbumi : Edisi Kedua”. Bandung : Penerbit ITB. p. 81-83, 87.
- Kurnia, Rafli Arie. 2020. Studi Lab <sup>60</sup> m Injeksi Biosurfaktan “U-Champ”

dalam Merubah Karateristik Fluida *Reservoir* Untuk Meningkatkan Perolehan Minyak pada Sumur “RFL” Lapangan “KRN””. Yogyakarta : UPN “Veteran” Yogyakarta.

Jackson, B. E., & McInerney, M. J. (2002). Anaerobic microbial metabolism can proceed close to thermodynamic limits. *Nature*, 415(6870), 454–456. <https://doi.org/10.1038/415454a>

Pamungkas, J., Dkk. (2021). Core Flooding Experiment to Increase Recovery Factor Using “U-Champ” Biosurfactant. *SSCIREA Journal of Physics*, Vol 6, 135-140.

Pamungkas, Joko. Ir. M.T., 2011. “Permodelan dan Aplikasi Simulasi Reservoir”. Program Studi Teknik Perminyakan, UPN “Veteran” Yogyakarta, Yogyakarta. Chapter 3 (18-23).

Paramasatya, A., Chandra, S., Daton, W. N., & Rachmat, S. (2019). *Nano-Surfactant Huff and Puff Optimization in Marginal X Field Using Commercial Simulator Petroleum Engineering Department, Institut Teknologi Bandung*. Jcy. <https://doi.org/10.29017/SCOG>.

Partal, P., Guerrero, A., Berjano, M., & Gallegos, C. (1997). Influence of concentration and temperature on the flow behavior of oil-in-water emulsions stabilized by sucrose palmitate. *JAOCs, Journal of the American Oil Chemists' Society*, 74(10), 1203–1212. <https://doi.org/10.1007/s11746-997-0046-8>

Purwasena, I. A., Astuti, D. I., Syukron, M., Amaniyah, M., & Sugai, Y. (2019). Stability test of biosurfactant produced by *Bacillus licheniformis* DS1 using experimental design and its application for MEOR. *Journal of Petroleum Science and Engineering*, 183(August). <https://doi.org/10.1016/j.petrol.2019.106383>

Reningtyas, R., & Mahreni. (2015). Biosurfaktan. *Eksbergi*, XII(2), 12–22.

Saravanan, A., Kumar, P. S., Vardhan, K. H., Jeevanantham, S., Karishma, S. B., Yaashikaa, P. R., & Vellaichamy, P. (2020). A review on systematic approach for microbial enhanced oil recovery technologies: Opportunities and challenges. *Journal of Cleaner Production*, 258, 120777. <https://doi.org/10.1016/j.jclepro.2020.120777>

- Siami, D. H., & Yono, N. H. (2020). Microbial Enhanced Oil Recovery (MEOR): Alternatif Peningkatan Produksi Migas di Indonesia. *Jurnal Nasional Pengelolaan Energi MigasZoom*, 2(2), 01–08. <https://doi.org/10.37525/mz/2020-2/253>
- STARS., 2015. “STARS Version 2015 User’s Guide”. Computer Modelling Group Ltd., Calgary.
- Sulistyarno, H. B., Pamungkas, J., Widyaningsih, I., & Wahyuningsih, T. (2020). Biosurfactan Injection of “U-Champ” on Heavy Oil Sample in Laboratory for Preliminary to Pilot Project. *International Journal of Recent Technology and Engineering*, 9(4), 46–50. <https://doi.org/10.35940/ijrte.d4751.119420>
- Thavasi, R., Subramanyam Nambaru, V. R. M., Jayalakshmi, S., Balasubramanian, T., & Banat, I. M. (2009). Biosurfactant Production by Azotobacter chroococcum Isolated from the Marine Environment. *Marine Biotechnology*, 11(5), 551. <https://doi.org/10.1007/s10126-008-9162-1>
- Teknis, T. I. M., & Untuk, P. N. E. (2006). ( *ENHANCED OIL RECOVERY ) MENGGUNAKAN INJEKSI KIMIA PT . PETROELUM NUSANTARA ENERGI.*
- Tobing, E. M. L. (2018). Test Sensitivity Surfactant-Polimer Concentration and Volume of Slug on Oil Recovery Through Simulation Model Production Injection Well Pattern EOR. *Lembaran Publikasi Minyak Dan Gas Bumi*, 52(1), 1–13. <http://www.journal.lemigas.esdm.go.id>
- Chunhong, W., & Gaoming, L. (2006). Huff “n” Puff recovery technique on waterout horizontal wells. *SPE Eastern Regional Meeting*, 2006(1966), 134–140. <https://doi.org/10.2523/104491-ms>