

DAFTAR PUSTAKA

- Albareello, D., and Lunedei, E. 2010. *Alternative interpretations of horizontal to vertical spectral ratios of ambient vibrations: new insights from theoretical modeling*. *Bulletin of Earthquake Engineering* 8, 519–534.
- Ali, MY., Berteussen, KA., Small, J., Barka, B. 2010. *Low-frequency passive seismic experiments in Abu Dhabi, United Arab Emirates: implications for hydrocarbon detection*. *Geophysical Prospecting*. doi: 10.1111/j.1365-2478.2009.00835.x
- Arai, H. and Tokimatsu, K. 2004. *S-wave velocity profiling by inversion of microtremor H/V spectrum*. *Bull. Seism. Soc. Am.* 94, 53–63.
- Badan Standarisasi Nasional, 2012, *Tata Cara Perencanaan Ketahanan Gempa dan Struktur Bangunan Gedung dan Non Gedung*, Jakarta: BSN, SNI 1726:2012.
- Bakosurtanal, 2008, *Peta Provinsi Jawa Barat*, Direktorat Pekerjaan Umum, Republik Indonesia, Yogyakarta
- Bard, P.Y., 1998, *local effect on strong Ground Motion: Physical Basis and Estimation Methods in Viewing of MICROZONING STUDIES*, *Laboratoire central des Ponts-et-Chaussees et Observatoire de Grenoble*, LGIT/IRIGM, France.
- Bemellen, Van, R. W. 1949. *The Geology of Indonesia*. The Hague, Netherland
- Bock, Y., Prawirodirdjo, L., Genrich, J.F., Stevens, C.W., McCaffrey, R., Subarya, C., Puntodewo, S.S.O., Calais, E., 2003, *Crustal Motion in Indonesia from Global Positioning System Measurements*. *Journal of geophysical research*, Vol.108, No.B8
- Bonnefoy-Claudet, S, Cotton, F., Bard, P.Y. 2006b. *The nature of noise wavefield and its applications for site effects studies*, *Earth-Science Reviews*. doi:10.1016/j.earscirev.2006.07.004
- Bonnefoy., Cornou, C., Bard, P.Y., Cotton, F., Moczo, P., Kristek, J., and Fäh, D. (2006a). *H/V ratio: a tool for site effects evaluation. Results from 1-D noise simulation*.

- Bose, D., Wolf, A., 2009, Limitations of the Microtremor Method: A Study in the Los Angeles Basin, *Thesis*, Auburn University, California.
- Bothe, A.CH.G., (1929), *Jiwo Hills and Soutern Range*, Excursion Guide. IVth Pacific Sci. Cong. Bandung.
- Bronto dan Hartono.2001. *Panduan Ekskursi Geologi Kuliah Lapangan 2*. STTNAS: Yogyakarta.
- Dal Moro, G. 2010. *Some Thorny Aspects about Surface Wave and HVSR Analyses: an Overview*. Bollettino di Geofisica Teorica e Applicata, special issue, submitted.
- Daryono, Sutikno, Prayitni, dan Setio, B., 2009, *Data Mikrotremor dan Pemanfaatannya untuk Pengkajian Bahaya Gempabumi*, Yogyakarta: Badan Meteorologi Klimatologi dan Geofisika
- Daryono, 2011, *Indeks Kerentanan Seismik Berdasarkan Mikrotremor Pada Setiap Satuan Bentuk Lahan di Zona Graben Bantul Daerah Istimewa Yogyakarta, Disertasi*, Universitas Gadjah Mada, Yogyakarta.
- Edwiza, Daz & Sri Novita. (2008). *Pemetaan Percepatan Tanah Maksimum dan Intensitas Seismik Kota Padang Panjang Menggunakan Metoda Kannai*. Padang: Repository Universitas Andalas.
- Elnashai, S.A. dan Sarno, D.L. 2008. *Fundamental of Earthquake Engineering*. Hongkong: Jhon Wiley and Sons, Ltd.
- Gadallah, R.M. dan Fisher, R. 2009. *Exploration Geophysics*. Berlin: Springer.
- Gosar, A., 2007, Microtremor HVSR Study for Assesing Site Effects in the Bovec Basin (NW Slovenia) Related to 1998 Mw 5.6 and 2004 Mw 5.2 Earthquake, *Elsevier, Engineering Geology*, Vol. 91, Mei 2007,178-193.
- Huda, H., Santosa, B.J., 2009, Pencitraan Struktur Permukaan Bawah Tanah Dengan Menggunakan Analisa Kurva Dispersi Studi Kasus: Kampus Geomatika FTSP ITS Surabaya, *Seminar Nasional Pasca Sarjana Institut Teknologi Sepuluh November*, Surabaya.
- Herak, M. 2008. *ModelHVSR: a Matlab tool to model horizontal-to-vertical spectral ratio of ambient noise*. Computers and Geosciences 34, 1514–1526.

- Husein S., Karnawati D., Pramumijoyo S., Ratdomopurbo A., 2007, Kontrol Geologi Terhadap Respon Lahan dalam Gempabumi Yogyakarta 27 Mei 2006: Upaya Pembuatan Peta Zonasi Mikro di Daerah Bantul, Universitas Gadjah Mada, Yogyakarta.
- I.M. Amalia. 2014. *Kaitan B-Value dengan Magnitudo dan Frekuensi Gempa Bumimenggunakan Metode Gutenberg-Richter di Sumatera Utara tahun 2002-2012*. Universitas Negeri Surabaya.
- Konno, K., and T. Ohmachi, 1998, *Ground-motion characteristics estimated from spectral ratio between horizontal to vertical components of microtremor*, Bull. Seismol society, 228-241.
- Lay, Thorne dan Wallace, T.C. 1995. *Modern Global Sismology*. California: Academic Press
- Merwadwe V.M., Maidment D. R., and J.A. Golff, 2006, “*Anisotropic Considerations while Interpolating River Channel Bathymetry*”, Journal of Hydrology, Vol.331, pp.731-741.
- Mirzaoglu, Mete. & Dýkmen, Ünal. (2003). *Application of microtremors to seismic microzoning procedure*. Balkan: Journal of the Balkan Geophysical, Vol. 6, No. 3. Hlm. 143 – 156.
- Modul Pembelajaran Mata Kuliah Seismologi. Program Studi Geofisika, Universitas Pertamina : Jakarta.
- Motamed R., Ghalandarzadeh A., Tawhata I., Tabatabaei S.H., 2007, Seismic Microzonation and Damage Assessment of Bam City, Southern Iran: Journal of Earthquake Engineering. 11:1, 110-132.
- Mulyaningsih S., Sampurno., Zain Y., 2006, Perkembangan Geologi pada Kuarter Awal sampai Masa Sejarah di Dataran Yogyakarta, *Jurnal Geologi Indonesia*, Vol 1 (2) : 103-113.
- Munadi, Suprajitno. 2000. *Aspek Fisis Seismologi Eksplorasi*. Jakarta: Program Studi Geofisika, Jurusan Fisika, Universitas Indonesia.
- Nakamura, Y. 2008. On The H/V Spectrum. The 14th World Conference on Earthquake Engineering October 12-17, 2008, Beijing, China

- Nakamura, Y., Sato, T., and Nishinaga, M., 2000, *Local Site Effect of Kobe Based on Microtremor Measurement*, Proceeding of the Sixth International Conference on Seismic Zonation EERI, Palm Springs California.
- Nakamura, and Yutaka, 1997. *Seismic vulnerability indices for ground and structures using microtremor. Proceedings of world congress on Railways Research*. November 1997. Florence.
- Nakamura, Y., 1989, *Estimation of Subsurface using Microtremor on the Ground Surface, A Method for Dynamic Characteristics*, Quarterly Report of RTRI, Railway Technical Research Vol.30, No.1, Japan.
- Nandi. (2006). *Gempabumi Geologi Lingkungan*. Bandung: Universitas Pendidikan Indonesia.
- Naryanto, H. S., 2008, Analisis Potensi Kegempaan dan Tsunami di Kawasan Pantai Barat Lampung Kaitannya dengan Mitigasi dan Penataan Kawasan, *Jurnal Sains dan Teknologi Indonesia*, Vol.10 (2):71-77.
- Parolai, S., Bormann, P., Milkereit, C., 2002. *New relationships between V_s , thickness of the sediments and resonance frequency calculated by means of H/V ratio of seismic noise for the Cologne area (Germany)*. Bull. Seismol. Soc. Am. 92 (6),2521– 2527.
- Pawirodikromo, Widodo. 2012. *Seismologi Teknik dan Rekayasa Kegempaan*. Yogyakarta: Pustaka Pelajar.
- Pratama, A., Arisonang V., Sudarsono B., 2013, Pengolahan Data GPS Kontinyu Jaringan Sugar (Sumatran GPS Array) Untuk Mengamati Deformasi Akibat Gempa Cekungan Wharton Sumatera, DIPA IPTEKS, Vol 1 (1):35.
- Putri, Y.D.A., 2016, Mikrozonasi Indeks Kerentanan Seismik di Kawasan Jalur Sesar Opak berdasarkan Pengukuran Mikrotremor, *Skripsi*, Yogyakarta: Universitas Negeri Yogyakarta.
- Rahardjo, W., Sukandarrumidi, H.M.D. Rosidi, 1995, *Peta Lembar Yogyakarta, Jawa Skala 1:100.000*, Pusat Penelitian dan Pengembangan Geologi, Bandung.
- Rosenblad, BL, and Goetz, R. (2010). *Study of the H/V spectral ratio method for determining average shear wave velocities in the Mississippi embayment*.

- Sato, T., Y. and Nakamura, 2008. *The Change Of The Dynamic Characteristics Using Microtremor*. The 14 th World Conference on Earthquake Engineering October 12-17, , Beijing, China
- SESAME, 2004, Guidelines For The Implementation of the H/V Spectral Ratio Technique on Ambient Vibrations Measurements, Processing and Interpretation, Project No. EVG1-CT-2000-00026, European Commission-Research General Directorate.
- Sibson, R., 1981, "A Brief Description of Natural Neighbor Interpolation", chapter 2 in *Interpolating Multivariate Data*. New York: John Wiley & Sons, pp.21-36.
- Soebowo E., Tohari A., Sarah D., 2009, Potensi Likuifaksi Akibat Gempabumi Berdasarkan Data CPT dan N-SPT di Daerah Patalan Bantul, Yogyakarta, *Jurnal Riset Geologi dan Pertambangan*, Vol 19 (2) : 85-97
- Sonjaya, Irman. (2008). *Pengenalan Gempabumi*. Yogyakarta: BMKG.
- Sungkono dan Santoso, B.J. 2011. Karakterisasi Kurva Horizontal to Vertical Spectral Ratio : Kajian Literatur dan Permodelan. *Jurnal Neutrio*, Vol. 4, No.1, Hal. 1 - 15.
- Surono, 2009, Litostratigrafi Pegunungan Selatan Bagian Timur Daerah Istimewa Yogyakarta dan Jawa Tengah, *Jurnal Sumber Daya Geologi*, Vol 19 (3): 215
- Telford, W.M., Geldart L.P., Sheriff, R.E., 1990, *Applied Geophysics Second Edition*, Cambridge University Press, Cambridge.
- Telford, W. M., Geldart, L. P., Sheriff, R.E. (2004). *Aplied Geophysics, Second Edition*. New York: Cambridge University Press.
- Tokeshi, K., and Cuadra, C. 2008. *Estimation of vs profile using its natural frequency and Rayleigh-wave dispersion characteristics*. Adv. Geosci., 14, 75–77,
- Tokimatsu, K. (2004). *S-wave velocity profiling by joint inversion of microtremor H/V spectrum*. Bulletin of the Seismological Society of America No.94(1).

- Tokimatsu, K. 1995. *S-wave velocity profiling by joint inversion of microtremor dispersion curve and horizontal-to-vertical (H/V) spectrum*. BSA, Vol. 95, No. 5, pp.1766-1778, October 2005, doi:10.1785/0120040243.
- Towhata, Ikuo. 2008. *Geotechnical Earthquake Engineering*. Berlin: Springer.
- Wald, D., 1999, *Relation Between Peak Ground Velocity and Modified Mercalli Intensity in California, USA*.
- Wathelet M., 2005, Array Recordings of Ambient Vibrations: Surface Wave Inversion, *Disertasi*, Universite de Liege.
- Wathelet, M., Jogmans, D., Ohrnberger M., 2004, Surface-wave Inversion Using a Direct Search Algorithm and its Application to Ambient Vibration Measurements, *Near Surface Geophysics*, 2, 211-221.
- USGS. (1900 - 2010). <http://earthquake.usgs.gov/hazards/apps/vs30/custom.php>. diakses pada tanggal 15 Juli 2021.