

DAFTAR PUSTAKA

1. Alejano, L.R., dan Juncal, A.S. (2010): Stability analyses of footwall slopes in open-pit mining. *Dyna*, 77(161), hal 61–70.
2. Anderson, D. G., Martin, G. R., Lam, I., dan Wang, J. N. (2008): *Seismic Analysis and Design of Retaining Walls, Buried Structures, Slopes, and Embankments*. Washington Department of Transportation (WSDOT). 611.
3. Arif, I. (2014): *Batubara Indonesia*. Jakarta, PT Gramedia Pustaka Utama.
4. Arif, I. (2016): *Geoteknik Tambang: Mewujudkan Produksi Tambang yang Berkelanjutan dengan Menjaga Kestabilan Lereng*. Jakarta, PT. Gramedia Pustaka Utama.
5. Azizi, A. (2014): *Pengembangan Metode Penentuan Reliabilitas Kestabilan Lereng Tambang Terbuka Batubara di Indonesia*. Disertasi, Institut Teknologi Bandung.
6. Badan Metereologi, Klimatologi, dan Geofisika. (2018): *Cuaca dan Probabilitas Hujan*. diakses pada 18 Juli 2022 melalui <https://www.bmkg.go.id/cuaca/probabilistik-curah-hujan.bmkg#>.
7. Baker, R., Shukha, R., Operstein, V., dan Frydman, S. (2006): Stability Charts for Pseudo-Static Slope Stability Analysis. *Soil Dynamics and Earthquake Engineering*. 2006; 26(9), hal 813-823.
8. Beale, G., dan Read, J. (2014): *Guidelines for Evaluating Water in Pit Slope Stability*. CRC Press.
9. Bishop, A.W. (1955): The Use of the Slip Circle in the Stability Analysis of Slope. *Geotechnique*, 10: hal 129-150.
10. Bishop, A. W. and N. R. Morgenstern. (1960): Stability coefficients for earth slopes. *Geotechnique*, 10: hal129-147.
11. Brown, C.B. and King, I.P., 1966. Automatic embankment analysis; equilibrium and instability conditions, *Geotechnique*, 16: 209–219.
13. Brox, D., Newcomen, W. (2003): Utilizing Strain Criteria to Predict Highwall Stability Performance. *Prosiding ISRM 2003*, South Africa.
14. Chowdhury, R., Flentje, P., dan Bhattacharya, G. (2010): *Geotechnical Slope Analysis*. Wollongong, Australia, CRC Press.
15. Coetsee, S., Amstrong, R., dan Terburgge, P. (2020): The Use of Strain Threshold in Slope Stability Trigger Action Response Plans. *Prosiding Slope Stability 2020*, Perth, Australia.

16. Craig, R. F. (1988). *Mekanika Tanah: diterjemahkan oleh Budi Susilo S.* Edisi 4. Jakarta, Erlangga.
17. Doğan, Y. U., dan Isik, N. S. (2022): Comparison of 2D-3D limit equilibrium and finite element methods for the analysis of bi-planar rock slope failures. *Proceeding of the Evolution of Geotech*, hal 626.
18. Duvall W I, dan Petkof B. (1959): *Spherical Propagation of Explosion-Generated Strain Pulses in Rock* (No. 5481-5485). US Department of the Interior, Bureau of Mines.
19. Fisher, B.R. (2009): *Improved characterization and analysis of biplanar dip slope failures to limit model and parameter uncertainty in the determination of setback distances*, PhD Thesis, University of British Columbia.
20. Hammah, R. (2021): *Which Slope Stability Method Should I Use?* Rocscience.
21. Hary, C.H. (2010): *Mekanika Tanah 2: Edisi 5.* Gajahmada University Press. Yogyakarta.
22. Heidarzadeh, S., Saeidei, A., Lavoie, C., Rouleau, A. (2021). Geomechanical characterization of a heterogenous rock mass using geological and laboratory test results: a case study of the Niobec Mine, Quebec (Canada). *Journal of Applied Science*. 3(640): DOI:10.1007/s42452-021-04617-1.
23. Heryanto, R., dan Sanyoto, P. (1994): *Peta Geologi Lembar Amuntal, Kalimantan Selatan; Peta Skala 1:250.000.* Pusat Penelitian dan Pengembangan Geologi, Bandung.
24. Hoek E and Brown E.T. (1988): The Hoek-Brown failure criterion- a 1988 update. *Proceeding 15th Canadian Rock Mechanics* (ed. J.H. Curran), hal. 31-38. Toronto: Civil Engineering Dept., University of Toronto.
25. Hoek E. dan Diederichs M. S. (2006): Empirical estimatio of Rock Mass Modulus. *International Journal of Rock Mechanics and Mining Science*. 43, hal 203-2015.
26. Hoek, E. (1994): Strength of rock and rock masses, *International Society of Rock Mechanics News Journal*, 2(2), hal 4-16.
27. Hoek, E. and Brown, E.T. (1997): Practical estimates or rock mass strength. *International Journal of Rock Mechanics and Mining Science*. 34(8), hal 1165-1186.
28. Hoek, E. (2007): *Practical Rock Engineering.* North Vancouver, British Columbia.

29. Hoek, E., Carranza-Torres, C., dan Corkum, B. (2002): Hoek-Brown Failure Criterion. *Proceedings of the 5th North American Rock Mechanics Symposium and 17th Tunnelling Association of Canada Conference*, Toronto, Vol. 1, hal 267-273.
30. Hoek, E., dan Brown, E. T. (2019): The Hoek–Brown failure criterion and GSI–2018 edition. *Journal of Rock Mechanics and Geotechnical Engineering*, 11(3), hal 445-463.
31. Hoek, E., Wood, D. and Shah, S. (1992): A modified Hoek-Brown criterion for jointed rock masses. *Proceeding rock characterization, International Society of Rock Mechanics*. Eurock '92, (J. Hudson ed.). hal 209-213.
32. Hustrulid, W. A., Kuchta, M., dan Martin, R. K. (2013): *Open pit mine planning and design*, two volume set. CRC Press.
33. Kavazanjian, Jr. E., Matasovic, N., Hadj-Hamou, T., Wang, J. N. J., dan Munfakh, G. (1998): *Geotechnical Earthquake Engineering*. Reference Manual. FHWA-HI-99-012.
34. Kementerian Energi dan Sumber Daya Mineral. (2018): *Keputusan Menteri ESDM No. 1827K/30/MEM/2012 Tahun 2018 tentang Pedoman Pelaksanaan Kaidah Pertambangan yang Baik: Lampiran II tentang Pedoman Pengelolaan Teknis Pertambangan*.
35. Kliche, C.A. (2018): *Slope Stability Analysis*. Society for Mining, Metallurgy, and Exploration.
36. Kramer, S. L. (1996): *Geotechnical Earthquake Engineering*. Prentice Hall. New Jersey, USA.
37. Kusuma, M. I. dan Nafi, A. N. (1986): Prospek hidrokarbon Formasi Warukin di Cekungan Barito, Kalimantan. *Prosiding Pertemuan Ilmiah Tahunan XIV IAGI*, Jakarta, hal 105-124
38. Labuz, J. F., dan Zang, A. (2015): Mohr-Coulomb Failure Criterion. *Journal of Rock Mechanics and Rock Engineering*. 46(6): hal 975-979
39. Liang, R. Y., Zhao, J., dan Vitton, S. (1997). Determination of Interslice Force in Slope Stability Analysis. *Journal of Soils and Foundations*. 37 (1): hal 65-72.
40. Luo, J., Wu, Y., Mi, D., Ye, Q., Huang, H., Chang, Z., Chen, Q., Guanhua, S., Wang, X., Wang, Y., dan Lio, X. (2020). Analysis of the Distribution and Microscopic Characteristics and Disintegration Characteristics of Carbonaceous Rocks: A Case Study of the Middle Devonian Luofu

Formation in Western Guangxi of China. *Journal of Advances in Civil engineering*.

41. Marinos, P. dan Hoek, E. (2000): From the Geological to the Rock Mass Model: Driving the Egnatia Highway through difficult geological conditions, Northern Greece. *Proceeding 10th International Conference of Italian National Council of Geologists, Rome*.
42. Martin, D., dan Stacey, P. (2018): *Guidelines for Open Pit Slope Design in Weak Rocks*. Edisi 1. CRC Press.
43. Morgenstern, N. R., dan Price, V. E. (1965): The Analysis of the Stability of General Slip Surfaces. *Geotechnique*. 15 (1): 79-93.
44. Nasa Power. (2022): *Suhu dan Kelembapan relative dibawah 2 meter*. Diakses pada 21 Juni 2022 di <https://power.larc.nasa.gov/data-access-viewer/>.
45. Newcomen, W., dan Dick, G. (2016): An Update to the strain-based approach to pit wall failure prediction, and a justification for slope monitoring. *Journal of the Southern African Institute of Mining and Metallurgy*. 116: 379-385.
46. Nofereesti H, dan Hazegh A. (2018): Comparison of Pseudo-Static, Newmark and Dynamic Response Analysis of the Final Pit Wall of Sungun Copper Mine. *International Journal of Mining and Geo-Engineering*. 52(2), hal 141-147.
47. Patton, F. D. and Deere, D. U. (1971) Geologic factors controlling slope stability in open pit mines. Proc. 1st. Symp. on Stability in Open Pit Mining, Vancouver, Canada, AIME. New York, 23–48.
49. PT Suprabari Mapanindo Mineral. (2020). *Site Inspection and Instruction: Area Crack Low Wall Pit South Sekako Blok 33, PT SMM*.
50. PT. Suprabari Mapanindo Mineral. (2021): *Data Curah Hujan dan Slippery*.
51. PT. Suprabari Mapanindo Mineral. (2022): *Kajian Geoteknik dan Hidrologi terhadap Desain AMP 2022 R2 Blok Sekako, SMM Area*.
52. PT. Suprabari Mapanindo Mineral. (2019): *Kajian Review Pengaruh Blasting terhadap Litologi Penyusun Lereng Tambang Low wall Pit South Sekako, Area PT. SMM*.
53. Rai, M. A., Kramadibrata, S., Wattimena, R. K. (2014): *Mekanika Batuan*. Bandung: ITB Press.

54. Read, J. dan Stacey, P. (2009): *Guidelines for Open Pit Slope Design*. CSIRO Publishing.
55. Resendiz, D. (1974): Discussion of 'Accuracy equilibrium slope stability analysis', *Journal Geotechnic Engineering Division*, ASCE, 100, GT8, hal 967–970.
56. Rocscience. (2017): Sarma Slice Angle. Diakses pada "<https://www.rocscience.com/help/slide2/documentation/slide-model/project-settings/methods/sarma-non-vertical-slice/sarma-slice-angles>" pada 16 November 2022.
57. Sakurai S. (1997): Lesson learned from field measurement in tunneling. *Tunneling and underground space technology*. 12(4), hal 453-460.
58. Sakurai, S. (2017): *Back Analysis in Rock Engineering*. ISRM Book Series.
59. Sakurai, S. dan Nakayama, T. (1999): A back analysis in assessing the stability of slope by means of surface measurement. *Proceeding International Symposium on Slope Stability Engineering-IS-Shikoku1999*, Vol 1, 8-11 November, Matsuyama/ Shikoku, Japan, hal 339-343.
60. Sakurai, S., dan Takeuchi, K. (1983): Back analysis of measured displacement of tunnel. *Rock Mechanics and Rock Engineering*. 16, hal 173-180.
61. Sakurai, S., Farazmand, A. dan Adachi, K. (2009): Assessment of the stability of slopes from surface displacements measured by GPS in an open pit mine. In G. Deak & Z. Agioutantis (Eds). *Sustainable Exploitation of Natural Resources Proceeding 3rd International Seminar ECOMINING-Europe 21st Century*, 4–5 September, Milos Island, Greece, hal 239–248.
62. Sambuelli, L. (2009): Theoretical Derivation of a Peak Particle Velocity–Distance Law for the Prediction of Vibrations from Blasting. *Rock Mechanics and Rock Engineering*. 42(3): hal 547-556.
63. Saptono, S. (2012): *Pengembangan Metode Analisis Stabilitas Lereng Berdasarkan Karakterisasi Batuan di Tambang Terbuka Batubara*. Disertasi, Institut Teknologi Bandung.
64. Sarma, S. K. (1973): Stability Analysis of Embankments and Slope. *Geotechnique*. 23 (3): hal 423-433.
65. Satyana, A. H., Nugroho, D., dan Surantoko, I. (1998): Tectonic Controls on the hydrocarbon habitats of Brito, Kutei, and Tarakan Basins, Eastern Kalimantan, Indonesia: Major Dissimilarities in adjoining Basins. *Journal of Asian Earth Science*. 17: hal 99-122.

66. Sheorey, P. R. (1994): A theory for In Situ Stress in Isotropic and Transversely Isotropic Rock. *International Journal of Rock Mechanics and Mining Science*. 31 (1): hal 23-34.
67. Soetrisno., Supriatna, S., Rustandi, E., Sanyoto, P., dan Hasan, K. (1994): *Geological Map of the Buntok Quadrangle, Kalimantan*. Geological Research and Development Centre, Bandung.
68. Somodi, G., Bar, N., Kovacs, L., Arrieta, M., Torok, A., dan Vasarhelyi, B. (2021): Study of Rock Mass Rating (RMR) and Geological Strength Index (GSI) correlations in Granite, Siltstone, Sandstone, and Quartzite Rock Measses. *Journal of Applied Science*. 11(8): hal 33-51.
69. Spencer, E. (1967): A Method of Analysis of the Stability of Embankments Assuming Parallel Inter-Slice Forces. *Geotechnique*. 17: hal 11-26.
70. Stead, D., dan Eberhardt, E. (1996): Developments in the analysis of footwall slopes in surface coal mining. *Journal of Engineering Geology*. 46: hal 41-61.
71. Supriatna S., Sudradjat A., Abidin H.Z. (1995): *Peta Geologi Lembar Muaratewe, Kalimantan*.
72. Terzaghi, K. (1951): *Soil Mechanics in Engineering Practice*. Willey
74. Terzaghi, K. dan Peck, R. B. (1948): *Soil Mechanics in Engineering Practice*. New York: John Wiley & Sons.
75. Tripathy, G. R., dan Gupta, I. D. (2002): Prediction of Ground Vibrations due to Construction Blasts in Different Types of Rock. *Rock Mechanics and Rock engineering*. 35(3): hal 195-204.
76. Turanggaresources. (2020): *Product of coking coal*. Diakses pada 22 Juni 2022 pada <https://www.turanggaresources.com/id/product/coking>.
77. US Army Corps of Engineers, (1995): *Engineering and Design: Introduction to Probability and Reliability Methods for Use in Geotechnical Engineering*. Department of the Army, Washington, DC, Engineer Technical Letter.
78. Veeken, P. C. H. (2007): *Handbook of Geophysical Exploration: Seismic Exploration*. Pergamon. Vol 37. hal 419-447.
79. Vullaescusa, E. (2014): *Geotechnical Design for Sublevel Open Stopping*. CRC Press.
80. Whitman, R. V. dan Bailey, W. A. (1967): Use of computers for slope stability analysis. *Journal Soil Mechcanics Divisions*. Am. Sot. Civ. Engrs 93, SM4, 475-498.

82. Wiranata, B., Amijaya, H., Anggara, F., Tanggara, D. N. S. P. (2019): Kualitas batubara Formasi Tanjung di Daerah Sekako, Kalimantan Tengah. *Jurnal Geosapta*. 5 (2): hal 151-157.
83. Wyllie D. C. (2018): *Rock Slope Engineering: Civil and Mining. 5th edition (Based on the 3rd edition by E. Hoek and J. Bray)*. The Institution of Mining and Metallurgy. New York: Taylor & Francis.
84. Wyllie, D. C. and Mah, W. (2004): *Rock Slope Engineering Civil and Mining. In: Hoek, E. and Bray, J.W., Eds., Rock slope Engineering*, CRC Press.
85. Xiong, W. Z., Bin, G. W., Ting, L., Qing, L. J., Lin, X. J., dan Xin, L. (2016): Blasting vibration generated by breaking-blasting large barriers with EBLB. *Shock and Vibration*.
86. Zhang, K., dan Cao, P. (2013): Slope Seismic Stability Analysis on Kinematical Element Method and Its Application. *Soil Dynamics and Earthquake Engineering*. 50: hal 62-71.
88. Zavodni, A.M., (2001) Time-Dependent Movements of Open Pit Slope, Slope Stability in Surface Mining, pp 81-87. SME Proceedings, Denver, Colorado.