

DAFTAR ISI

	Halaman
LEMBAR PENGESAHAN	ii
PERNYATAAN KEASLIAN KARYA ILMIAH.....	iii
HALAMAN PERSEMBAHAN	iv
PRAKATA.....	v
RINGKASAN	vi
<i>ABSTRACT</i>	vii
DAFTAR ISI.....	viii
DAFTAR GAMBAR	xii
DAFTAR TABEL.....	xiv
DAFTAR LAMPIRAN.....	xvii
DAFTAR SINGKATAN DAN LAMBANG	xviii
BAB I PENDAHULUAN.....	1
I.1 Latar Belakang	1
I.2 Rumusan Masalah	2
I.3 Maksud dan Tujuan.....	2
I.4 Batasan Masalah.....	2
I.5 Metodologi	3
BAB II TINJAUAN UMUM LAPANGAN “RINI”	5
II.1 Tinjauan Geografis Lapangan “Rini”.....	5
II.2 Struktur Geologi Cekungan Sumatera Selatan.....	6
II.3 Stratigrafi Regional Cekungan Sumatra Selatan.....	7
BAB III DASAR TEORI.....	10
III.1 Perencanaan <i>Casing</i>	10

DAFTAR ISI
(LANJUTAN)

	Halaman
III.1.1. Fungsi <i>Casing</i>	10
III.1.2. Jenis <i>Casing</i>	10
III.1.3. Faktor-Faktor yang Mempengaruhi <i>Casing Design</i>	12
III.1.4. <i>Casing Setting Depth</i>	13
III.1.5. <i>Kick Tolerance</i>	18
III.1.6. Spesifikasi <i>Casing</i>	20
III.1.7. Pembebanan pada <i>Casing</i>	25
III.1.8. <i>Internal Yiled Pressure</i>	29
III.1.9. <i>Maximum Collapse Resistance</i>	29
III.1.10. <i>Joint Strength</i>	29
III.1.11. Angka Keselamatan (<i>Safety Factor</i>)	29
III.2 Perhitungan Desain <i>Casing</i>	30
III.2.1. Perencanaan Desain <i>Casing</i>	30
III.2.2. Metode <i>Maximum Load</i>	31
III.3 <i>Software Landmark</i>	38
III.3.1. Analisa <i>Compass</i>	39
III.3.2. Analisa <i>Stress Check</i>	39
BAB IV DESAIN <i>CASING</i> SUMUR “SW-01”	41
IV.1. Profil Sumur	41
IV.2. Penentuan <i>Casing Setting Depth</i>	41
IV.2.1. <i>Conductor Casing</i>	43

DAFTAR ISI
(LANJUTAN)

	Halaman
IV.2.2. <i>Surface Casing</i>	43
IV.2.3. <i>Intermediate Casing</i>	43
IV.2.4. <i>Production Casing</i>	43
IV.2.5. <i>Production Liner</i>	43
IV.3. Penentuan <i>Hole Geometry</i>	44
IV.4. Penentuan <i>Kick Tolerance</i>	45
IV.4.1. <i>Intermediate Casing</i>	45
IV.4.2. <i>Production Casing</i>	47
IV.4.3. <i>Production Liner</i>	48
IV.5. <i>Casing Design</i>	50
IV.5.1. <i>Surface Casing 20"</i>	50
IV.5.2. <i>Intermediate Casing 13 3/8"</i>	57
IV.5.3. <i>Production Casing 9 5/8"</i>	63
IV.5.4. <i>Production Liner 7"</i>	69
IV.6. <i>General Summary</i>	75
IV.7. Pendekatan Menggunakan <i>Software Landmark</i>	75
IV.7.1. <i>Analisa Compass</i>	75
IV.7.2. <i>Analisa Stress Check</i>	76
IV.7.3. <i>Summary</i>	76
IV.7.4. <i>Design Beban Tiap Trayek Casing</i>	77
BAB V PEMBAHASAN	83

DAFTAR ISI
(LANJUTAN)

	Halaman
BAB VI KESIMPULAN	87
DAFTAR RUJUKAN	88
LAMPIRAN.....	90

DAFTAR GAMBAR

	Halaman
Gambar I.1 <i>Flowchart</i>	4
Gambar II.1 Struktur Regional Cekungan Sumatera Selatan.....	5
Gambar II.2 Letak Sumur SW-01	6
Gambar II.3 Letak Struktur XY	7
Gambar II.4 Kolom Statigrafi Cekungan Sumatera Selatan	9
Gambar III.1 <i>Casing Setting Depth</i>	17
Gambar III.2 <i>Casing String Size</i>	18
Gambar III.3 Dimensi Dari Tipe Sambungan <i>Round Thread</i>	23
Gambar III.4 Dimensi Dari Tipe Sambungan <i>Buttress Thread</i>	24
Gambar III.5 <i>Extreme-Line Thread Coupling</i>	24
Gambar III.6 <i>Burst Pressure</i>	25
Gambar III.7 <i>Collapse Pressure</i>	26
Gambar III.8 Kurva <i>Ellips</i> Beban <i>Biaxial</i>	27
Gambar III.9 <i>Triaxial Stress</i>	28
Gambar III.10 Analisa <i>Biaxial Stress</i>	35
Gambar III.11 <i>Biaxial Stress</i>	37
Gambar III.12 <i>Design Limit</i>	39
Gambar IV.1 Perencanaan <i>Casing Setting Depth</i> Sumur “SW-01”.....	42
Gambar IV.2 Pemilihan Ukuran <i>Bit</i> dan <i>Casing</i>	44
Gambar IV.3 Perencanaan <i>Hole Geometry</i>	45
Gambar IV.4 <i>Burst Load Line & Collapse Load Line Casing 20”</i>	53
Gambar IV.5 <i>Elips Biaxial Stress Surface Casing 20”</i>	55

DAFTAR GAMBAR
(LANJUTAN)

	Halaman
Gambar IV.6 <i>Burst Load Line & Collapse Load Line Casing 13 3/8"</i>	59
Gambar IV.7 <i>Elips Biaxial Stress Intermediate Casing 13 3/8"</i>	61
Gambar IV.8 <i>Burst Load Line & Collapse Load Line Casing 9 5/8"</i>	65
Gambar IV.9 <i>Elips Biaxial Stress Production Casing 9 5/8"</i>	67
Gambar IV.10 <i>Burst Load Line & Collapse Load Line Casing 7"</i>	71
Gambar IV.11 <i>Elips Biaxial Stress Surface Casing 7"</i>	73
Gambar IV.12 <i>Design Burst, Collapse, Tension, dan Triaxial untuk</i> <i>Conductor Casing 30"</i>	77
Gambar IV.13 <i>Design Limit untuk Conductor Casing 30"</i>	78
Gambar IV.14 <i>Design Burst, Collapse, Tension, dan Triaxial untuk</i> <i>Surface Casing 20"</i>	78
Gambar IV.15 <i>Design Limit untuk Surface Casing 20"</i>	79
Gambar IV.16 <i>Design Burst, Collapse, Tension, dan Triaxial untuk</i> <i>Intermediate Casing 13 3/8"</i>	79
Gambar IV.17 <i>Design Limit untuk Intermediate Casing 13 3/8"</i>	80
Gambar IV.18 <i>Design Burst, Collapse, Tension, dan Triaxial untuk</i> <i>Production Casing 9 5/8"</i>	80
Gambar IV.19 <i>Design Limit untuk Production Casing 9 5/8"</i>	81
Gambar IV.20 <i>Design Burst, Collapse, Tension, dan Triaxial untuk Liner</i>	81
Gambar IV.21 <i>Design Limit untuk Production Liner 7"</i>	82

DAFTAR TABEL

	Halaman
Tabel III-1.Rekomendasi <i>Kick Volume</i> yang diperbolehkan.....	19
Tabel III-2. Karakteristik <i>Casing API Grade</i>	20
Tabel III-3. Karakteristik <i>Casing Non-API Grade</i>	21
Tabel III-4. Panjang <i>Joint</i> Tiap <i>Range Casing</i>	23
Tabel III-5. Angka Keselamatan	29
Tabel III-6. Pasangan Harga X dan Y <i>Collapse Rating</i>	36
Tabel III-7. Parameter <i>Stress Check</i>	40
Tabel IV-1. <i>General Summary Casing Design</i> Sumur “SW-01”.....	75
Tabel IV-2. <i>Casing and Tubing Scheme</i> untuk Sumur “SW-01”	76
Tabel IV-3. <i>General Summary Software Landmark</i>	77
Tabel A.1. <i>Survey Trayek dan Hazard</i>	91
Tabel A.2. Profil Sumur “SW-01”	91
Tabel B.1. <i>Data Casing Program</i> “SW-01”.....	92
Tabel C.1. Data Perhitungan <i>Intermediate Casing</i>	93
Tabel C.2. Tabel Perhitungan <i>Kick Tolerance Intermediate Casing</i>	94
Tabel C.3. Data Perhitungan <i>Production Casing</i>	94
Tabel C.4. Tabel Perhitungan <i>Kick Tolerance Production Casing</i>	95
Tabel C.5. Data Perhitungan <i>Production Liner</i>	95
Tabel C.6. Tabel Perhitungan <i>Kick Tolerance Production Liner</i>	96
Tabel D.1. Data <i>Casing Design Surface Casing 20”</i>	97
Tabel D.1.1. Data Volume dan Tinggi <i>Slurry</i>	97

DAFTAR TABEL
(LANJUTAN)

	Halaman
Tabel D.1.2. Perhitungan <i>Burst Load</i>	98
Tabel D.1.3. Perhitungan <i>Collapse Load</i>	98
Tabel D.1.4. Spesifikasi <i>Casing Grade</i>	99
Tabel D.1.5. Perhitungan <i>Tension Load</i>	99
Tabel D.1.6. Perhitungan <i>Biaxial Load</i>	100
Tabel D.1.7. Hasil <i>Safety Factor</i>	100
Tabel D.1.8. Perhitungan <i>Triaxial Stress</i>	100
Tabel D.2. Data <i>Intermediate Casing 13 3/8"</i>	101
Tabel D.2.1. Data Volume dan Tinggi <i>Slurry</i>	101
Tabel D.2.2. Perhitungan <i>Burst Load</i>	102
Tabel D.2.3. Perhitungan <i>Collapse Load</i>	102
Tabel D.2.4. Spesifikasi <i>Casing Grade</i>	103
Tabel D.2.5. Perhitungan <i>Tension Load</i>	103
Tabel D.2.6. Perhitungan <i>Biaxial Load</i>	104
Tabel D.2.7. Hasil <i>Safety Factor</i>	104
Tabel D.2.8. Perhitungan <i>Triaxial Stress</i>	104
Tabel D.3. Data <i>Production Casing 9 5/8"</i>	105
Tabel D.3.1. Data Volume dan Tinggi <i>Slurry</i>	105
Tabel D.3.2. Perhitungan <i>Burst Load</i>	106
Tabel D.3.3. Perhitungan <i>Collapse Load</i>	106
Tabel D.3.4. Spesifikasi <i>Casing Grade</i>	107

DAFTAR TABEL
(LANJUTAN)

	Halaman
Tabel D.3.5. Perhitungan <i>Tension Load</i>	107
Tabel D.3.6. Perhitungan <i>Biaxial Load</i>	108
Tabel D.3.7. Hasil <i>Safety Factor</i>	108
Tabel D.3.8. Perhitungan <i>Triaxial Stress</i>	108
Tabel D.4. Data <i>Production Liner 7"</i>	109
Tabel D.4.1. Perhitungan <i>Burst Load</i>	109
Tabel D.4.2. Perhitungan <i>Collapse Load</i>	110
Tabel D.4.3. Spesifikasi <i>Casing Grade</i>	110
Tabel D.4.4. Perhitungan <i>Tension Load</i>	110
Tabel D.4.5. Perhitungan <i>Biaxial Load</i>	111
Tabel D.4.6. Hasil <i>Safety Factor</i>	111
Tabel D.4.7. Perhitungan <i>Triaxial Stress</i>	112

DAFTAR LAMPIRAN

	Halaman
Lampiran A. Data Trayek Sumur “SW-01”	91
Lampiran B. Data <i>Casing</i> Program SW-01.....	92
Lampiran C. Perhitungan Penentuan <i>Kick Tolerance</i>	93
Lampiran D. Perhitungan <i>Casing Design</i>	97

DAFTAR SINGKATAN DAN LAMBANG

SINGKATAN		Halaman
EP	Eksplorasi dan Produksi	1
LOT	<i>Leak of Test</i>	1
TVDSS	<i>True Vertical Depth Sub Sea</i>	1
PPFG	<i>Pore Pressure Fracture Gradient</i>	3
PP	<i>Pore Pressure</i>	19
BHA	<i>Bottom Hole Assembly</i>	19
API	<i>Association of Petroleum Institute</i>	20
FIT	<i>Formation Integrity Test</i>	41
KOP	<i>Kick off Point</i>	41
BUR	<i>Build Up Rate</i>	41
TOC	<i>Top of Cement</i>	41
MD	<i>Measured Depth</i>	38
BTC	<i>Buttress Thread Coupling</i>	84
LAMBANG		
ρ_r	Densitas rata-rata batuan, ppg	12
ρ_m	Densitas lumpur, ppg	34
D	Kedalaman, ft	32
BF	<i>Bouyancy Factor</i>	34
Φ	Perubahan sudut (derajat/100 ft)	34