

DAFTAR PUSTAKA

- Ahsan, T. N. (2022). *Penentuan Parameter Proses Terhadap Kuat Tekan Material Bone Graft Hidroksiapatit (HA) - Gliserin Dengan Response Surface Methodology (RSM)*. Universitas Pembangunan Nasional “Veteran” Yogyakarta.
- Alexander, & Knight. (2011). *100 Tanya Jawab Mengenai Osteoporosis dan Osteopenia*. PT Indeks.
- Andriani, D. P., Setyanto, N. W., & Kusuma, I. T. W. N. (2017). *Desain dan Analisis Eksperimen Untuk Rekayasa Kualitas* (1st ed.). UB Press.
- Anis, M., Nandiroh, S., & Utami, A. D. (2007). Optimasi Perencanaan Produksi Dengan Metode Goal Programming. *Jurnal Ilmiah Teknik Industri*, 5(3), 133–143.
- Arboleda, A., Franco, M., Caicedo, J., Tirado, L., & Goyes, C. (2016). Synthesis and Chemical and Structural Characterization of Hydroxyapatite Obtained From Eggshell and Tricalcium Phosphate. *Ingeniera y Competitividad*, 4, 71–78.
- Baş, D., & Boyacı, İ. H. (2007). Modeling and optimization I: Usability of response surface methodology. *Journal of Food Engineering*, 78(3), 836–845. <https://doi.org/10.1016/j.jfoodeng.2005.11.024>
- Billmeyer, F. W. (1957). *Textbook of Polymer Chemistry*. Interscience Publishers.
- Bohner, M., & Lemaitre, J. (2009). Can bioactivity be tested in vitro with SBF solution? *Biomaterials*, 30(12), 2175–2179. <https://doi.org/10.1016/j.biomaterials.2009.01.008>
- Bombac, D., Miha, B., Fajfar, P., Kosel, F., & Turk, R. (n.d.). Review of Materials in Medical Applications. *RMZ-Materials and Geoenvironment*, 54, 471–499.
- Box, G. E. P., & Draper, N. R. (1987). *Empirical Model-Building and Response Surfaces*. John Wiley & Sons.
- Buck, D. W., & Dumanian, G. A. (2012). Bone Biology and Physiology. *Plastic and Reconstructive Surgery*, 129(6), 1314–1320. <https://doi.org/10.1097/PRS.0b013e31824eca94>
- Cahaya, D. S. D. (2016). *Penerapan Kombinasi Produk Dengan Menggunakan Linear Programming Untuk Memaksimalkan Keuntungan Pada Ciwawa Cake and Bakery*. Universitas Pasundan.

- Cahyani, D. N. (2011). *Pemetaan Deposit dan Porositas Batuan Kapur di Desa Pagak Kabupaten Malang menggunakan Metode Geolistrik Konfigurasi Wenner Saouding-Mapping*. Universitas Negeri Malang.
- Choi, D. J., Ahn, D. K., Lee, S., Park, K. Y., Jun, Y. W., & Kim, K. S. (2007). Operative Treatment of Delayed Collapse of Osteoporotic Vertebral Fracture with Claudication - Transpedicular Bone Graft and Pedicle Screw Fixation -. *Journal of Korean Society of Spine Surgery*, 14(2), 73. <https://doi.org/10.4184/jkss.2007.14.2.73>
- Davies, W. (2022). *The Disadvantages of Minitab*. It Still Works.
- Dewi, S. U. (2009). *Pembuatan Komposit Kalsium Fosfat-Kitosan dengan Metode Sonofikasi*. Pascasarjana Institut Pertanian Bogor.
- Dodabassappa, S. N., Shah, H. H., & Joseph, B. (2010). Donor site morbidity following the harvesting of cortical bone graft from the tibia in children. *Journal of Children's Orthopaedics*, 4(5), 417–421. <https://doi.org/10.1007/s11832-010-0277-3>
- Dorozhkin S. V., & Epple, M. (2002). Biological and Medical Significance of Calcium Phosphates. *Angewandte Chemie International Edition*, 41, 30–46.
- Dorozhkin, S. V. (2007). Calcium Orthophosphates. *Journal of Materials Science*, 153, 61–95.
- Evans, G., & W. M. C., M. (1987). *Salamon's Artificial Insemination of Sheep and Goat*. Butterworths.
- Farag, Y. (2010). *Characterization of Different Shellac Types and Development of Shellac-Coated Dosage Forms*.
- Fawcett, D. W. (2002). *Buku Ajar Histologi* (12th ed.). EGC.
- Fox-Spencer, R. (2007). *Osteoporosis*. Erlangga.
- Gartner, L. P., & Hiatt, J. L. (2012). *Atlas Berwarna Histologi* (5th ed.). Binarupa Aksara.
- Gatenby, K., Loretto, M. H., Smallman, R. E., & Miller, W. S. (1985). Texture and Properties of Al-Li Based Alloys. In *Strength of Metals and Alloys (ICSMA 7)* (pp. 311–316). Elsevier. <https://doi.org/10.1016/B978-0-08-031642-0.50059-3>
- Greenwald, A. S., Boden, S. D., Goldberg, V. M., Khan, Y., Laurencin, C. T., & Rosier, R. N. (2003). *Bone-Graft Substitute: Facts, Fictions, and Applications*. American Academy of Orthopaedic Surgeons.
- Herliansyah, M. K. (2010). *Produksi Hydroxyapatite Bone Graft Dari Bahan Baku Alami Lokal Untuk Pengganti Bone Filler Import pada Aplikasi Biomedis*. Universitas Gadjah Mada.

- Ichsan, M. Z. (2012). *Sintesis Makroporus Komposit Kolagen - Hidroksiapatit Sebagai Kandidat Bone Graft*. Universitas Airlangga.
- Ige, O. O., Umoru, L. E., Adeoye, M. O., Adetunji, A. R., Olorunniwo, O. E., & Akomolafe, I. I. (2009). Monitoring, Control, and Prevention Practises of Biomaterials Corrosion-An Overview. *Trends Biomaterials Artificial Organs*, 23, 93–104.
- Iriawan, N., & Astuti. (2006). *Mengolah Data Statistik dengan Mudah Menggunakan MINITAB 11*. Andi Offset.
- Jhonson, & Walker. (2008). *Rangka Kerangka Tubuh Kita*. PT Widyadara.
- Junqueira, L., Carlos, Jose Carneiro, R. O., & Kelley. (1997). *Histologi Dasar* (Jan Tambayong, Ed.; 8th ed.). EGC.
- Khoirudin, M., & Zultiniar Laboratorium Teknik Reaksi Kimia, dan. (2015). SINTESIS DAN KARAKTERISASI HIDROKSIAPATIT (HAp) DARI KULIT KERANG DARAH (Anadara granosa) DENGAN PROSES HIDROTERMAL. In *JOM FTEKNIK* (Vol. 2, Issue 2).
- Limmatvapirat, S., Limmatvapirat, C., Puttipipatkachorn, S., Nuntanid, J., & Luangtana-ana, M. (2007). Enhance Enteric Properties and Stability of Shellac Films Through Composite Salts Formation. *European Journal of Pharmaceutics Dan Biopharmaceutics*, 67(3), 690–698.
- Luangtana-anan, M., Limmatvapirat, C., Nunthanid, J., Wanawongthai, C., Chalongsuk, R., & Puttipipatkachorn, S. (2007). Effect of Salts and Plasticizers on Stability of Shellac Film. *Journal of Agricultural and Food Chemistry*, 55(3), 687–692.
- Mahyudin, F. (2018). *Graf Tulang dan Material Pengganti Tulang Karakteristik dan Strategi Aplikasi Klinis* (D. N. Utomo, Ed.; 1st ed.). Airlangga University Press.
- Miller, D. R., & Kosztarab, M. (1979). Recent Advances in the Study of Scale Insects. *Annual Review of Entomology*, 24(1), 1–27. <https://doi.org/10.1146/annurev.en.24.010179.000245>
- Montgomery, D. C. (1997). *Response Surface Methods and Other Approaches to Process Optimization*. John Wiley and Sons.
- Montgomery, D. C. (2001). *Design and Analysis of Experiments*. John Wiley and Sons.
- Montgomery, D. C. (2013). *Design and Analysis of Experiments* (8th ed.). Wiley.
- Montgomery, H. (1983). *Decision Rules and the Search for a Dominance Structure: Towards a Process Model of Decision Making* (pp. 343–369). [https://doi.org/10.1016/S0166-4115\(08\)62243-8](https://doi.org/10.1016/S0166-4115(08)62243-8)

- Moore, W. R., Graves, S. E., & Bain, G. I. (2001). *Synthetic Bone Graft Substitutes*. ANZ J.
- Mueanmas, C., Nikhom, R., Kaew-On, J., & Prasertsit, K. (2017). Statistical Optimization for Esterification of Waste Coffee Grounds Oil using Response Surface Methodology. *Energy Procedia*, 138, 235–240. <https://doi.org/10.1016/j.egypro.2017.10.043>
- Mulyaningsih, N. N. (2007). *Karakterisasi Hidroksiapatit Sintetik dan Alami Pada Suhu 1400°C*. Institut Pertanian Bogor.
- Myers, R. H., & Montgomery, D. C. (1995). *Response Surface Methodology: Process and Product Optimization Using Design Experiments*. John Wiley and Sons.
- Novitasari. (2016). *Analisis Laju Degradasi Injectable Bone Substitute (IBS) Dengan Variasi Penambahan Alendronate*. Universitas Airlangga.
- Pearnchob, N., Dashevsky, A., & Bodmeier, R. (2004). Improvement in The Disintegration of Shellac-Coated Soft Gelatin Capsules in Simulated Intestinal Fluid. *Journal of Controlled Release*, 94(23), 313–321.
- Phan The, D., Debeaufort, F., Luu, D., & Voilley, A. (2008). Moisture barrier, wetting and mechanical properties of shellac/agar or shellac/cassava starch bilayer bio-membrane for food applications. *Journal of Membrane Science*, 325(1), 277–283. <https://doi.org/10.1016/j.memsci.2008.07.052>
- Qori, H. (2008). *Sintesa Hidroksiapatit dengan Memanfaatkan Limbah Cangkang Telur: Karakterisasi, Difraksi Sinar X dan SEM*. Institut Pertanian Bogor.
- Rahardjo, J., & Iman, R. (2004). Optimasi Produksi Dengan Metode Response Surface Studi Kasus pada Perusahaan Injection Moulding. *Jurnal Teknik Industri*, 4(1), 36–44.
- Raissi, S., & Farsani, R. E. (2009). Statistical Process Optimization Through Multi-Response Surface Methodology. *World Academy of Sciences, Engineering and Technology*, 51, 267–271.
- Rasid, J., Triyono, J., & Triyono, T. (n.d.). *Karakterisasi Material Biokomposit Bovine Hidroksapatit (BHA)/Shellac dan Kitosan Sebagai Material Bone Filler*. <http://ejournal.undip.ac.id/index.php/rotasi>
- Rimondini, L., Nicoli-Aldini, N., Fini, M., Guzzardella, G., Tschon, M., & Giardino, R. (2005). In vivo experimental study on bone regeneration in critical bone defects using an injectable biodegradable PLA/PGA copolymer. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 99(2), 148–154. <https://doi.org/10.1016/j.tripleo.2004.05.010>

- Rocha, J. H. G., Lemos, A. F., Agathopoulos, S., Valério, P., Kannan, S., Oktar, F. N., & Ferreira, J. M. F. (2005). Scaffolds for bone restoration from cuttlefish. *Bone*, 37(6), 850–857. <https://doi.org/10.1016/j.bone.2005.06.018>
- Rosari, A. A., Muris, & Arsyad, M. (2017). Analisis Sifat Fisis dan Sifat Mekanik Batuan Karst Maros. *Jurnal Sains Dan Pendidikan Fisika*, 13(3), 276–281.
- Ryan, B. F., Joiner, B. L., & Cryer, J. D. (2005). *MINITAB Handbook*. Thomson Learning.
- Setiadi. (2007). *Anatomi dan Fisiologi Manusia* (1st ed.). Graha Ilmu.
- Simarmata, M. (2010). Deskripsi Morfologi Kultivar Padi Gogo di Bengkulu. *Akta Agrosia*, 13(1), 8–15.
- Solechan, & Anwar, S. A. (2014). Karakterisasi Scaffold Bovine Hydroxyapatite Dari Tulang Sapi Limbah Bakso Balungan Untuk Aplikasi implan Tulang Mandibula Menggunakan Metode Kalsinasi. *Prosiding SNATIF*, 129–136.
- Stein, H., Horesh, Z., & Lerner, A. (2006). ■ *trauma update Current Trends for the Biological Treatment of Segmental Bone Loss in High-Energy Long Bone Fractures* (Vol. 29, Issue 9). www.ORTHOSuperSite.com
- Sudjana. (1995). *Desain dan Analisis Eksperimen* (4th ed., Vol. 2). Tarsito.
- Suryadi. (2011). *Sintesis dan Karakterisasi Biomaterial Hidroksiapatit dengan Proses Pengendapan Kimia Basah*. Universitas Indonesia.
- Syukri. (2008). *Kimia Dasar*. ITB Pers.
- Triyono, J., Hidayat, T., & Masykur, A. (2020). *Karakterisasi dan Laju Biodegradasi Material Biokomposit Bovine Hidroksiapatit (Bha)/ Ampas Kopi/ Shellac sebagai Material Pengisi Tulang* (Vol. 22, Issue 2).
- Triyono, J., Tantomo Christiawan, B., & Masykur, A. (2020). Karakterisasi dan Laju Biodegradasi Biokomposit Serbuk Tulang Sapi/Shellac/Tepung Tapioka sebagai Material Pengisi Tulang. *Mekanika: Majalah Ilmiah Mekanika*, 19(1). <https://doi.org/10.20961/mekanika.v19i1.39913>
- Wang, X., Li, J., Fan, Y., & Jin, X. (2006). Present research on the composition and application of lac. *Forestry Studies in China*, 8(1), 65–69. <https://doi.org/10.1007/s11632-006-0012-9>
- Warastuti dan Nani Suryani Pusat Aplikasi Teknologi Isotop dan Radiasi, Y., Jl Lebak Bulus Raya, B., & Jumat Jakarta Selatan, P. (n.d.). *Karakteristik Degradasi dari Biomaterial Poli-(kaprolakton-kitosan-hidroksiapatit) Iradiasi Dalam Larutan Simulated Body Fluid Degradation Characteristics of Irradiated Poly-(caprolactone-chitosan-hydroxyapatite) Biomaterial in Simulated Body Fluid Solution*.

- Watson, R. (2002). *Anatomi dan Fisiologi* (10th ed.). Buku Kedokteran ECG.
- Wibowo. (2005). *Anatomi Tubuh Manusia* . Grasindo.
- Yolmeh, M., & Jafari, S. M. (2017). Applications of Response Surface Methodology in the Food Industry Processes. *Food and Bioprocess Technology*, *10*(3), 413–433. <https://doi.org/10.1007/s11947-016-1855-2>
- Zhang, M., Liu, C., Sun, J., & Zhang, X. (2011). Hydroxyapatite/diopside ceramic composites and their behaviour in simulated body fluid. *Ceramics International*, *37*(6), 2025–2029. <https://doi.org/10.1016/j.ceramint.2011.01.045>