

## DAFTAR PUSTAKA

- P. Dunstan, *Calm The Crying: Using the Dunstan Baby Language*, London: Penguin Books Ltd., 2012
- Akbar, A., & Lawi, A. (n.d.). *Implementasi Algoritma Deep Artificial Neural Network Menggunakan Mel Frequency Cepstrum Coefficient Untuk Klasifikasi Audio Emosi Manusia*. <https://www.kaggle.com/ejlok1/toronto->
- Dewi, I. A., Zulkarnain, A., & Lestari, A. A. (2018). Identifikasi Suara Tangisan Bayi menggunakan Metode LPC dan Euclidean Distance. *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, 6(1), 153. <https://doi.org/10.26760/elkomika.v6i1.153>
- Dewi, S. P., Prasasti, A. L., & Irawan, B. (2019a). Analysis of LFCC Feature Extraction in Baby Crying Classification using KNN. *IEEE International Conference on Internet of Things and Intelligence System (IoT&IS)*.
- Dewi, S. P., Prasasti, A. L., & Irawan, B. (2019b). The Study of Baby Crying Analysis Using MFCC and LFCC in Different Classification Methods. *IEEE International Conference on Signals and Systems (ICSigSys)*.
- Gu, G., Shen, X., & Xu, P. (2018). A set of DSP system to detect baby crying. *2nd IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference (IMCEC 2018)*.
- Gutama, A. A. (2022). *Ekstraksi Ciri Mel-Frequency Cepstrum Coefficients (MFCC) Untuk Klasifikasi Genre Musik Menggunakan Metode Naive Baiyes*.
- Hadianto, N., Novitasari, H. B., & Rahmawati, A. (2019). Klasifikasi Peminjaman Nasabah Bank Menggunakan Metode Neural Network. *Jurnal Pilar Nusa Mandiri*, 15(2), 163–170. <https://doi.org/10.33480/pilar.v15i2.658>
- Klasifikasi Tangisan Bayi MFCC amplitudo dan CNN*. (n.d.).
- Le, L., Kabir, A. N. M. H., Ji, C., Basodi, S., & Pan, Y. (2019). Using Transfer Learning, SVM, and Ensemble Classification to Classify Baby Cries Based on Their Spectrogram Images. *Proceedings - 2019 IEEE 16th International Conference on Mobile Ad Hoc and Smart Systems Workshops, MASSW 2019*, 106–110. <https://doi.org/10.1109/MASSW.2019.00028>
- Liang, Y. C., Wijaya, I., Yang, M. T., Cuevas Juarez, J. R., & Chang, H. T. (2022). Deep Learning for Infant Cry Recognition. *International Journal of Environmental Research and Public Health*, 19(10). <https://doi.org/10.3390/ijerph19106311>
- Limantoro, W. (n.d.). *Rancang Bangun Aplikasi Pendeteksi Suara Tangisan Bayi*.
- Limantoro, W. S., Faticah, C., & Yuhana, U. L. (2016). *APP Development for Recognizing Type of Infant's Cry Sound*. IEEE.

- Liu, L., Li, Y., & Kuo, K. (2018). Infant Cry Signal Detection, Pattern Extraction and Recognition. *International Conferences on Information and Computer Technologies (IEEE)*.
- Macks, Y. P. (1981). *Local Properties Of K-NN Regression Estimates\** (Vol. 2, Issue 3). <http://www.siam.org/journals/ojsa.php>
- Muda, L., Begam, M., & Elamvazuthi, I. (2010). *Voice Recognition Algorithms using Mel Frequency Cepstral Coefficient (MFCC) and Dynamic Time Warping (DTW) Techniques* (Vol. 2).
- Prasetyo, R. H., Tritoasmoro, I. I., Novamizanti, L., & Si, S. (n.d.). *Sistem Identifikasi Arti Tangisan Bayi Menggunakan Metode MFCC, DWT Dan KNN Pada Raspberry Pi Identification System Of Baby Cry Using MFCC, DWT And KNN Methods In Raspberry Pi*.
- Prayogi, A. S., Rizqi, M., & Fahrudin, T. M. (2019). Klasifikasi Suara Tangisan Bayi Berdasarkan Prosodic Features Menggunakan Metode Moments of Distribution dan K-Nearest Neighbours. *Teknika*, 8(2), 119–125. <https://doi.org/10.34148/teknika.v8i2.206>
- Putra, D., & Resmawan, A. (2011). *Verifikasi Biometrika Suara Menggunakan Metode MFCC Dan DTW*. 2(1). [www.it.unud.ac.id](http://www.it.unud.ac.id)
- Rangga, M., Nasution, A., & Hayaty, M. (2019). Perbandingan Akurasi dan Waktu Proses Algoritma K-NN dan SVM dalam Analisis Sentimen Twitter. *Jurnal Informatika*, 6(2), 212–218. <http://ejournal.bsi.ac.id/ejurnal/index.php/ji>
- Rodriguez, R. L., & Caluya, S. S. (2018). Infants Cry Classification of Physiological State Using Cepstral and Prosodic Acoustic Features. *Journal of Telecommunication, Electronic and Computer Engineering*. <https://doi.org/10.1515/ijhp-2015>
- Rohpandi, D., Sugiharto, A., & Jati, M. Y. S. (2018). Klasifikasi Citra Digital Berbasis Ekstraksi Ciri Berdasarkan Tekstur Menggunakan GLCM Dengan Algoritma K-Nearest Neighbor. *Jurnal VOI (Voice Of Informatics)*, 7(2), 79–86.
- Sidik Permana, I., Nurhasanah, Y. I., & Zulkarnain, A. (2018). Implementasi Metode MFCC Dan DTW Untuk Pengenalan Jenis Suara Pria Dan Wanita. *Mind Journal / ISSN*, 3(1), 49–63. <https://doi.org/10.26760/mindjournal>
- Smith, R. C. G., & Price, S. R. (2014). Modelling of human low frequency sound localization acuity demonstrates dominance of spatial variation of interaural time difference and suggests uniform just-noticeable differences in interaural time difference. *PLoS ONE*, 9(2). <https://doi.org/10.1371/journal.pone.0089033>
- Subramanian, H., Rao, P., & Roy, S. D. (2004). Audio Signal Classification. *M.Tech. Credit Seminar Report, Electronic Systems Group, EE. Dept, IIT Bombay*.

- Tan Zheng-Hua, & Lindberg Borge. (2008). *Automatic Speech Recognition on Mobile device and over Communication Network*.
- Wahid, A. A. (2020). Analisis Metode Waterfall Untuk Pengembangan Sistem Informasi. *Jurnal Ilmu-Ilmu Informatika Dan Manajemen STMIK*.
- Widhyanti, D., & Juniati, D. (2021). Classification of Baby Cry Sound Using Higuchi's Fractal Dimension with K-Nearest Neighbor and Support Vector Machine. *Journal of Physics: Conference Series*, 1747(1). <https://doi.org/10.1088/1742-6596/1747/1/012014>
- Yohannes, & Wijaya, R. (2021). Klasifikasi Makna Tangisan Bayi Menggunakan CNN berdasarkan Kombinasi Fitur MFCC dan DWT. *Jurnal Teknik Informatika Dan Sistem Informasi*.