

DAFTAR PUSTAKA

- Arai, Hiroshi & Kohji Tokimatsu. (2005). *S-wave Velocity Profiling by Joint Inversion of Microtremor Dispersion Curve and Horizontal-to-Vertical (H/V) Spectrum*. Bulletin of the Seismological Society of America Vol. 95 No. 5.
- BMKG. (1998). *Sumberdaya Geologi*. Buletin Meteorologi dan Geofisika No. 4. BMKG. Jakarta.
- Daryono. (2011). *Indeks Kerentanan Seismik Berdasarkan Mikrotremor pada Setiap Satuan Bentuklahan di Zona Graben Bantul, Daerah Istimewa Yogyakarta*. Disertasi. Program Pascasarjana Fakultas Geografi. Universitas Gadjah Mada. Yogyakarta.
- Dentith, Michael, & Mudge, S. (2014). *Geophysics for the Mineral Exploration Geoscientist*. New York: Cambridge University Press.
- Elnashai, A., & Sarno, L. (2008). *Fundamentals of Earthquake Engineering*. John Wiley & Sons.
- Fah, Donat., Kind, Fortunat & Giardini, Domenico. (2001). *A Theoretical Investigation of Average H/V Ratios*. Geophys. J. Int. (2001) 145, 535-549.
- Febrina, Herdita Suciati. (2017). *Analisis Kerentanan Bangunan dengan Pengujian Mikrotremor Studi Kasus di Daerah Rawan Pergerakan Tanah*. Skripsi, Jurusan Fisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Negeri Semarang.
- Fitrah Riyadhi Atha, Rizky Rahmadi, dan Juan Pandu GNR. (2017). *Perhitungan Indeks Kerentanan Tanah Berdasarkan Analisa HVSR di Kawasan Situs Candi Pari Dan Candi Sumur, Sidoarjo, Jawa Timur, Indonesia*. Proceeding, Seminar Nasional Kebumian Ke-10.
- Fitriana, E. (2017). *Geologi Indonesia*. FKIP Universitas PGRI, Palangkaraya.
- Gurler, E.D., Y. Nakamura, J. Saita, & T. Sato. (2000). *Local site effect of Mexico City based on microtremor measurement*. 6th International Conference on Seismic Zonation. Palm Spring Riviera Resort. California, USA, pp.65.

- Gusti Putra H, Hakam A, dan Lastaruna D. (2009). *Analisa Potensi Likuifaksi Berdasarkan Data Pengujian Sondir (Studi Kasus Gor Haji Agus Salim Dan Lapai, Padang)*. Jurnal Teoretis dan Terapan Bidang Rekayasa Sipil. Volume 5 No. 1, Februari 2009.
- Haerudin, N., Rustadi, dan Fitriawan, H., (2019). *Earthquake Disaster Mitigation Mapping by Modeling of Land Layer and Site Effect Zone in The Kota Baru of South Lampung*. Jurnal Pendidikan Al Biruni No. 8. Vol 1 2019.
- Hakam A dan Darjanto H. (2013). *Penelusuran Potensi Likuifaksi Pantai Padang Berdasarkan Gradasi Butiran dan Tahanan Penetrasi Standar*. Jurnal Teoretis dan Terapan Bidang Rekayasa Sipil : ISSN 0853-2982 Vol. 20 No. 1 April 2013.
- Hall, R. & Smyth, H, R. (2008). *Cenozoic Arc Activity in Indonesia: Identification of The Key Influences on The Stratigraphic Record in Active Volcanic Arcs, in Draut, A.E., Clift, P.D., and Scholl, D.W., eds., Lessons from the Stratigraphic Record in Arc Collision Zones*. The Geological Society of America Special Paper 436.
- Hermawan Bagus H., Taufiq, D & Tristian Dewi, R. (2022). *Identifikasi Potensi Likuifaksi Berdasarkan Analisis Data Mikrotremor Di Desa Trimurti, Srandakan, Bantul*. Jurnal Rekayasa Lingkungan. Vol.22, No.22.
- Huang, H.C. & Tseng, Y. S. (2002). *Characteristics Of Soil Liquefaction Using H/V of Microtremors in Yuan-Lin Area, Taiwan*. TAO, Vol. 13, No. 3, 325-338, September 2002.
- Indriana, R. D. dan H. Danu Saputro. (2006). *Uji Nilai Tahanan Jenis Polutan Air Laut Dengan Metode Ohmik Dan Geolistrik Tahanan Jenis Skala Laboratorium*. Berkala Fisika, 9(3): pp. 145-149.
- Ishihara K. (1982). *Evaluation of Soil Properties For Use In Earthquake Response Analysis*. In: Proc. Int. Symp. On Numerical Model in Geomech. p. 237 – 259.
- Jaya W. E. & Sungkono. (2013). *Estimasi Indeks Kerentanan Tanah Menggunakan Metode HVSR (Horizontal to Vertical Spectral Ratio)*. Jurnal Sains dan Seni Pomits 2(1) : 2337-3520.

- Kirsch, R. (2006). *Groundwater Geophysics A Tool for Hydrogeology*. Springer Science and Business Media B.
- Lermo, Javier & Chávez-García, Francisco J. (1993). *Site Effect Evaluation Using Spectral Ratios with Only One Station*. America: Bulletin of Seismological Society of America, Vol. 83, No. 5. Hlm. 1574-1594.
- Loke, M. H. (2004). *2-D and 3-D Electrical Imaging Surveys*. Penang, Malaysia.
- Lowrie. (2007). *Fundamentals of Geophysics*. New York: Cambridge University Press.
- Madutujuh, N. (2019). *Sistem Struktur dan Pondasi Bangunan Tahan Gempa, Retakan Tanah, Liquefaksi, Aliran Tanah dan Gelombang Tsunami untuk Daerah Palu*. Seminar Rehabilitasi dan Mitigasi Pasca Bencana Gempa Palu 28 Sept 2018. Universitas Katolik Parahyang, Bandung.
- Mirzaoglu, M. & U. Dykmen. (2003). *Application of Microtremors to Seismic Microzoning Procedure*. Journal of The Balkan Geophysical Society, 6(3): 143-156.
- Mufida dkk. (2013). *Profiling Kecepatan Gelombang Geser Vs Surabaya Berdasarkan Pengolahan Data Mikrotremor*. Jurnal Sains Dan Seni Pomits, Vol.2.
- Murphy, J.R., & O'Brien, L.J. (1977). *The Correlation of Peak Ground Acceleration Amplitude with Seismic Intensity And Other Physical Parameters*. Bulletin of the Seismological Society of America.
- Nakamura, Y. (1989). *A Method for Dynamic Characteristic Estimation of Subsurface using Microtremor on The Ground Surface*. Q.R. of RTRI. Vol.30, No. 1, page 25-33.
- Nakamura, Y. (1997). *Seismic Vulnerability Indices for Ground and Structures using Microtremor*. World Congress on Railway Research: Florence.
- Nakamura, Y. (2000). *Clear Identification of Fundamental Idea of Nakamura's Technique and Its Application*. The 12nd Word Conference on Earthquake Engineering. Tokyo, Japan.
- Nakamura, Y. (2008). *On the H/V Spectrum*. The 14th World Conference on Earthquake Engineering, Beijing, China.

- Niculescu, Bogdan & Andrei, Gina. (2019). *Using Vertical Electrical Soundings to Characterize Seawater Intrusions in the Southern Area of Romania Black Sea Coastline*. Acta Geophysica. 67. 1845–1863. 10.1007/s11600-019-00341-y.
- Nurdiyanto, B., Hartanto, E., Ngadmanto, D., Sunardi, B., & Susilanto, P. (2011). *Penentuan Tingkat Kekerasan Batuan Menggunakan Metode Seismik Refraksi*. Jurnal Meteorologi dan Geofisika 12(3). 211-220.
- Ratdomopurbo, A. (2008). *Pedoman Mikrozonasi*. Materi Kursus. Bandung.
- Retno Juanita. (2011). *Gelombang Seismik*. Jurnal Fisika Universitas Sebelas Maret. Surakarta.
- Reynold, J.M. (1997). *An Introduction to Applied and Enviromental Geophysics*. John Willey & Sons Ltd. Newyork.
- Rošer, J. dan Gosar, A. (2010), "*Determination of Vs30 for seismic ground classification in the ljubljana area, Slovenia*", Acta Geotechnica Slovenica.
- Rusmana, E., Sukido, Sukarna, D., Haryono, E., Simandjuntak, T). (1993). *Peta Geologi Lembar Lasusua – Kendari, Sulawesi Tenggara, Skala 1 : 250.000*. Puslitbang Geologi, Bandung.
- Sakka, 2002. *Metoda Geolistrik Tahanan Jenis*.Fakultas Matematika dan Ilmu Pengetahuan Alam – UNHAS, Makassar.
- Samsudin, Abdul Rahim. “*Seismic Refraction Surveying*” diakses melalui <http://www.ukm.my/rahim/Seismic%20Refraction%20Surveying.htm> pada tanggal 15 September 2023.
- Santoso, B., Wijatmoko, B., Supriyana, E., & Harja, A. (2016). *Penentuan Resistivitas Batubara Menggunakan Metode Electrical Resistivity Tomography dan Vertical Electrical Sounding*. Jurnal Material Dan Energi Indonesia, 06 (01), 8–14.
- SESAME. (2004). *Guidelines for the Implementation of the H/V Spectral Ratio Technique on Ambient Vibratio Measurement, Processing and Interpretation*. European Commission - Reseachr General Directorate.
- Shaleha, A., Supriyadi, & Ngurah, M.D.P. (2016). *Identifikasi Struktur Lapisan Tanah Daerah Rawan Longsor di Kecamatan Banyubiru Kabupaten*

- Semarang dengan Metode Horizontal to Vertical Spectral Ratio (HVSR).
Unnes Physics Journal, 5(2), 1-6.
- Sheriff R.E., G.L. (1982), *Exploration Seismology: History, theory and data acquisition*, vol. 1, Cambridge University press, London.
- Slob, S. (2007). *Micro Seismic Hazard Analysis, Earthquake Vulnerability and Multi-Hazard Risk Assessment: Geospatial Tools for Rehabilitation and Reconstruction Efforts*, ITC The Netherlands.
- SNI 1726. (2019). *Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Non Gedung*. Jakarta : Badan Standarisasi Nasional.
- Subakti, H., & Renagustiarini, W. (2022). *Analisis Potensi Likuifaksi menggunakan Data Kecepatan Gelombang Geser (Vs)*. PROGRESS : Jurnal Geofisika, 1 (1), 1–22.
- Subramanian, N. (2008). *Design of Steel Structures: Appendix C Properties of Soil*. India: Oxford University Press.
- Surono dan Hartono, U. (2013). *Geologi Sulawesi*. Pusat Survei Geologi, Badan Geologi, Kementrian Energi dan Sumber Daya Mineral. LIPI Press : Jakarta.
- Surono. (1995). *Sedimentology of the Tolitoli Conglomerate Member of the Langkowala Formation, Southeast Sulawesi, Indonesia*. Journal of Geology and Mineral Resources, GRDC Bandung, Indonesia 5,1-7.
- Telford, W.M., Geldart, L.P., Sheriff, R.E. (1990). *Applied Geophysics Second Edition*. Cambridge: Cambridge University Press.
- Todd, D.K. 1980. *Ground Water Hidrology*. New York: John Wiley and Sons.
- Tohari A., Sugianti K., Soebowo E. (2013). *Liquefaction Potential at Padang City: A Comparison of Predicted and Observed Liquefactions During the 2009 Padang Earthquake*. Riset Geologi dan Pertambangan. Vol.21 (1) : 7-19.
- Toiba, Y., P. D Sili, M. Maskur. (2017). *Analisis Mikrotremor Kawasan Palu Barat Berdasarkan Metode Horizontal to Vertical Spectral Ratio (HVSR)*. Gravitasi. 15 : 1.
- Usman, B., Manrulu, R. H., Nurfalaq, A., & Rohayu, E. (2017). *Identifikasi Akuifer Air Tanah Kota Palopo Menggunakan Metode Geolistrik Tahanan Jenis Konfigurasi Schlumberger*. Jurnal Fisika Flux, 14 (2) : 65 – 67.

- Wald D.J, Quitoriano V, Heaton V, Kanamori H. (1999). *Relationship Between Peak Ground Acceleration, Ground Velocity and Modified Mercalli Intensity in California, Earthquake Spectra*, VoL. 15, No.3, pp 557-564.
- Wibowo, Nugroho. (2015). *Spatial Analysis of Surface Aquifer Thickness Based Frequency predominant in Bantul District*. *INDONESIAN JOURNAL OF APPLIED PHYSICS*. 5. 62. 10.13057/ijap.v5i01.262.