

## DAFTAR PUSTAKA

- Afsar, H. M., Afsar, S., & Palacios, J. J. (2021). Vehicle routing problem with zone-based pricing. *Transportation Research Part E: Logistics and Transportation Review*, 152, 1–22. <https://doi.org/10.1016/j.tre.2021.102383>
- Alberdi, E., Urrutia, L., Goti, A., & Oyarbide-Zubillaga, A. (2020). Modeling the municipalwaste collection using genetic algorithms. *Processes*, 8(5), 1–22. <https://doi.org/10.3390/PR8050513>
- Amiri, A., Amin, S. H., & Zolfagharinia, H. (2023). A bi-objective green vehicle routing problem with a mixed fleet of conventional and electric trucks: Considering charging power and density of stations. *Expert Systems with Applications*, 213, 119228. <https://doi.org/10.1016/j.eswa.2022.119228>
- Asih, H. M., Leuveano, R. A. C., & Dharmawan, D. A. (2023). Optimizing lot sizing model for perishable bread products using genetic algorithm. *Jurnal Sistem dan Manajemen Industri*, 7(2), 139–154. <https://doi.org/10.30656/jsmi.v7i2.7172>
- Assari, M., Eruguz, A. S., Dullaert, W., & Heijungs, R. (2023). Incorporating product decay during transportation and storage into a sustainable inventory model. *Computers and Industrial Engineering*, 185, 109653. <https://doi.org/10.1016/j.cie.2023.109653>
- AVCALC. (2024). *Density of diesel (material)*. [https://www.aqua-calc.com/page/density-table/substance/diesel#:~:text=Density%20of%20diesel%20\(material\)&text=Diesel%20weighs%200.8508%20gram%20per,K](https://www.aqua-calc.com/page/density-table/substance/diesel#:~:text=Density%20of%20diesel%20(material)&text=Diesel%20weighs%200.8508%20gram%20per,K) at standard atmospheric pressure.
- Babagolzadeh, M., Shrestha, A., Abbasi, B., Zhang, Y., Woodhead, A., & Zhang, A. (2020). Sustainable cold supply chain management under demand uncertainty and carbon tax regulation. *Transportation Research Part D: Transport and Environment*, 80, 102245. <https://doi.org/10.1016/j.trd.2020.102245>
- Baskoro, F. M. (2021). *32 Perusahaan Raih Penghargaan Emisi Korporasi 2021*. BeritaSatu. <https://www.beritasatu.com/ekonomi/767349/32-perusahaan-raih-penghargaan-emisi-korporasi-2021>

- Bjarnadóttir, Á. S. (2004). *Solving the Vehicle Routing Problem with Genetic Algorithms* [Technical University of Denmark]. <https://www2.imm.dtu.dk/pubdb/doc/imm3183.pdf>
- Bozorgi, A., Pazour, J., & Nazzal, D. (2014). A new inventory model for cold items that considers costs and emissions. *International Journal of Production Economics*, 155, 114–125. <https://doi.org/10.1016/j.ijpe.2014.01.006>
- BPS. (2024). *Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2023 - Tabel Statistik - Badan Pusat Statistik Indonesia*. <https://www.bps.go.id/id/statistics-table/1/OTUwIzE=/rata-rata-konsumsi-per-kapita-seminggu-beberapa-macam-bahan-makanan-penting--2007-2023.html>
- Chen, J., Gui, P., Ding, T., Na, S., & Zhou, Y. (2019). Optimization of transportation routing problem for fresh food by improved ant colony algorithm based on tabu search. *Sustainability (Switzerland)*, 11(23). <https://doi.org/10.3390/su11236584>
- Chen, J., Liao, W., & Yu, C. (2021). Route optimization for cold chain logistics of front warehouses based on traffic congestion and carbon emission. *Computers and Industrial Engineering*, 161, 107663. <https://doi.org/10.1016/j.cie.2021.107663>
- Chen, W., Zhang, D., Van Woensel, T., Xu, G., & Guo, J. (2023). Green vehicle routing using mixed fleets for cold chain distribution. *Expert Systems with Applications*, 233, 120979. <https://doi.org/10.1016/j.eswa.2023.120979>
- Chopra, S., & Meindl, P. (2016). *Supply Chain Management: Strategy, Planning, and Operation* (6 ed.). Pearson Education.
- Dantzig, G. B., & Ramser, J. H. (1959). The truck dispatching problem. *Management Science*, 6(1), 80–91. [https://doi.org/10.1007/978-1-4419-1153-7\\_200874](https://doi.org/10.1007/978-1-4419-1153-7_200874)
- De Jong, K. A., & Spears, W. M. (1992). A formal analysis of the role of multi-point crossover in genetic algorithms. *Annals of Mathematics and Artificial Intelligence*, 5(1), 1–26. <https://doi.org/10.1007/BF01530777>
- Desfika, T. S. (2022). 87 Perusahaan Peduli Bumi, Raih Penghargaan

- “Transparansi Emisi Korporasi 2022.” Investor Daily. <https://investor.id/market-and-corporate/291562/87-perusahaan-peduli-bumi-raih-penghargaan-ldquotransparansi-emisi-korporasi-2022rdquo>
- Fan, H., Zhang, Y., Tian, P., Lv, Y., & Fan, H. (2021). Time-dependent multi-depot green vehicle routing problem with time windows considering temporal-spatial distance. *Computers and Operations Research*, 129, 105211. <https://doi.org/10.1016/j.cor.2021.105211>
- Feng, L., Chan, Y. L., & Cárdenas-Barrón, L. E. (2017). Pricing and lot-sizing polices for perishable goods when the demand depends on selling price, displayed stocks, and expiration date. *International Journal of Production Economics*, 185, 11–20. <https://doi.org/10.1016/j.ijpe.2016.12.017>
- Ferdous, M. S., Biswas, K., Chowdhury, M. J. M., Chowdhury, N., & Muthukumarasamy, V. (2019). Integrated platforms for blockchain enablement. In *Advances in Computers* (1 ed., Vol. 115). Elsevier Inc. <https://doi.org/10.1016/bs.adcom.2019.01.001>
- Gao, T., Tian, Y., Zhu, Z., & Sun, D. W. (2020). Modelling, responses and applications of time-temperature indicators (TTIs) in monitoring fresh food quality. *Trends in Food Science and Technology*, 99, 311–322. <https://doi.org/10.1016/j.tifs.2020.02.019>
- Gora, P., Bankiewicz, D., Karnas, K., Kaźmierczak, W., Kutwin, M., Perkowski, P., Płotka, S., Szczurek, A., & Zięba, D. (2019). On a road to optimal fleet routing algorithms: A gentle introduction to the state-of-the-art. In *Smart Delivery Systems: Solving Complex Vehicle Routing Problems*. <https://doi.org/10.1016/B978-0-12-815715-2.00014-2>
- Görçün, Ö. F., Aytekin, A., & Korucuk, S. (2023). Fresh food supplier selection for global retail chains via bipolar neutrosophic methodology. *Journal of Cleaner Production*, 419. <https://doi.org/10.1016/j.jclepro.2023.138156>
- Grefenstette, J. J. (1986). Optimization of Control Parameters for Genetic Algorithms. *IEEE Transactions on Systems, Man and Cybernetics*, 16(1), 122–128. <https://doi.org/10.1109/TSMC.1986.289288>
- Guo, N., Qian, B., Na, J., Hu, R., & Mao, J. L. (2022). A three-dimensional ant

- colony optimization algorithm for multi-compartment vehicle routing problem considering carbon emissions. *Applied Soft Computing*, 127, 109326. <https://doi.org/10.1016/j.asoc.2022.109326>
- Guo, X., Zhang, W., & Liu, B. (2022). Low-carbon routing for cold-chain logistics considering the time-dependent effects of traffic congestion. *Transportation Research Part D: Transport and Environment*, 113, 103502. <https://doi.org/10.1016/j.trd.2022.103502>
- Haghani, A., & Jung, S. (2005). A dynamic vehicle routing problem with time-dependent travel times. *Computers and Operations Research*, 32(11), 2959–2986. <https://doi.org/10.1016/j.cor.2004.04.013>
- Han, J. W., Zuo, M., Zhu, W. Y., Zuo, J. H., Lü, E. L., & Yang, X. T. (2021). A comprehensive review of cold chain logistics for fresh agricultural products: Current status, challenges, and future trends. *Trends in Food Science and Technology*, 109, 536–551. <https://doi.org/10.1016/j.tifs.2021.01.066>
- Hassanat, A., Almohammadi, K., Alkafaween, E., Abunawas, E., Hammouri, A., & Prasath, V. B. S. (2019). Choosing mutation and crossover ratios for genetic algorithms-a review with a new dynamic approach. *Information (Switzerland)*, 10(12). <https://doi.org/10.3390/info10120390>
- Leuveano, R. A. C., Asih, H. M., Ridho, M. I., & Darmawan, D. A. (2023). Balancing Inventory Management: Genetic Algorithm Optimization for A Novel Dynamic Lot Sizing Model in Perishable Product Manufacturing. *Journal of Robotics and Control (JRC)*, 4(6), 878–895. <https://doi.org/10.18196/jrc.v4i6.20667>
- Liu, G., Hu, J., Yang, Y., Xia, S., & Lim, M. K. (2020). Vehicle routing problem in cold Chain logistics: A joint distribution model with carbon trading mechanisms. *Resources, Conservation and Recycling*, 156, 104715. <https://doi.org/10.1016/j.resconrec.2020.104715>
- Liu, R., Tao, Y., & Xie, X. (2019). An adaptive large neighborhood search heuristic for the vehicle routing problem with time windows and synchronized visits. *Computers and Operations Research*, 101, 250–262. <https://doi.org/10.1016/j.cor.2018.08.002>

- Liu, Y., Qin, Z., & Liu, J. (2023). An Improved Genetic Algorithm for the Granularity-Based Split Vehicle Routing Problem with Simultaneous Delivery and Pickup. *Mathematics*, 11(15). <https://doi.org/10.3390/math11153328>
- Lu, C., Tong, Q., & Liu, X. (2010). The impacts of carbon tax and complementary policies on Chinese economy. *Energy Policy*, 38(11), 7278–7285. <https://doi.org/10.1016/j.enpol.2010.07.055>
- Luo, H., Dridi, M., & Grunder, O. (2023). A branch-price-and-cut algorithm for a time-dependent green vehicle routing problem with the consideration of traffic congestion. *Computers and Industrial Engineering*, 177, 109093. <https://doi.org/10.1016/j.cie.2023.109093>
- Ma, X., Ho, W., Ji, P., & Talluri, S. (2018). Coordinated Pricing Analysis with the Carbon Tax Scheme in a Supply Chain\*. *Decision Sciences*, 49(5), 863–900. <https://doi.org/10.1111/deci.12297>
- Mańdziuk, J., & Świechowski, M. (2017). UCT in Capacitated Vehicle Routing Problem with traffic jams. *Information Sciences*, 406–407, 42–56. <https://doi.org/10.1016/j.ins.2017.04.020>
- Mohammed, M. A., Abd Ghani, M. K., Hamed, R. I., Mostafa, S. A., Ahmad, M. S., & Ibrahim, D. A. (2017). Solving vehicle routing problem by using improved genetic algorithm for optimal solution. *Journal of Computational Science*, 21, 255–262. <https://doi.org/10.1016/j.jocs.2017.04.003>
- Monavia, A. R. (2023). *Produksi Ayam Pedaging Cetak Rekor 3,77 Juta Ton pada 2022*. Dataindonesia.Id. <https://dataindonesia.id/agribisnis-kehutanan/detail/produksi-ayam-pedaging-cetak-rekor-37>
- Montanari, R. (2008). Cold chain tracking: a managerial perspective. *Trends in Food Science and Technology*, 19(8), 425–431. <https://doi.org/10.1016/j.tifs.2008.03.009>
- Mulloorakam, A. T., & Nidhiry, N. M. (2019). Combined Objective Optimization for Vehicle Routing Using Genetic Algorithm. *Materials Today: Proceedings*, 11, 891–902. <https://doi.org/10.1016/j.matpr.2018.12.016>
- Mulyono, P. (2024). *Decarbonization in Oil and Gas Industry by Improving Fuel Quality*. Dipresentasikan pada Closing Bulan Energy & Loss, Refinery Unit II

Tahun 2023, Dumai 23 Februari 2024.

- Ndraha, N., Hsiao, H. I., Vlajic, J., Yang, M. F., & Lin, H. T. V. (2018). Time-temperature abuse in the food cold chain: Review of issues, challenges, and recommendations. *Food Control*, 89, 12–21. <https://doi.org/10.1016/j.foodcont.2018.01.027>
- Nya, D. N., & Abouaïssa, H. (2023). A robust inventory management in dynamic supply chains using an adaptive model-free control. *Computers and Chemical Engineering*, 179, 108434. <https://doi.org/10.1016/j.compchemeng.2023.108434>
- Ochelska-Mierzejewska, J., Poniszewska-Mara'nda, A., & Mara'nda, W. (2021). Selected Genetic Algorithms for Vehicle Routing Problem Solving. *Electronics*, 10(24). <https://doi.org/10.3390/electronics10243147>
- Ottmar, R. D. (2014). Wildland fire emissions, carbon, and climate: Modeling fuel consumption. *Forest Ecology and Management*, 317, 41–50. <https://doi.org/10.1016/j.foreco.2013.06.010>
- Qiao, J., Zhang, M., Qiu, L., Mujumdar, A. S., & Ma, Y. (2024). Visual early warning and prediction of fresh food quality deterioration: Research progress and application in supply chain. *Food Bioscience*, 58, 103671. <https://doi.org/10.1016/j.fbio.2024.103671>
- Ravindran, A. R., & Warsing Jr, D. P. (2013). *Supply Chain Engineering: Models and Applications* (1 ed.). CRC Press. <https://doi.org/10.1201/b13184>
- Rezaee, A., Dehghanian, F., Fahimnia, B., & Beamon, B. (2017). Green supply chain network design with stochastic demand and carbon price. *Annals of Operations Research*, 250(2), 463–485. <https://doi.org/10.1007/s10479-015-1936-z>
- Roeva, O., Fidanova, S., & Paprzycki, M. (2013). Influence of the population size on the genetic algorithm performance in case of cultivation process modelling. *2013 Federated Conference on Computer Science and Information Systems*, 371–376.
- Sadati, M. E. H., & Çatay, B. (2021). A hybrid variable neighborhood search approach for the multi-depot green vehicle routing problem. *Transportation*

- Research Part E: Logistics and Transportation Review*, 149, 102293.  
<https://doi.org/10.1016/j.tre.2021.102293>
- Shao, X., & Lu, S. (2023). Optimizing Dual Distribution Scheme in Pharmaceutical Cold Chain for Cost and Carbon Emissions Reduction. *Applied Sciences (Switzerland)*, 13(9). <https://doi.org/10.3390/app13095524>
- Solomon, M. M. (1987). Algorithms for the Vehicle Routing and Scheduling Problems With Time Window Constraints. *Operations Research*, 35(2), 254–265. <https://doi.org/10.1287/opre.35.2.254>
- Song, M. xian, Li, J. qing, Han, Y. qi, Han, Y. yan, Liu, L. li, & Sun, Q. (2020). Metaheuristics for solving the vehicle routing problem with the time windows and energy consumption in cold chain logistics. *Applied Soft Computing Journal*, 95, 106561. <https://doi.org/10.1016/j.asoc.2020.106561>
- Stellingwerf, H. M., Groeneveld, L. H. C., Laporte, G., Kanellopoulos, A., Bloemhof, J. M., & Behdani, B. (2021). The quality-driven vehicle routing problem: Model and application to a case of cooperative logistics. *International Journal of Production Economics*, 231, 107849. <https://doi.org/10.1016/j.ijpe.2020.107849>
- Stellingwerf, H. M., Kanellopoulos, A., van der Vorst, J. G. A. J., & Bloemhof, J. M. (2018). Reducing CO<sub>2</sub> emissions in temperature-controlled road transportation using the LDVRP model. *Transportation Research Part D: Transport and Environment*, 58, 80–93. <https://doi.org/10.1016/j.trd.2017.11.008>
- Taoukis, P. S., Gogou, E., Tsironi, T., Giannoglou, M., Dermesonlouoglou, E., & Katsaros, G. (2016). Food cold chain Management and Optimization. In *Food Engineering Series* (hal. 285–309). [https://doi.org/10.1007/978-3-319-24040-4\\_16](https://doi.org/10.1007/978-3-319-24040-4_16)
- Tasan, A. S., & Gen, M. (2012). A genetic algorithm based approach to vehicle routing problem with simultaneous pick-up and deliveries. *Computers and Industrial Engineering*, 62(3), 755–761. <https://doi.org/10.1016/j.cie.2011.11.025>
- The Geography of Transport Systems. (2023). *Temperature Standards for the Cold*

- Chain.* <https://transportgeography.org/contents/applications/cold-chain-logistics/temperature-standards-cold-chain/>
- UNEP, & FAO. (2022). Sustainable Food Cold Chains: Opportunities, Challenges and the Way Forward. In L. Mastny (Ed.), *Sustainable food cold chains: Opportunities, challenges and the way forward*. <https://doi.org/10.4060/cc0923en>
- Wang, Z., & Wen, P. (2020). Optimization of a low-carbon two-echelon heterogeneous-fleet vehicle routing for cold chain logistics under mixed time window. *Sustainability (Switzerland)*, 12(5). <https://doi.org/10.3390/su12051967>
- Waters, D. (2003). *Inventory Control & Management* (2 ed.). Wiley.
- Wen, M., Sun, W., Yu, Y., Tang, J., & Ikou, K. (2022). An adaptive large neighborhood search for the larger-scale multi depot green vehicle routing problem with time windows. *Journal of Cleaner Production*, 374, 133916. <https://doi.org/10.1016/j.jclepro.2022.133916>
- Widhiyanto, F. (2023). *114 Perusahaan Raih Penghargaan Transparansi Emisi Korporasi 2023*. Investor Daily. <https://investor.id/business/333472/114-perusahaan-raih-penghargaan-transparansi-emisi-korporasi-2023>
- Wu, X., Tian, Z., & Guo, J. (2022). A review of the theoretical research and practical progress of carbon neutrality. *Sustainable Operations and Computers*, 3, 54–66. <https://doi.org/10.1016/j.susoc.2021.10.001>
- Xu, H., Pan, X., Li, J., Feng, S., & Guo, S. (2023). Comparing the impacts of carbon tax and carbon emission trading, which regulation is more effective? *Journal of Environmental Management*, 330, 117156. <https://doi.org/10.1016/j.jenvman.2022.117156>