LITERATURE

Adam, Triani, Juliana, R, Thalib, R. 2014. Bioesai Bioinsecticide Active ingredient *Bacillus thuringiensis* from Lebak Soil against *Spodoptera litura* larvae. *Proceedings of Sub Optimal Land Seminar*, 8: 28-34.

Agazali, F., Hoesain, M., Prastowo, S. 2015. Effectiveness of Cape Leaf and Papaya Leaf Vegetable Insecticides. *Berkala Ilmiah Pertanian*.

Ahmad, M., Ghaffar, A., Rafiq, M. 2013. Host Plants of Leaf Worm, *Spodoptera litura* (fabricius) (Lepidoptera: Noctuidae) in Pakistan. *Asian J Agri Biol*, 1(1): 23-28.

Astuti, R., Vajri, I.Y. 2022. *Pesticide Practicum Module and Application Techniques.* Medan: Medan Area University.

Buulolo, N.T., Natali, O., Nasution, S.W., Nasution, S.L.R., Zendrato, A., Nasution, A.N. 2018. Test of Antibacterial Effectiveness of *Eshcerichia coli* Against Crown of God Fruit (*Phaleria macrocarpa*) Papaya Leaf (*Carica papaya* L.) and Paria (*Momordia charantina*). *Scientia Journal*, 7(2): 159-168.

Cania, E., Setyaningrum, E. 2013. Larvicidal effectiveness test of legundi (*Vitex trifolia*) leaf extract against Aedes *aegypti* larvae. *Majority Journal*, 2(4).

Diningsih, E. 1998. Effect of Seed Extracts of Ten Meliaceae Plants on Feeding Activity, Mortality and Development of Cabbage *Caterpillar*, *Crocidolomia binotalis* Zeller (Lepidoptera: Pyralidae) [Thesis]. Bogor: Bogor Agricultural University.

Dono, D., Ismayana, S., Idar, P.D., Muslikha, I. 2010. Status and Mechanism of Biochemical Resistance of *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae) to Organophosphate Insecticides fiber its Sensitivity to Botanical Insecticides *Barringtonia asiatica* Seed Extract. *Indonesian Journal of Entomology*, 7(1): 9-27.

Elvie, Y., Shinta, E. 2013. Preparation of Organic Pesticide Using Extraction Method from Papaya Leaf Waste and Garlic Bulbs. *Impact Journal*, 10(1): 46-59.

Hamzah, A. 2014. *9 Successful Strategies for Growing California Papaya.* Jakarta: AgroMedia Pustaka.

Haris, A., Suherah, Dewa, A.S. 2023. Effect of Papaya Leaf, Tobacco Leaf and Taro Leaf Extracts on Mortality of Armyworms (*Spodoptera litura* fabriciu L.E.Smith). *Agrotek Journal*, 7(2): 118-123.

Hasfita, F., Nasrul, Z.A., Lafyati, L. 2013. Utilization of Papaya (*Carica papaya*) Leaves for the Preparation of Vegetable Pesticides. *Journal of Chemical Technology Unimal*, 1(2): 13-24.

Hidayati, N., Sulistyawati, D. 2013. Innovation and Application of Egg Salting Technology with Sawdust Waste and Other Natural Resources that are Safe for Health. *Biomedika*, 6(1): 43-48.

Indrianto. 2003. *Plant Tissue Culture.* Yogyakarta: Gadjah Mada University.

Istianto, M. 2007. Development and reproductive ability of Panonychus citri McGregor (Acarina: Tetrtanychidae) mites resistant and sensitive to acaricides. *Journal of Horticulture*, 17(2): 181-187.

Kantikowati, E. 2019. The efficacy test of Insecticides with active ingredients of *Bacillus thuringiensis* and Emamectin benzoate on *Spodoptera exigua* and their effect on Allium fistulosum. *Journal of AgroTatanen*, 2(1): 15-26.

Laoh, J.H., Puspita, F., Hendra. 2003. Susceptibility of *Spodoptera litura* F. larvae to Nuclear Polyhedrosis Virus. *Journal of Natur Indonesia*, 5(2): 145-151.

Marwoto, Suharsono. 2008. Strategies and Technology Components for Controlling Armyworms (*Spodoptera litura* Fabricius) in Soybean Crops. *Journal of Agricultural Research and Development*, 27(4): 131-136.

Maula, L.N., Martini, Adi, M. 2021. Papaya Leaves Extract Effectiveness Test (*Carica papaya* L.) As A Larvacidine Aedes aegypti Instar III. *International Journal of Health, Education and Social (IJHES)*, 4(5): 20-29.

Musyahadah, N., Hariani, N. Hendra, M. 2015. Effectiveness Test of Tigaron Leaf Extract (*Crateva religiosa* G. Forst.) on Mortality of Armyworms (*Spodoptera litura* F.) (Lepidoptera: Noctuidae) in the Laboratory. *Proceedings of Science and Technology Seminar FMIPA Unmul*, (p. 1(1)).

Nonci, N., Kalqutny, S.H., Mirsam, H., Muis, A., Azrai, M., Aqil, M. 2019. *Introduction of Fall Armyworm (Spodoptera frugiperda J.E. Smith) a New Pest in Maize Crops in Indonesia.* Maros: Research Center for Cereal Crops.

Parwata, A., Sukardiman, M.H., Widhiartini, A. 2016. Inhibition of Fibrosarcoma Growth by 5-hydroxy-7-ethoxy-flavanons from Kaempferia pandurata Roxb. *Biomedical and Pharmacology Journal*, 9(3): 41-48.

Permatasari, G., Hariani, N., Trimurti, S. 2020. Mortality Test of Armyworms (*Spodoptera litura* F.) Against Tongue-in-Law Plant Extract (*Sansevieria trifasciata* Prain). *Journal of Bioterdidik: A Vehicle for Scientific Expression*, 8(3): 56-67.

Pracaya. 1995. *Plant Pests and Diseases.* Jakarta: Penebar Swadaya.

Pujiastuti, Rohwati, Suwandi, Dwi, Suparman, Arsy. 2018. Toxicity of *Bacillus thuringiensis-Based* BioInsecticide on Coptotermes Curvinagthus (Isoptera: Rhinotermidae) in Laboratory. *Journal Of Advanced Agricultural Technologies*, 5(1): 41-45.

Putri, C. 2019. Biology of *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae) on Artificial Feed in the Laboratory [Scientific Article]. Pontianak: Tanjungpura University.

Rahayu, S.E., Leksono, A.S., Gama, Z.P., Tarno, H. 2022. The Bio-Insecticidal Activity of Papaya (*Carica papaya* L.) Leaves Extract against *Spodoptera litura* Fabr. (Lepidoptera: Noctuidae) Larval Growth. *Indian Journal of Agricultural Research*, 56 (6): 741-745.

Rahmayani, I., Thamrin, N.T, Hassanuddin, F. 2021. Efficacy of *Bacillus thuringiensis* Bioinsecticide on Attack Intensity of Armyworm Pests in Shallot Plants. *Plantklopedia*, 3(2): 14-24.

Ramadhan, R.A.M., Puspasari, L.T., Meliansyah, R., Maharani, R., Hidayat, Y., Dono, D. 2016. Bioactivity of Azadirachta indica (A. Juss) Seed Oil Formulation against *Spodoptera litura* F. *Journal of Agriculture*, 27(1): 1-8.

Ramzan, M., Murtaza, G., Javaid, M., Iqbal, N., Raza, T., Arshad, A., Awais, M. 2019. Comparative Efficacy Of Newer Insecticides Against *Plutella xylostella* and *Spodoptera litura* On Cauliflower Under Laboratory Conditions. *Indian Journal Of Pure & Applied Biosciences*, 7(5): 1-7.

Rangga, E. S. P., Moerfiah, T. 2018. Potential of Karuk Leaf Extract (*Piper sarmentosum*) as a Vegetable Insecticide for Armyworms (*Spodoptera litura*). *Ecologia*, 18: 55-62.

Razak, T.A., Santhakumar, T., Mageswari, K., Santhi, S. 2014. Studies on efficacy of certain neem products against *Spodoptera litura* (Fab.). *JBiopest*, 7(Supp.):160-163.

Rizki, M. 2022. Effectiveness Test of Papaya Leaf Solution (*Carica papaya*), *Soursop* Leaf Solution (*Annona muricata* L.) and the Combination of Both Against Mortality of Armyworms (*Spodoptera litura* F.) [Thesis]. Malang: Maulana Malik Ibrahim State Islamic University.

Sajid, Z., Ali, A., Usman, M., Mujahid, A., Jafar, B., et al. 2020. Toxicity of *Bacillus thuringiensis* against second instar larvae of *Spodoptera litura* on different host plants. *Journal of Scientific Agriculture*, 4: 93-95.

Setiawan, H., Oka, A.A. 2015. Effect of Dosage Variation of Papaya Leaf Solution (*Carica papaya* L.) on Mortality of *Aphids (Aphis craccivora*) on Long Bean Plants (*Vigna sinensis* L.) as a Biology Learning Resource. *Bioeducation*, 6(1): 54-62.

Shiddiqi, M.H., Hermanto, S., Jusuf, E. 2013. Exploration of *Bacillus thuringiensis* Toxin Protein from Soil in Tangerang Regency. *VALENSI Chemistry Journal*, 3(1): 48-56.

Siswaatmadja, W. G., Sudirman, A., Supriyatdi, D., Syofian, M. 2021. Effectiveness of a Combination of *Soursop* Leaf (*Annona muricata* L.) and Green *Betel* Leaf (*Piper betle*) Vegetable Insecticides on the Mortality of Armyworms (*Spodoptera litura* F.). *Agrosains: Journal of Agronomy Research*, 23(2): 80-83.

Subiyakto. 2000. *Cotton Plant Disturbing Organisms and Natural Enemies of Cotton Insect Pests.* Malang: Balittas.

Sudarwati, T.P.L., Fernanda, M.A.H.F. 2019. *Application of Papaya Leaf (Carica papaya) Utilization as a Biolarvicide against Aedes aegypti Larvae.* Gresik: Graniti.

Sulastri, I.K., Muhibbuddin, Khairil, Djufri, Abdullah. 2023. Effect of Papaya leaves extract (*Carica papaya* L.) as a Natural Pesticide on Mortality of Aphis gossypii Glover. *Scientific Journal of Biology Education Students of FKIP USK*, 8 (1): 16-24.

Sumardjo, D. 2009. *Introduction to Chemistry: Lecture Manual for Medical Students and Undergraduate Programs, 1st edition.* Jakarta: EGC Medical Book Publisher.

Suprapti, M. 2005. *Various Preparations of Raw and Cracked Papaya.* Yogyakarta: Kasinus.

Sutriono, Zahar, I. 2022. Comparison of *Bacillus thuringiensis* Effectiveness with Ozone Technology in controlling *Spodoptera litura* pests on chili (*Capsicum annum*) leaves. *Rona Agricultural Engineering*, 15(2): 13-22.

Suwarno, Maridi, Sar, D.P. 2015. Toxicity Test of *Bacillus thuringensis* (Bt) Protein Crystal Isolate as an Integrated Pest Control Agent of Green Planthopper (*Nepotettix virescens*) Tungro Disease Vector as an Effort to Improve National Food Security. *Bioeducation*, 8 (1): 16-19.

Syah, B. W., Purwani, K. I. 2016. Effect of Belimbing Wuluh Leaf Extract (*Averrhoa bilimbi*) on Mortality and Development of *Spodoptera litura* Larvae. *ITS Journal of Science and Arts*, 5(2): 2337-3520.

Tengkano, W., Suharsono, S. 2005. Armyworm *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae) in soybean crops and its control. *Palawija Bulletin*, (10): 43-52.

Tjitrosoepomo, G. 2004. *Plant Taxonomy*. Yogyakarta: Gadjah Mada University Press.

Wahid, A. 2010. Efficacy of Bioinsecticides and Their Combinations on the Attack of Bag Caterpillar Pests *Pagodiella* Spp. on Mangrove *Rhizophora* Spp. seedlings in the nursery. *J. Agroland*, 17 (2): 162-168.

Wahyuni, D.P., Yuliani. 2023. Effectiveness of Lamtoro Leaf Extract (*Leucaena leucocephala*), Papaya Leaf (*Carica papaya*) and Their Combination on Antimicrobial Activity and Mortality of *Spodoptera litura* F. *Lentera Bio*, 12 (3): 290-298.

Wu, J., Yu, X., Wang, X., Tang, L., Ali, S. 2019. Matrine Enhances The Pathogenicity Of Beauveria brongniartii Against *Spodoptera litura* (Lepidoptera: Noctuidae). *Frontiers In Microbiology*, 10:1812.

Yanuwiadi, B., Leksono, H. S., Guruh, H. H., Fathoni, M. 2013. Potential of *Soursop* Leaf Extracts, Soursop Seeds, and Mahogany Seeds for Control of Armyworms (*Spodoptera litura*). *Natural*, 2(1): 84-89.