

DAFTAR PUSTAKA

- Albu, S. P., Ghicov, A., Macak, J. M., & Schmuki, P. (2007). "250 Mm Long Anodic TiO₂ Nanotubes With Hexagonal Self-Ordering". *Physica Status Solidi (RRL) – Rapid Research Letters*, 1(2), R65-R67.
- Allen J. Barrd, Larry R. Faulkner, Henry S. White, *Electrochemical Methods Fundamentals And Applications*, 2022, Hoboken, USA
- Amalia Ma'rifatul Maghfiroh, Evaluation Of Thermal Testing And X-Ray Diffraction Of Ka_{0,5}Na_{0,5}nbo₃, 29 February 2020, ISSN: 244-515x; E-ISSN: 2528-1976 Vol. 6, No. 1, February 2020, Page 7-12
- Bai, David Dent, Lennart Olsson, M.E. Schaepman, Proxy Global Assessment Of Land Degradation, September 2008
- Bailong Tao A, Haiyang Lan, Xiaolin Zhou, Chuanchuan Lin, Xian Qin, Meng Wu, Ye Zhang, Sinan Chen, Ai Guo, Kai Li, Lixue Chen, Yang Jiao G, Weiwei Yi. Regulation Of TiO₂ Nanotubes On Titanium Implants To Orchestrate Osteo/ Angio-Genesis And Osteo-Immuno-modulation For Boosted Osseointegration. *Materials & Design* 233 (2023) 112268
- Bakardjieva, S., Šubrt, J., Štengl, V., Dianez, M. J., & Sayagues, M. J. (2006). *Photoactivity Of Anatase–Rutile TiO₂ Nanocrystalline Mixtures Obtained By Heat Treatment Of Homogeneously Precipitated Anatase. Applied Catalysis B: Environmental*, 58(3-4), 193-202.
- Batool, S.A.; Salman Maqbool, M.; Javed, M.A.; Niaz, A.; Rehman, M.A.U. A Review On The Fabrication And Characterization Of Titania Nanotubes Obtained Via Electrochemical Anodization. *Surfaces* 2022, 5, 456–480. <https://doi.org/10.3390/Surfaces5040033> D. Chopra, K. Gulati, S. Ivanovski, Bed Of Nails: Bioinspired Nano-Texturing Towards Antibacterial And Bioactivity Functions, *Mater. Today Adv.* 12 (2021), 100176

- Buser, D., Broggini, N., Wieland, M., Schenk, R. K., Denzer, A. J., Cochran, D. L., Hoffmann, B., Lussi, A., & Steinemann, S. G. (2004). Enhanced Bone Apposition To A Chemically Modified SLA Titanium Surface. *Journal Of Dental Research*, 83(7), 529-533.
- E. Matykinaa , A. Condea , J. De Damboreneaa , D. Martín Y Marero, M.A. Arenas Growth Of Tio2-Based Nanotubes On Ti–6Al–4V Alloy, *Electrochimica Acta* 56 (2011) 9209–9218
- Ebuzer Aygul, Senai Yalcinkaya, And Yusuf Sahin, Characterization Of Ti6Al4V Biomedical Alloys Produced By Powder Metallurgy Method. *Powder Metallurgy And Metal Ceramics*, Vol. 59, Nos. 5-6, September, 2020 (Russian Original Vol. 59, Nos. 5-6, May-June, 2020)
- Elia Marin And Alex Lanzutt, Biomedical Applications Of Titanium Alloys: A Comprehensive Review, *Materials* (Basel). 2024 Jan; 17(1): 114.
- Furneaux, R. C.; Rigby, W. R.; Davidson, A. P. The Formation Of Controlled-Porosity Membranes From Anodically Oxidized Aluminium. *Nature* 1989, 337, 147.
- Geerts, G. A., & De Lange, G. L. (2004). *A 10-Year Prospective Study Of Single Tooth Implants Placed In The Anterior Maxilla. Clinical Oral Implants Research*, 15(4), 499-507.
- Gulati K, Li T, Ivanovski S. Consume Or Conserve: Microroughness Of Titanium Implants Toward Fabrication Of Dual Micro–Nanotopography. *ACS Biomater Sci Eng* 2018;4(9):3125–31.
- Hoffmann, M. R., Martin, S. T., Choi, W., & Bahnemann, D. W. (1995). *Environmental Applications Of Semiconductor Photocatalysis. Chemical Reviews*, 95(1), 69-96
- Hossain, M. S., Chowdhury, A. S., & Hossain, M. D. (2015). *A Study On The Electrochemical Behavior And Surface Characteristics Of Anodized Titanium For Biomedical Applications. Materials Science And Engineering C*, 54, 220-226.

- Huang G, Wu X, Kong F, Cheng Y, Siu G, Chu PK. *In Situ Fabrication Of Alumina Nanotube Array And Photoluminescence*. Appl Phys Lett 2006;89(7):073114.
- Jagjit Singh Dhaliwal Et.Al, The Effect Of Different Surface Topographies Of Titanium Implants On Bacterial Biofilm: A Systematic Review. 2020
- Jagjit Singh Dhaliwal¹, Nurul Adhwa Rahman¹, Joe Knights¹, Hazim Ghani¹, Rubens Ferreira De Albuquerque Junior The Effect Of Different Surface Topographies Of Titanium Implants On Bacterial Biofilm: A Systematic Review. Springer Nature Switzerland AG 2019
- Jie Sun, Tzvetanka Boiadjeva-Scherzer, Hermann Kronberger, Kevin Staats, Johannes Holinka And Reinhard Windhager, Surface Modification Of Ti6Al4V Alloy For Implants By Anodization And Electrodeposition AIMS Materials Science, 6(5): 713–729. 10.3934/Matersci.2019.5.713
- K. Gulati, A. Santos, D. Findlay, D. Losic, Optimizing Anodization Conditions For The Growth Of Titania Nanotubes On Curved Surfaces, J. Phys. Chem. C 119 (28) (2015) 16033–16045
- K. Gulati, T. Li, S. Ivanovski, Consume Or Conserve: Microroughness Of Titanium Implants Toward Fabrication Of Dual Micro-Nanotopography, ACS Biomater. Sci. Eng. 4 (9) (2018) 3125–3131
- K. Indira, U. Kamachi Mudali, T. Nishimura, N. Rajendran. A Review On TiO₂ Nanotubes: Influence Of Anodization Parameters, Formation Mechanism, Properties, Corrosion Behavior, And Biomedical Applications. J Bio Tribo Corros (2015) 1:28 . DOI 10.1007/S40735-015-0024-X
- Kang, S. H., & Ozawa, M. (2004). *Synthesis And Characterization Of TiO₂ Nanoparticles Using A Sol-Gel Method At Room Temperature*. *Journal Of Materials Science*, 39(5), 1837-1839.
- Kennedy, J. H., & Stampe, M. A. (1991). *Photoelectrochemical Properties Of TiO₂ Thin Films: Effects Of Surface Roughness And Crystallinity*. *Journal Of The Electrochemical Society*, 138(8), 2207-2212.
- Li T, Gulati K, Wang N, Zhang Z, Ivanovski S. Bridging The Gap: Optimized Fabrication Of Robust Titania Nanostructures On Complex Implant

- Geometries Towards Clinical Translation. *J Colloid Interface Sci* 2018;529:452–63.
- Lin WS, Harris BT, Elathamna EN, Abdel-Azim T, Morton D. Effect Of Implant Divergence On The Accuracy Of Definitive Casts Created From Traditional And Digital Implant-Level Impressions: An In Vitro Comparative Study. *Int J Oral Maxillofac Implants*. 2015;30:102–9
- M. Michalska-Domanska, M. Czerwinski, M. Łazinska, V. Dubey, M. Jakubaszek, Z. Zawadzki, J. Kostecki, Morphological And Optical Characterization Of Colored Nanotubular Anodic Titanium Oxide Made In An Ethanol-Based Electrolyte, *Materials* 14 (22) (2021) 6992.
- M. Michalska-Domanska, W.J. Stępniewski, M. Salerno, Effect Of Inter-Electrode Separation In The Fabrication Of Nanoporous Alumina By Anodization, *J. Electroanal. Chem.* 823 (2018) 47–53.
- Macak, J. M., Tsuchiya, H., Ghicov, A., & Schmuki, P. (2005). "Self-Organized Nanotubular Oxide Layers On Titanium: Influence Of Anodization Time And Fluoride Content". *Electrochemical Communications*, 7(1), 1133-1137
- Macak, J. M.; Tsuchiya, H.; Schmuki, P. High-Aspect-Ratio TiO₂ Nanotubes By Anodization Of Titanium. *Angew. Chem., Int. Ed.* 2005, 44 (14), 2100–2102
- Majumdar, P., Singh, S. K., Bhushan, B., & Misra, D. N. (2010). *Surface Modification And Biocompatibility Of Titanium Implants: A Comprehensive Review. Journal Of Biomedical Materials Research Part A*, 95A(4), 1025-1039.
- Mohamed Imran, Mohamed Mahroop Raja, J Abdul Basith, Asarudeen Abubullah Determination Of Total Phenol, Flavonoid And Antioxidant Activity Of Edible Mushrooms Pleurotus Florida And Pleurotus Eous January 2011
- Musumeci T, Ventura CA, Giannone I, Ruozi B, Montenegro L, Pignatello R, Et Al. PLA/PLGA Nanoparticles For Sustained Release Of Docetaxel. *Int J Pharm* 2006

- Neelima Paul 1, Jean-François Moulin, Gaetano Mangiapia, Armin Kriele, Peter Müller-Buschbaum, Matthias Opel, Amitesh Paul. Surface Distortion Of Fe Dot Decorated TiO₂ Nanotubular Templates Using Time-Of-Fight Grazing Incidence Small Angle Scattering. In *Scientific Reports* · March 2020
- Olivares-Navarrete, R., Hyzy, S. L., Hutton, D. L., Erdman, C. P., Wieland, M., Boyan, B. D., & Schwartz, Z. (2011). Direct And Indirect Effects Of Microstructured Titanium Substrates On The Induction Of Mesenchymal Stem Cell Differentiation Towards The Osteoblast Lineage. *Biomaterials*, 32(22), 2728-2738.
- Ollis, D. F., & Elkabi, A. (1991). *Photocatalytic Degradation Of Organic Pollutants In Water By Titanium Dioxide. Environmental Science & Technology*, 25(9), 1522-1529.
- O'Sullivan, J. P.; Wood, G. C. The Morphology And Mechanism Of Formation Of Porous Anodic Films On Aluminium. *Proc. R. Soc. London, Ser. A* 1970, 317 (1531), 511.
- Patrizia Bocchetta, Liang-Yu Chen, Juliana Dias Corpa Tardelli , Andréa Cândido Dos Reis , Facundo Almeraya-Calderón And Paola Leo, Passive Layers And Corrosion Resistance Of Biomedical Ti-6Al-4V And B-Ti Alloys Coatings 2021, 11, 487.
- Pengze Li, Liyang Qin , Binye Chen, Shaoyu Zhang B, Yunxuan Zhu A, Bing Wang, Xufei Zhu, The Role Of Fluoride And Phosphate Anions In The Formation Of Anodic Titanium Dioxide Nanotubes *Electrochemistry Communications* 158 (2024) 107641
- Prasetyo, Y. (2011). *Scanning Electron Microscopy (SEM): Prinsip, Penggunaan, Dan Prosedur Pengamatan Permukaan Sampel. Jurnal Pengamatan Dan Karakterisasi Material*, 15(3), 45-52.

- Ribeiro, B.; Offoiach, R.; Rahimi, E.; Salatin, E.; Lekka, M.; Fedrizzi, L. On Growth And Morphology Of Tio₂ Nanotubes On Ti6Al4V By Anodic Oxidation In Ethylene Glycol Electrolyte: Influence Of Microstructure And Anodization Parameters. *Materials* 2021, 14, 2540.
- Ribeiro, B.; Offoiach, R.; Rossetti, S.; Salatin, E.; Lekka, M.; Fedrizzi, L. On Growth And Morphology Of Tio₂ Nanotubes On CP-Ti By Anodic Oxidation In Ethylene Glycol Electrolyte: Influence Of Electrolyte Aging And Anodization Parameters. *Materials* 2022, 15, 3338.
- Robinson Aguirre Ocampo, Nicolás Bedoya Ochoa, José A. Tamayo, Carlos Botero, Carlos Andrés Vargas, Maryory Gómez, Juan Guillermo Castaño, Alejandro A. Zuleta Gill. Formation Of Highly Ordered Tio₂ Nanotubes On Ti6Al4V Alloys Manufactured By Electron Beam Powder Bed Fusion (E-PBF). *The International Journal Of Advanced Manufacturing Technology* (2023) 128:257–266
- Romero-Serrano, M.; Romero-Ruiz, M.-M.; Herrero-climent, M.; Rios-Carrasco, B.; Gil-Mur, J. Correlation Between Implant Surface Roughness And Implant Stability: A Systematic Review. *Dent. J.* 2024, 12, 276. <https://doi.org/10.3390/Dj12090276>
- Rupp, F., Liang, L., Geis-Gerstorfer, J., Scheideler, L., & Hüttig, F. (2014). Surface Characteristics Of Dental Implants: A Review. *Dental Materials*, 30(7), 863-881. S.P. Albu, A. Ghicov, S. Aldabergenova, P. Drechsel, D. Leclere, G.E. Thompson, J. M. Macak, P. Schmuki, Formation Of Double-Walled Tio₂ Nanotubes And Robust Anatase Membranes, *Adv. Mater.* 20 (21) (2008) 4135–4139.
- S.P. Albu, P. Schmuki, Influence Of Anodization Parameters On The Expansion Factor Of Tio₂ Nanotubes, *Electrochim. Acta* 91 (2013) 90–95.
- Schwarz, F., Herten, M., Sager, M., Wieland, M., Dard, M., & Becker, J. (2007). Histological And Immunohistochemical Analysis Of Initial And Early Osseous Integration At Chemically Modified And Conventional SLA Titanium Implants: Preliminary Results Of A Pilot Study In Dogs. *Clinical Oral Implants Research*, 18(4), 481-488.

- Slamet, B. (2012). *Skema Proses Anodisasi Dan Pengaruhnya Terhadap Struktur Permukaan TiO₂ Pada Paduan Titanium Untuk Aplikasi Medis*. *Jurnal Material Dan Teknik Mesin*, 14(1), 57-64.
- Suhadolnik L, Marinko Z, ˇ Ponikvar-Svet M, Tavˇcar G, Kovaˇc J, Ceh ˇ M. Influence Of Anodization-Electrolyte Aging On The Photocatalytic Activity Of TiO₂ Nanotube Arrays. *J Phys Chem C* 2020;124(7):4073–80.
- Supriyanto, E., Fadli, A., & Setiabudi, D. (2017). *Biocompatibility And Mechanical Properties Of Titanium Alloys For Dental Implants: A Review*. *Journal Of Materials Science And Engineering B*, 7(5-6), 63-70.
- T. Guo, N.A.K. Oztug, P. Han, S. Ivanovski, K. Gulati, Old Is Gold: Electrolyte Aging Influences The Topography, Chemistry, And Bioactivity Of Anodized TiO₂ Nanopores, *ACS Appl. Mater. Interfaces* 13 (7) (2021) 7897–7912.
- T. Ueno, T. Ikeda, N. Tsukimura, M. Ishijima, H. Minamikawa, Y. Sugita, M. Yamada, N. Wakabayashi, T. Ogawa, Novel Antioxidant Capability Of Titanium Induced By UV Light Treatment, *Biomaterials* 108 (2016) 177–186
- Wennerberg, A., & Albrektsson, T. (2009). Effects Of Titanium Surface Topography On Bone Integration: A Systematic Review. *Clinical Oral Implants Research*, 20(S4), 172-184.
- Wennerberg, A., Albrektsson, T. (2009). *On Implant Surfaces: A Review Of Current Knowledge And Opinions*. *International Journal Of Oral & Maxillofacial Implants*, 25(1), 63-74.
- Williams, J.C., Banerje, Dipankar. 2013. Perspective On Titanium Science And Technology. *Acta Materialia* 61, 844-879
- Yi Zhuang, Pengze Li, Liyang Qin, Shaoyu Zhang,* Binye Chen, Yunxuan Zhu, Bing Wang, And Xufei Zhu Real Role Of Fluoride Ions In The Growth Of Anodic TiO₂ Nanotubes, *J. Phys. Chem. C* 2024, 128, 5741–5748
- Yu Fu And Anchun Mo, A Review On The Electrochemically Selforganized Titania Nanotube Arrays: Synthesis, Modifications, And Biomedical Applications. *Fu And Mo Nanoscale Research Letters* (2018) 13:187

Zhang, W., Lei, Y., Zhao, B., & Wang, J. (2015). *Formation Of Carbon Nanocoatings By Anodization In Organic Electrolytes. Materials Letters*, 158, 392-395.