

## REFERENCES

- Adzikri, F. I. 2018. *Breeding of Entomopathogenic Nematodes on Cricket Flour Medium and Their Pathogenicity against Termites*. (Thesis). Department of Biology. Faculty of Mathematics and Natural Sciences. Universitas Negeri Semarang.
- Afifah, L., B. T. Rahardjo, H. Tarno. 2013. Exploration of Entomopathogenic Nematodes in Corn, Soybean, and Cabbage Fields in Malang and Their Virulence against *Spodoptera litura* Fabricius.. *Jurnal HPT*, 1 (2): 1 – 9.
- Cahyono, A., Purnawati, A., Mudjoko, T., Mardiyani, P. 2020. Pathogenicity Test of Several Symbiotic Bacterial Isolates of Entomopathogenic Nematodes against Cabbage Leafworm Larvae *Crocidolomia pavonana*. *Berkala Ilmiah Agroteknologi-PLUMULA*. <https://doi.org/10.33005/plumula.v7i2.22>
- Chaerani, Y. Suryadi, T. P. Priyatno, D. Koswanuddin, U. Rahmat, Sujatmo, Yusuf, C.T, Griffin. 2007. Isolasi Nematoda Patogen Serangga Steinernema dan Heterorhabditis. *J. HPT Tropika*, 7 (1): 1 – 9.
- Erdiansyah I. 2016. Pemanfaatan Formula Nematoda entomopatogen *Steinernema carpocapsae* untuk Mengendalikan Hama Ulat *Spodoptera litura* pada Pertanaman Kedelai. *Jurnal Ilmiah Inovasi*, 16 (1): 33 – 40.
- Frendi, A. 2017. *Effectiveness of Biological Control Agent Combinations against Major Sugarcane Pests Lepidiota stigma, in Tamandan District, Bondowoso Regency*. (Thesis). Agrotechnology Study Program. Fakultas Pertanian. Universitas Jember.
- Hipti, M., W. Widajati, S. Wiyatiningsih, R. M. Kusuma. 2021. Patogenesitas Nematoda Entomopatogen (NEP) Hasil Perbanyakkan Secara *In Vitro* Menggunakan Media Kuning Telur terhadap Ulat Sawi *Plutella xylostella*. *Sains dan Teknologi Pertanian Modern*. NST Proceedings, 55 – 62.
- IGAA Indrayani, Subiyakto, Chaerani. 2018. Patogenesitas Nematoda Entomopatogen terhadap Hama Uret Tebu *Lepidiota stigma* (Coleoptera: Scarabaeidae). *Buletin Plasma Nutfah*, 24 (2): 83 – 88.
- Indiyanti, D. R., A. D. H. Pribasari, D. Puspitarini, P. Widyaningrum. 2014. Kelimpahan dan Pola Penyebaran Nematoda Entomopatogen sebagai Agensi Pengendali Serangga Hama pada Berbagai Lahan di Semarang. *Jurnal Lahan Suboptimal*, 3 (1): 55 – 61.

- Kamariah, B. Nasir, J. Panggeso. 2013. Effectiveness Of Various Entomopathogenic Nematodes (*Steinernema* sp.) Concentration on *Spodoptera exigua* Hubner Larvae Mortality. *J. Agrotekbis*, 1 (1): 17 – 22.
- Labaude, S., C. T. Griffin. 2018. Transmission Success of Entomopathogenic Nematodes used in Pest Control. *Insects*, 9 (2): 1 – 20.
- Mariyono, M., E. Y. Sidhi, N. Hadiyanti. 2021. Keefektifan Patogenesitas *Steinernema carpocasae* (all strain) terhadap Hama *Plutella xylostella* L. *Jurnal Agrinika*, 5 (1).
- Miles, C., Blethen, C., Gaugler, R., Shapiro-Ilan, D. Murray, T. 2012. Using Entomopathogenic Nematodes for Crop Insect Pest Control. Washington State University. A Pacific Northwest Extension Publication, 1 – 11.
- Nugroho, S. E. 2013. Efektivitas Nematoda Entomopatogen *Steinernema* spp. Isolat Ambuli terhadap Larvae *Plutella xylostella* Linn. *Galleria mellonella*, dan *Tenebrio molitor* Linn. (Skripsi). Fakultas Pertanian. Universitas Jember.
- Prabowo, H., Indrayani. 2012. Viabilitas dan Efektifitas Formula Nematoda *Steinernema* sp. terhadap Hama Penggerek Buah Kapas *Helicoverpa armigera* HUBNER. *J. Littri*, 18 (4): 151 – 155.
- Rahayu, S., A. Triyogo, S. M. Widyastuti, F. Ardiansyah. 2021. Pests and Diseases on *Falcataria Moluccana* Trees in Agroforestry Systems with Pineapple in East Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 22 (5): 2779 – 2788.
- Rahayuningtyas, Widayati, W. 2013. Uji Efikasi Nematoda Entomopatogen Pada Hama Tanaman Cabai. *Ilmu-ilmu Pertanian*, 11(1): 63 – 66.
- Raihana, R. D. Fitriyanti, Z. Zairin. 2018. Aplikasi Perkembangan Stadia Hidup Nematoda Puru Akar (*Meloidogyne* spp.) Mulai dari Fase Telur sampai Dewasa pada Pertanaman Tomat (*Solanum lycopersicum* L.) di Kota Banjarbaru. *JTAM Agroekotek View*, 1 (2): 25 – 35.
- Ridwan, A., N. Nurmiaty, Rahmad, Z. Kumalawati. 2023. Evaluasi Keberadaan dan Status Ambang Ekonomi *Lepidiota stigma* F. pada Beberapa Lahan Komoditi Perkebunan. *J. Agroplantae*, 12 (2): 163 – 170.

- Rusniarsyah, L., A. Rauf, Supramana, Samsudin. 2015. Pathogenicity and Effectiveness of Entomopathogenic Nematode *Heterorhabditis sp.* against the Root Borer *Phthorimaea operculella* Zeller (Lepidoptera: Gelechiidae). *Jurnal Silvikultur Tropika*, 6 (1): 66 – 70.
- Saputra, O. G., D. Salbiah, A. Sutikno. 2017. Isolasi dan Identifikasi Morfologi Nematoda Entomopatogen dari Lahan Pertanaman Semusim Kebun Percobaan Fakultas pertanian dengan Menggunakan Umpam Larvae *Tenebrio molitor* L. (Coleoptera : Tenebrionidae). *JOM Faperta*, 4 (1): 1 – 7.
- Shapiro-Ilan, Hazir, S. Glazer. 2020. Advances in use of entomopathogenic nematodes in IPM. In Kogan, M. and Heinrichs, E. A. (Eds), Integrated Management of Insect Pests: Current and Future Developments Burleigh Dodds Science Publishing. Cambridge: 649 – 678.
- Sicard, M., J. Hinsinger, N. Le Brun, S. Pages, N. Boemare, C. Moulia. 2006. Interspecific Competition Between Entomopathogenic Nematodes (*Steinernema*) is Modified by Their Bacterial Symbionts (*Xenorhabdus*). *BMC Evolutionary Biology*, 6, 1956 – 1963. doi:10.1186/1471-2148-6-68.
- Subagiya. 2005. Biological Control Using Entomopathogenic Nematode *Steinernema carpocapsae* (All strain) Againts *Crocidolomia binotalis* Zell. Balai Penelitian Nematoda Entomopatogen. Yogyakarta.
- Sunarto, T. 2021. Effect of Concentration of Entomopathogenic Nematodes (*Steinernema* spp.) to *Bemisia tabaci* Genn. (Hemiptera: Alyerodidae) on Red Chili Plants. *Cropsaver*, 4 (2): 46 – 51.
- Sunarto T., dan A. W. Irwan. 2019. The Effectiveness of Entomopathogenic Nematode *Steinernema* spp. on Mortality of *Lepidiota stigma* F. (Coleoptera: Scarabaeidae). *Cropsaver*, 2 (2): 77 – 81.
- Sunarto, T., W. D. Natawigena, A. W. Irwan, W. W. Tyas. 2023. Effectiveness of Several Concentrations of Entomopathogenic Nematode (*Steinernema* spp.) On Mortality of *Spodoptera exigua* Hub. in Onions. *Cropsaver*, 6 (1): 49 – 55.
- Susilowati, S. H., N. Tinaprilla. 2012. Analisis Efisiensi Usaha Tani Tebu di Jawa Timur. *Jurnal Littri*, 18 (4): 162 – 172.
- Uhan, T. S. 2008. Keefektifan Nematoda Entomopatogen *Steinernema carpocapsae* (Rhabditida : Steinernematidae) Isolat Lembang terhadap Mortality Larvae *Agrotis ipsilon* Hufn. (Lepidoptera : Noctuidae) pada Tanaman Kubis di Rumah Kaca. *Jurnal Hortikultura*, 18 (2): 165 – 174.

Utami, I.D., R. Muningsih, G. Ciptadi. 2021. Identifikasi tingkat serangan hama uret (*Lepidiota stigma* F) pada tanaman tebu (*Saccharum officinarum* L) di Kabupaten Sleman. *Jurnal Pengelolaan Perkebunan*, 2 (1): 22 – 29.

Xia Li, X. Men, J. Wang, Suhong, L. Li1, H. Cui, Y. Song, X. Fang, Z. Song, W. Guo, Yi Yu. 2023. Curative Efficacy of Entomopathogenic Nematodes Against White Grubs in Honeysuckle Fields. *Frontiers*, 7 (1): 1 – 9.