

DAFTAR PUSTAKA

- Amanullah, M., & Al – Tahini, A. M. (2009). *Nano Technology Its Signifacnce in Smart Fluid Development for Oil and Gas Field Application*. 2009 SPE Saudi Arabia Section Technical Symposium and Exhibition, 1 – 12.
- Annis, Max. R and Smith, Martin. V, “*Drilling Fluid Technology*”, July 1972 API RP 13B-1. (2003). *API Recommended Practice 13B-1 for Field Testing Water-Based Drilling Fluids* (Third Edition). American Petroleum Institute.
- ASME Commitee, “*Drilling Fluid Processing Handbook*”, Elsevier inc., Gulf Professional Publishing, Burlington, USA, 2005.
- Baker Hughes. (2006). *Drilling Fluid Reference Manual*. Technical Communication Group.
- Baroid Halliburton. (1998). *Baroid Fluids Handbook*. Baroid Drilling Fluid, Inc. All Right Reserved.
- Buntoro, A. (2017). *Lumpur Pemboran Perencanaan dan Solusi Masalah Secara Praktis*.
- Bourgoyne, A.T., Jr. et. al., “*Applied Drilling Engineering*”, SPE-1-55563-001-4, Richardson TX, 1986. Chapter 2, p. 54-61.
- Caenn, R., Darley, H.C.H., and Gray, G.R., 2011, *Composition and Properties of Drilling and Completion Fluids*, 6th Ed, Elsevier, USA.
- Chevron Texaco. (2002). *The Chevron Texaco and BP Drilling Fluid Manual*.
- Clark, R. K., Scheuerman, R. F., Rath, H., & Van Laar, H. G. (1976). Polyacrylamide/Potassium-Chloride Mud for Drilling Water-Sensitive Shales. *Journal of Petroleum Technology*, 28(06), 719–727. <https://doi.org/10.2118/5514-PA>
- Cliffe, S., & Young, S. (2008). Agglomeration and Accretion of Drill Cuttings in Water-Based Fluids. *American Association of Drilling Engineer*, 1–2.

DAFTAR PUSTAKA (LANUTAN)

- Dzul Khairi Mohd Saparti, M., Rohani, R., Tao Chung, Y., Izni Yusoff, I., & Rosli Wan Sulaiman, W. (2019). EFFECTS OF ETHOXYLATED *POLYAMINE* ADDITION ON WATER-BASED DRILLING FLUID. In *Journal of Engineering Science and Technology* (Vol. 14, Issue 1).
- Gomez, S., Patel, A., & Swaco, M.-I. (2013). *SPE164108 Shale Inhibition: What Works?*
- MI Swaco. (1998). *MI Technical Manual Handbook*. MI Swaco, Inc. All Right Reserved.
- Mondshinne, T.C., & Kercheville, J. D. (1966). *Succesfull Gumbo Shale Drilling Oil and Gas Journal*, 64(13), 194.
- Oort, van, O., Hoxsha, B. B., Aldin, M., & Patterson, R. (2016). How to *Test* Fluids for Shale Compatibility. *AADE Fluids Technical Conference*, 4–5.
- Putra, V. C., & Kasmungin, S. (2016). *Perbandingan Jenis Lumpur Berbahan Dasar Air Dengan 2% Polyamine Polymer Dan 7% KCL Polymer*. 5.
- Shadizadeh, S. R., Moslemizadeh, A., & Dezaki, A. S. (2015). A novel nonionic surfactant for inhibiting shale hydration. *Applied Clay Science*, 118, 74-86.
- Steiger., Kong, X., Chen, M., Zhang, C., Liu, Z., Jin, Y., Wang, X., Liu, M., & Li, S. (1933). Optimization of High Temperature-Resistant Modified Starch *Polyamine* Anti-Collapse Water-Based Drilling Fluid System for Deep Shale Reservoir. *Molecules*, 27(24). <https://doi.org/10.3390/molecules27248936>

DAFTAR PUSTAKA (LANUTAN)

- Suhascaryo, N. (2020). *TEKNOLOGI PERALATAN TEKNIK PEMBORAN*. Yogyakarta: Uwais Inspirasi Indonesia.
- Suhascaryo, N. (2023). *Pencegahan & Solusi Problem Pengeboran*. Yogyakarta: Deepublish.
- Xie, G., Xiao, Y., Deng, M., Luo, Y., & Luo, P. (2020). Low Molecular Weight Branched *Polyamine* as a Clay Swelling Inhibitor and Its Inhibition Mechanism: Experiment and Density Functional Theory Simulation. *Energy and Fuels*, 34(2), 2169–2177. <https://doi.org/10.1021/acs.energyfuels.9b04003>
- Vaya Candida Putra, Sugiatmo Kasmungin, dan Astra Agus Pramana. *PERBANDINGAN JENIS LUMPUR BERBAHAN DASAR AIR DENGAN 2% POLYAMINE POLYMER DAN 7% KCL POLYMER*. Jakarta: Universitas Trisakti, 2016.
- Wardani, R. (2017). "Evaluasi Pengaruh Temperature Terhadap Sifat Fisik Lumpur KCL – Polymer Untuk Sumur "X" Lapangan "Y" Pada Lubang 17,5 in".
- Witthayapanyanon A., (2013). "*HPWBM Drilling Fluids An Enviromentally Friendly Fluid System Achieving Superior Shale Stabilization*" SPE, Baker Huges, Amsterdam.
- Yogi, W., Putra, R., Yuwono, B. R., Baidhowie, Y., Gede, I., Saptawirawan, S., Alfianoor Yudhatama, M., & Mahakam, P. H. (n.d.). "*Kebijakan, Strategi dan Teknologi Tepat Guna untuk Meningkatkan Pengurusan Lapangan Minyak dan Gas di Indonesia*" *Breakthrough Application of Encapsulated NaCl Polyamine High Performance Water Based Drilling Fluids System in Mahakam Field, Indonesia*.