

DAFTAR PUSTAKA

- Abidin, A. Z., Puspasari, T., & Nugroho, W. A. (2012). Polymers for Enhanced Oil Recovery Technology. *Procedia Chemistry*, 4, 11–16. <https://doi.org/10.1016/j.proche.2012.06.002>
- Al-Shakry, B., Skauge, A., & Al-Qarshubi, I. S. (2018). Enhanced Oil Recovery by Polymer Flooding: Optimizing Polymer Injectivity. *SPE Kingdom of Saudi Arabia Annual Technical Symposium and Exhibition*. <https://doi.org/10.2118/192437-MS>
- Alli, Y. F. (2019). the Effect of Electrolytes on Polymer Viscosity for Effectiveness of Polymer Injection. *Scientific Contributions Oil and Gas*, 42(2), 17–27. <https://doi.org/10.29017/SCOG.41.1.17-27>
- Alvarado Eduardo, V. M. (2010). *Enhanced oil recovery: Field planning and development strategies*. Gulf Professional Publishing. <https://doi.org/10.1016/C2009-0-30583-8>
- Amirbayov, T. (2014). *Simulation Study of the Polymer Flooding Applied to the Norne Field E-Segment*. July, 83.
- Bai, Y., Liu, C., Sun, J., & Lv, K. (2022). Use of a Polymer Gel for Killing a High-Temperature and High-Pressure Gas Well. *SPE Journal*, 27(06), 3297–3313. <https://doi.org/10.2118/210586-PA>
- Beteta, A., Sorbie, K. S., McIver, K., Johnson, G., Gasimov, R., & van Zeil, W. (2022). The Role of Immiscible Fingering on the Mechanism of Secondary and Tertiary Polymer Flooding of Viscous Oil. *Transport in Porous Media*, 143(2), 343–372. <https://doi.org/10.1007/s11242-022-01774-8>
- Cannella, W. J., & Seright, R. S. (1988). Shear-Thinning Behavior of HPAM Solutions in Porous Media. *SPE Annual Technical Conference and Exhibition*. <https://doi.org/10.2118/18089-MS>
- Cao, J., Zhu, S., Shu, Z., & Shi, L. (2022). Effects of residual resistance factor in the mobility control of the polymer flooding. *Journal of Applied Polymer Science*, 139(48). <https://doi.org/10.1002/app.53217>
- Chavan, M., Dandekar, A., Patil, S., & Khataniar, S. (2019). Low-salinity-based enhanced oil recovery literature review and associated screening criteria. *Petroleum Science*, 16(6), 1344–1360. <https://doi.org/10.1007/s12182-019-0325-7>
- Craig, F. F. (1971). *The reservoir engineering aspects of waterflooding*. Society of Petroleum Engineers.

- De-nt, D. O. E. A. N. (2009). *Oil & Natural Gas Technology*. October 2008.
- Don W. Green, G. P. W. (1998). *Green Don, Willhite Paul. - Enhanced Oil Recovery.pdf*.
- Du, J., Lv, C., Lan, X., Song, J., Liu, P., Chen, X., Wang, Q., Liu, J., & Guo, G. (2024). A review on viscosity retention of PAM solution for polymer flooding technology. *Petroleum Science and Technology*, 42(3), 372–405. <https://doi.org/10.1080/10916466.2022.2120011>
- Esmailnezhad, E., Van, S. Le, Choi, H. J., Chon, B. H., Schaffie, M., Gholizadeh, M., & Ranjbar, M. (2019). Conformance control in oil reservoir based on magnetorheological behavior of nanoparticle suspension. *Journal of Environmental Management*, 231, 1127–1134. <https://doi.org/10.1016/j.jenvman.2018.11.026>
- Garrepally, S., Jouenne, S., Leuqueux, F., & D. Olmsted, P. (2020, August 30). Polymer Flooding - Towards a Better Control of Polymer Mechanical Degradation at the Near Wellbore. *SPE Improved Oil Recovery Conference*. <https://doi.org/10.2118/200373-MS>
- Gbadamosi, A., Patil, S., Kamal, M. S., Adewunmi, A. A., Yusuff, A. S., Agi, A., & Oseh, J. (2022). Application of Polymers for Chemical Enhanced Oil Recovery: A Review. *Polymers*, 14(7), 1–39. <https://doi.org/10.3390/polym14071433>
- Green G. P., D. W. . W. (1998). *Enhanced oil recovery*. Society of Petroleum Engineers. <https://doi.org/10.2118/9781555630775>
- Hassan, A. M., Al-Shalabi, E. W., & Ayoub, M. A. (2022). Updated Perceptions on Polymer-Based Enhanced Oil Recovery toward High-Temperature High-Salinity Tolerance for Successful Field Applications in Carbonate Reservoirs. *Polymers*, 14(10), 2001. <https://doi.org/10.3390/polym14102001>
- Hermanson, G. T. (2013). *Bioconjugate techniques* (3 (ed.)). Academic Press. <https://doi.org/10.1016/C2010-0-65364-9>
- JOUENNE, S. (2020). Polymer flooding in high temperature, high salinity conditions: Selection of polymer type and polymer chemistry, thermal stability. *Journal of Petroleum Science and Engineering*, 195, 107545. <https://doi.org/10.1016/j.petrol.2020.107545>
- Juárez-Morejón, J. L., Bertin, H. ., Omari, A. ., Hamon, G. ., Cottin, C. ., Morel, D. ., Romero, C. ., & Bourdarot, G. . (2019). A New Approach to Polymer Flooding: Effects of Early Polymer Injection and Wettability on Final Oil Recovery. *SPE Journal*, 24(01), 129–139. <https://doi.org/10.2118/190817-PA>
- Larsen, J. O. (2014). *Rheology of Synthetic Polymers in Porous Media*. June, 95.
- Levitt G. A., D. B. . P. (2008). Selection and screening of polymers for EOR. *SPE Symposium on Improved Oil Recovery*. <https://doi.org/10.2118/113845-MS>

- Levitt, D. B., & Pope, G. A. (2008). Selection and screening of polymers for enhanced-oil recovery. *Proceedings - SPE Symposium on Improved Oil Recovery*, 3(April), 1125–1142. <https://doi.org/10.2118/113845-ms>
- Ma, Q., Shuler, P. J., Aften, C. W., & Tang, Y. (2015). Theoretical studies of hydrolysis and stability of polyacrylamide polymers. *Polymer Degradation and Stability*, 121, 69–77. <https://doi.org/10.1016/j.polymdegradstab.2015.08.012>
- Mohsenatabar Firozjahi, A., & Saghafi, H. R. (2020). Review on chemical enhanced oil recovery using polymer flooding: Fundamentals, experimental and numerical simulation. *Petroleum*, 6(2), 115–122. <https://doi.org/10.1016/j.petlm.2019.09.003>
- Moradi-Araghi, A. A. al. (1987). Degradation and Stabilization of Polyacrylamides in Harsh Conditions. *SPE Reservoir Engineering*, 2(2), 189–198. <https://doi.org/10.2118/14197-PA>
- Navaie, F., Esmailnezhad, E., & Jin Choi, H. (2022). Xanthan gum-added natural surfactant solution of Chuback: A green and clean technique for enhanced oil recovery. *Journal of Molecular Liquids*, 354, 118909. <https://doi.org/10.1016/j.molliq.2022.118909>
- Olajire, A. A. (2014). Review of ASP EOR (alkaline surfactant polymer enhanced oil recovery) technology in the petroleum industry: Prospects and challenges. *Energy*, 77, 963–982. <https://doi.org/10.1016/j.energy.2014.09.005>
- Putra, B. P., & Kiono, B. F. T. (2021). Mengenal Enhanced Oil Recovery (EOR) Sebagai Solusi Meningkatkan Produksi Minyak Indonesia. *Jurnal Energi Baru Dan Terbarukan*, 2(2), 84–100. <https://doi.org/10.14710/jebt.2021.11152>
- Qiao, W., Zhang, G., Jiang, P., & Pei, H. (2023). Investigation of Polymer Gel Reinforced by Oxygen Scavengers and Nano-SiO₂ for Flue Gas Flooding Reservoir. *Gels*, 9(4). <https://doi.org/10.3390/gels9040268>
- Quadri, S. M. R., Shoaib, M., AlSumaiti, A. M., & Alhassan, S. M. (2015). Screening of Polymers for EOR in High Temperature, High Salinity and Carbonate Reservoir Conditions. In *International Petroleum Technology Conference* (p. D041S045R003). <https://doi.org/10.2523/IPTC-18436-MS>
- Rellegadla G.; Agrawal, A., S. . P. (2017). Polymers for enhanced oil recovery: Fundamentals and selection criteria. *Applied Microbiology and Biotechnology*, 101(11), 4387–4402. <https://doi.org/10.1007/s00253-017-8307-4>
- Rellegadla, S., Prajapat, G., & Agrawal, A. (2017). Polymers for enhanced oil recovery: fundamentals and selection criteria. *Applied Microbiology and Biotechnology*, 101(11), 4387–4402. <https://doi.org/10.1007/s00253-017-8307-4>
- Samanta, A., Bera, A., Ojha, K., & Mandal, A. (2012). Comparative studies on enhanced oil recovery by alkali-surfactant and polymer flooding. *Journal of*

- Petroleum Exploration and Production Technology*, 2(2), 67–74.
<https://doi.org/10.1007/s13202-012-0021-2>
- Sandengen, K., Meyssami, B., & Spildo, K. (2017). Effect of dissolved iron and oxygen on stability of hydrolyzed polyacrylamide polymers. *SPE Journal*, 22(06), 1735–1744. <https://doi.org/10.2118/181511-PA>
- Serhan, M., Sprowls, M., Jackemeyer, D., Long, M., Perez, I. D., Maret, W., Tao, N., & Forzani, E. (2019). Total iron measurement in human serum with a smartphone. *AIChE Annual Meeting, Conference Proceedings, 2019-Novem*.
<https://doi.org/10.1039/x0xx00000x>
- Seright, R. S. (2017a). How Much Polymer Should Be Injected During a Polymer Flood? Review of Previous and Current Practices. *SPE Journal*, 22(01), 1–18.
<https://doi.org/10.2118/179543-PA>
- Seright, R. S. (2017b). Polymer flooding: Status and new opportunities. *Journal of Petroleum Science and Engineering*, 159, 687–706.
<https://doi.org/10.1016/j.petrol.2017.09.031>
- Shakeel M. S.; Al-Harhi, M. A., M. . K. (2022). Effect of salinity and hardness on the rheological properties of hydrolyzed polyacrylamide solutions for enhanced oil recovery. *Polymers*, 14(3), 489. <https://doi.org/10.3390/polym14030489>
- Sheng, J. J. (2019). Enhanced Oil Recovery. In *Sustainability (Switzerland)* (Vol. 11, Issue 1). http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbe.co.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI
- Slaughter, W. S. (2010). *Stability of Polymers Used for Enhanced Oil Recovery APPROVED BY SUPERVISIG COMMITTEE* :
- SNF. (2019). Oil-30-Years-of-EOR. *Sustainability (Switzerland)*, 11(1), 1–14.
http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciurbe.co.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI
- Sorbie, K. S. (1991). *Polymer-improved oil recovery*. Blackie and Son Ltd.
<https://doi.org/10.1007/978-94-011-3044-8>
- Sorbie, K. S., & Phil, D. (1991). *Polymer-Improved Oil Recovery*.
- Sun, X., & Bai, B. (2022). Chemical enhanced oil recovery. In *Recovery Improvement* (pp. 185–279). <https://doi.org/10.1016/B978-0-12-823363-4.00003-0>
- Thomas N.; Favero, C., A. . G. (2012). Some key features to consider when studying

acrylamide-based polymers for chemical enhanced oil recovery. *Oil & Gas Science and Technology – Revue d'IFP Energies Nouvelles*, 67(6), 887–902. <https://doi.org/10.2516/ogst/2012033>

Thomas, A., Gaillard, N., & Favero, C. (2012). Some Key Features to Consider When Studying Acrylamide-Based Polymers for Chemical Enhanced Oil Recovery. *Oil and Gas Science and Technology*, 67(6), 887–902. <https://doi.org/10.2516/ogst/2012065>

Veerabhadrapa, S. K. (2011). Polymer screening criteria for EOR application - A rheological characterization approach. *SPE International Symposium on Oilfield Chemistry*. <https://doi.org/10.2118/144570-MS>

Veerabhadrapa, S. K., & Nguyen, Q. P. (2011). Evaluation of Polymer Solutions for Enhanced Oil Recovery Applications. *SPE Reservoir Evaluation & Engineering*, 14(6), 703–712. <https://doi.org/10.2118/129899-PA>

Wei L.; Rodrigue, D., B. . R.-Z. (2014). Oil displacement mechanisms of viscoelastic polymers in enhanced oil recovery (EOR): A review. *Journal of Petroleum Exploration and Production Technologies*, 4(2), 113–121. <https://doi.org/10.1007/s13202-013-0085-7>

Wellington, S. L. (1983). Biopolymer solution viscosity stabilization—Polymer degradation and antioxidant use. *Society of Petroleum Engineers Journal*, 23(6), 901–912. <https://doi.org/10.2118/9296-PA>

Zaitoun, A., Fonseca, C., Berger, P., Bazin, B., & Monin, N. (2003). New Surfactant for Chemical Flood in High-Salinity Reservoir. *SPE International Symposium on Oilfield Chemistry*, 315–325. <https://doi.org/10.2118/80237-ms>