

DAFTAR PUSTAKA

- Afrianah, N., et al. (2022). Pengaruh Temperatur Karbonisasi terhadap Karakteristik Briket Sekam Padi dan Tempurung Kelapa. *Jurnal Fisika dan Terapannya*, 9(2), 138–147.
- Anisa, H. A., Yusuf, M., & Nasir, S. (2020). Karakterisasi Batubara Jambi Untuk Peningkatan Kualitas Batubara Melalui Radiasi Gelombang Mikro. *Jurnal Pertambangan*, 4(4), 174-179.
- Antunes, F., Mota, I. F., da Silva Bungal, J., Pintado, M., Costa, P. S. (2022). A Review on the Valorization of Lignin from Sugarcane By-Products: from Extraction to Application. *Biomass and Bioenergy*, 166, 106603.
- ASTM International. (2015). Standard Test Methods for Proximate Analysis of Coal and Coke by Macro Thermogravimetric Analysis (ASTM D7582-15). *ASTM International*.
- ASTM. (1998). ASTM D388. Standard Classification of Coals by Rank. American Society for Testing and Materials. *ASTM International*.
- Bakirtzis, D., Delichatsios, M. A., Liodakis, S., & Ahmed, W. (2009). Fire retardancy impact of sodium bicarbonate on ligno-cellulosic materials. *Thermochimica Acta*, 486(1-2), 11-19.
<https://doi.org/10.1016/j.tca.2008.12.012>.
- Basu, P., Butler, J., & Leon, M. A. (2011). Biomass Co-Firing Options on the Emission Reduction and Electricity Generation Costs in Coal-Fired Power Plants. *Renewable energy*, 36(1), 282-288.
- Chen, C., Wang, X., He, Y., Weng, W., Wang, Z. (2024). Study on Ignition Characteristics of Single Biomass and Coal Particles in Ammonia Co-firing. *Journal of the Energy Institute*, 101706.
- Darmawan, A., dkk. (2020). Pengaruh Pencampuran Biomassa dan Batubara terhadap Efisiensi Pembakaran. *Jurnal Energi dan Lingkungan*, 15(2), 123-134.
- Deb, K. (2012). Optimization for engineering design: Algorithms and examples. *PHI Learning Pvt. Ltd*.
- Demirbas, A. (2004). Combustion Characteristics of Different Biomass Fuels. *Progress in Energy and Combustion Science*, 30(2), 219-230.

- Diana, S., & Syafaatullah, A. Q. (2023). Pengaruh Volatile Matter dan Zat Aditif Terhadap Stabilitas Coal Water Fuel (CWF). *Jurnal Teknologi Kimia Mineral*, 2(2), 108-110.
- Dwiaji, Y. C. (2023). Analisis Pengaruh Co-firing Biomassa Terhadap Kinerja Peralatan Boiler PLTU Batubara Unit 1 PT XYZ. *Journal of Applied Mechanical Engineering and Renewable Energy*, 3(1), 7-15.
- Erol, M., Haykiri-Acma, H., & Küçükbayrak, S. (2010). Calorific value estimation of biomass from their proximate analyses data. *Renewable Energy*, 35(1), 170–173. <https://doi.org/10.1016/j.renene.2009.05.008>
- Fadli, M., Kamal, D. M., & Adhi, P. M. (2019). Analisis Swot Untuk Direct Co-Firing Batubara Dengan Pellet Sampah Pada Boiler Tipe Cfb. *Politeknologi*, 18(3), 271-280.
- Fajarwati, D. A., Lepong, P., & Wahidah, W. (2023). Analisis Proksimat dan Ultimat Terhadap Total Sulfur dan Nilai Kalori pada Batubara (PT Geoservices Samarinda). *Geosains Kutai Basin*, 6(2), 126-136.
- Furqon, M., & Sugiyana, D. (2012). Pengaruh Karakteristik Batubara dan Proses Pembakaran pada Boiler Batubara Bubuk (Pulverized Coal) terhadap Emisi Nox di Industri Tekstil. *Arena Tekstil*, 27(1), 53805.
- Galina, N. R., Luna, C. M. R., Arce, G. L., Ávila, I. (2019). Comparative Study on Combustion and Oxy-Fuel Combustion Environments using Mixtures of Coal with Sugarcane Bagasse and Biomass Sorghum Bagasse by The Thermogravimetric Analysis. *Journal of the Energy Institute*, 92(3), 741-754. <https://doi.org/10.1016/j.joei.2018.02.008>.
- Garcia, E., Liu, H. (2022). Ilmenite as Alternative Bed Material for the Combustion of Coal and Biomass Blends in a Fluidised Bed Combustor to Improve Combustion Performance and Reduce Agglomeration Tendency. *Energy*, 239, 121913.
- Gunantara, N. (2024). Teknik Optimasi (Teori, Konsep, dan Aplikasi). *Mega Press Nusantara*.
- Guo, F., He, Y., Hassanpour, A., Gardy, J., Zhong, Z. (2020). Thermogravimetric Analysis on the Co-combustion of Biomass Pellets with Lignite and Bituminous Coal. *Energy*, 197, 117147.
- Haq, S. R., Dewi, R. M., Erfiandri, L., Kasih, P. H., & Ardian, A. (2021). COVID-19 and coal industry in Indonesia: A preliminary analysis. *Jurnal Mineral, Energi, dan Lingkungan*, 5(2), 60-65. <https://doi.org/10.31315/jmel.v5i2.6787>
- Hasanah, N., Nalaway, I. N. N., & Rulianah, S. (2021). Studi Literatur Perbandingan Produksi Crude Selulase dari Bahan Berlignoselulosa

- Untuk Pembuatan Bioetanol. *DISTILAT: Jurnal Teknologi Separasi*, 7(2), 458-469.
- Hossain, M. Z., et al. (2018). Utilization of Biomass Ash in Cement Production. *Journal of Cleaner Production*, 182, 323-332.
- Huang, C. W., Li, Y. H., Xiao, K. L., Lasek, J. (2019). Co-firing Characteristics of Coal Blended with Torrefied Miscanthus Biochar Optimized with Three Taguchi Indexes. *Energy*, 172, 566-579.
- Ibrahim, S. M., El-Sherbeeney, A. M., Shim, J. J., AlHammadi, A. A., & Abukhadra, M. R. (2021). -SO₃H-functionalization of sub-bituminous coal as a highly active acidic catalyst during the transesterification of spent sunflower oil; characterization, application, and mechanism. *Energy Reports*, 7, 8699-8710.
- Ilham, M. F., Sinaga, N. (2022). Pengaruh Co-firing Menggunakan Serbuk Gergaji Terhadap Emisi Gas Buang di Pembangkit Listrik Tenaga Uap Batubara. *REM (Rekayasa Energi Manufaktur)*, 7(2).
- Ilham, M. F., Suedy, S. W. A. (2022). Effect of Cofiring using Sawdust on Steam Coal Power Plant Heat Rate Value. *Jurnal Energi Baru dan Terbarukan*, 3(2), 121-127.
- Kamble, A. D., Saxena, V. K., Chavan, P. D., & Mendhe, V. A. (2019). Co-gasification of coal and biomass an emerging clean energy technology: Status and prospects of development in Indian context. *International Journal of Mining Science and Technology*, 29(2), 171-186.
- Kannah, R. Y., Merrylin, J., Devi, T. P., Kavitha, S., Sivashanmugam, P., Kumar, G., Banu, J. R. (2020). Food Waste Valorization: Biofuels and Value Added Product Recovery. *Bioresources Technology Reports*, 11, 100524.
- Kawiarso, K., Nuryoto, N., & Irawan, A. (2023). Pengaruh Biomassa Terhadap Efisiensi Boiler Pada Pembangkit CFB Batubara Dalam Sistem Co-firing. *Jurnal Ilmiah Wahana Pendidikan*, 9(3), 281-296.
- Kementerian Energi dan Sumberdaya Mineral. Lokasi PLTU Co-firing di Indonesia. 2024. Jakarta: Direktorat Jenderal Energi Baru Terbarukan dan Konservasi Energi.
- Kementerian Pertanian, Rekapitulasi Produksi Sisa Ampas Tebu Pabrik Gula di Indonesia. 2021. Jakarta: Direktorat Jenderal Perkebunan, Kementerian Pertanian.
- Kholid, M. N. I., & Irawan, R. D. (2024). Prarancangan Pabrik γ -Valerolactone (Gvl) dari Ampas Tebu dengan Kapasitas 15.244 Ton/Tahun. *Jurnal Tugas Akhir Teknik Kimia Universitas Lambung Mangkurat*, 7(1), 12-19.

- Kommalapati, R. R., Hossan, I., Botlaguduru, V. S. V., Du, H., Huque, Z. (2018). Life Cycle Environmental Impact of Biomass Co-firing with Coal at A Power Plant in the Greater Houston Area. *Sustainability*, 10(7), 2193.
- Kong, G. T. (2013). Peran Biomassa bagi Energi Terbarukan. *Elex Media Komputindo*.
- Kumar, A., Kumar, V., & Singh, B. (2021). Cellulosic and Hemicellulosic Fractions of Sugarcane Bagasse: Potential, Challenges and Future Perspective. *International Journal of Biological Macromolecules*, 169, 564-582.
- Kurniawan, A., Abe, K., Nomura, T., Akiyama, T. (2018). Integrated Pyrolysis–Tar Decomposition Over Low-Grade Iron Ore for Ironmaking Applications: Effects of Coal–Biomass Fuel Blending. *Energy & Fuels*, 32(1), 396-405.
- Leko, B. B., Noor, N. A., Usman, U. (2021). Analisis Potensi Ampas Tebu Sebagai Pembangkit Listrik Biomassa Di Pabrik Gula Takalar. In *Seminar Nasional Teknik Elektro dan Informatika (SNTEI)* (pp. 12-16).
- Li, Y., Xing, X., Ma, P., Zhang, X., Wu, Y., & Huang, L. (2020). Effect Of Alkali And Alkaline Earth Metals On Co-Pyrolysis Characteristics Of Municipal Solid Waste And Biomass Briquettes. *Journal of Thermal Analysis and Calorimetry*, 139, 489-498. and heat generation. *Circular Economy*, 100063.
- Mason, P. E., Darvell, L. I., Jones, J. M., & Williams, A. (2016). Observations on the Release of Gas-phase Potassium during the Combustion of Single Particles of Biomass. *Fuel*, 182, 110-117.
- McKendry, P. (2002). Energy Production from Biomass (part 1): Overview of Biomass. *Bioresource Technology*, 83(1), 37-46.
- Mo, W., Du, K., Sun, Y., Guo, M., Zhou, C., You, M., Xiang, J. (2023). Technicaleconomic-environmental Analysis of Biomass Direct and Indirect Co-firing in Pulverized Coal Boiler in China. *Journal of Cleaner Production*, 426, 139119.
- Mohamed, A., Coşkun, T., & Ghareeb, A. (2024). Enhancing lignite coal quality with biomass waste in slow pyrolysis Fischer-Tropsch reactor. *Journal of Engineering Research*. <https://doi.org/10.1016/j.jer.2024.06.020>.
- Mortari, D. A., Torquato, L. D., Crespi, M. S., Crnkovic, P. M. (2018). Co-firing of blends of sugarcane bagasse and coal: Thermal and kinetic behaviors. *Journal of Thermal Analysis and Calorimetry*, 132, 1333-1345.

- Nurhayati, A. D., Aryanti, E., Saharjo, B. H. (2010). Kandungan Emisi Gas Rumah Kaca pada Kebakaran Hutan Rawa Gambut di Pelalawan Riau. *Jurnal Ilmu Pertanian Indonesia*, 15(2), 78-82.
- Nurkhamim., Poetranto, D., Purwanta, J., Wardani. R. (2023). Pemanfaatan Batubara dan Limbah Abu Batubara. LPPM Universitas Pembangunan Nasional “Veteran” Yogyakarta. http://eprints.upnyk.ac.id/41885/1/BUKU%20LENGKAP_Pemanfaatan%20Batubara%20dan%20Limbah%20Abu%20Batubara.pdf.
- Obernberger, I., & Thek, G. (2004). Physical Characterisation and Chemical Composition of Densified Biomass Fuels with Regard to Their Combustion Behaviour. *Biomass and Bioenergy*, 27(6), 653-669.
- Papilo, P. (2015). Penilaian Potensi Biomassa sebagai Alternatif Energi Kelistrikan. *Jurnal Pasti*, 9(2), 164-176.
- Paramitha, T., Saputra, T. R., Aliah, A. N., Tarigan, A. V., & Ghazali, M. (2019). Karakterisasi Silika Dari Abu Ampas Tebu. KOVALEN: *Jurnal Riset Kimia*, 5(3), 290-298.
- Parshetti, G. K., Quek, A., Bertha, R., Balasubramanian, R. (2014). TGA-FTIR Investigation of Co-combustion Characteristic of Blends of Hydrothermally Carbonized Oil Palm Biomassa (EFB) and Oil. *Fuel Processing Technology*, 118, 228-234.
- Perez Jeldres, R., Cornego, P., Flores, M., Gordon, A., Garcia, X. (2017). A Modeling Approach to Co-firing Biomass/Coal Blends in Pulverized Coal Utility Boiler: Synergistic Effects and Emissions Profiles. *Energy*, 120, 663-674.
- Prabawa, I. D. G. P. (2018). Effects of Biomass Moisture Content and Process Temperature on Biopellet Quality Derived from Rubber Seed Shell and Ater Bamboo (*Gigantochloa atter*). *Indonesian Journal of Industrial Research*, 10(2), 63-74.
- Pradana, M. Z., Wijaya, A. E. (2022). Analisis Quality Control Batubara Di Stockpile PT. Kuansing Inti Makmur. *Jurnal Penambangan*, 2549-1008.
- Pu, Y., Wang, H., Wang, X., Lim, M., Yao, B., Yang, H., Lou, C. (2024). Experimental Study of the Influence of Synergistic Effects on the Co-firing Characteristics of Biomass and Coal. *Journal of the Energy Institute*, 101687.
- Putra, A. R., & Wijaya, H. (2022). Analisis Dampak Kadar Air Batubara terhadap Kinerja Boiler pada PLTU. *Jurnal Teknologi Energi*, 11(2), 99-107.
- Qiao, Y., Chen, Z., Wu, X., & Li, Z. (2023). Investigation on Co-combustion of Semi-coke and Bituminous Coal in Oxygen-enriched Atmosphere:

- Combustion, Thermal Conversion, and Kinetic Analyses. *Energy*, 269, 126816.
- Rao, S. S. (2019). Engineering optimization: theory and practice. *John Wiley & Sons*.
- Restrepo, A., Bazzo, E. (2016). Co-firing: An Exergoenvironmental Analysis Applied to Power Plants Modified for Burning Coal and Rice Straw. *Renewable Energy*, 91, 107-119.
- Ridlo, D. T., Styana, U. I. F., & Haq, I. H. (2023). Karakteristik Biobriket Ampas Tebu Pt. Madubaru Pg Madukismo Yogyakarta. *Jurnal Rekayasa Lingkungan*, 23(1). <https://doi.org/10.37412/jrl.v23i1.166>.
- Rizal, S., Faisal, M., Yuliwati, E. (2020). Tungku Gasifikasi untuk Produksi Gas Metal dari Ampas Tebu. *Jurnal Inovator*, 3(1), 33-39.
- Ruchjana, B. N., Falah, A. N., Rusyaman, E., & Hamid, N. (2019). Prediksi Nilai Fixed Carbon Sebagai Variabel Dalam Kualitas Batubara Dengan Metoda Ordinary Point Kriging Menggunakan Aplikasi R. *Buletin Sumber Daya Geologi*, 14(2), 127-141.
- Sari, D. R., & Aminah, S. (2020). Pengaruh Temperatur Aktivasi terhadap Karakteristik Briket Arang Aktif Sekam Padi. *Jurnal Optimasi Proses*, 8(3), 39-46.
- Sidiq, A. N. (2022). Pengaruh Co-firing Biomassa Terhadap Efisiensi Boiler PLTU Batubara. *Kilat*, 11(1), 21-31.
- Simanjuntak, J. P. (2023). Metode Pembangkit Listrik Tenaga Biomassa Non Fosil.
- Speight, J. G. (2012). The chemistry and technology of coal. *CRC press*.
- Suganal, S., Hudaya, G. K. (2019). Bahan Bakar Co-firing dari Batubara dan Biomassa Tertorefaksi dalam Bentuk Briket (Skala Laboratorium). *Jurnal Teknologi Mineral dan Batubara*, 15(1), 31-48.
- Sukandarrumidi. (2005). Batubara dan Gambut. *Gajah Mada University Press, Yogyakarta*.
- Sukandarrumidi. (2009). Batubara dan Pemanfaatannya. *Gajah Mada University Press, Yogyakarta*.
- Suleman, N., & Paputungan, M. (2019). Esterifikasi dan Transesterifikasi Stearin Sawit untuk pembuatan biodiesel. *Jurnal Teknik*, 17(1), 66-77.
- Sun, P., Wang, C., Zhang, M., Cui, L., & Dong, Y. (2023). Ash Problems and Prevention Measures in Power Plants Burning High Alkali Fuel: Brief

Review and Future Perspectives. *Science of The Total Environment*, 165985.

- Suparnawati, S., Harlia, H., Warsidah, W., & Aritonang, A. B. (2021). Produksi Dan Karakterisasi Biochar Ampas Tebu (*Saccharum Officinarum* Linn) Production And Charaterization Of Bagasse Biochar (*Saccharum officinarum* Linn). *Indonesian Journal of Pure and Applied Chemistry*, 4(2), 91-101.
- Sutarno, B., dkk. (2019). Analisis Kadar Abu pada Pembakaran Biomassa dan Dampaknya terhadap Efisiensi Energi. *Jurnal Teknik Pembakaran*, 10(1), 45-58.
- Talla, H., Amijaya, H., Harijoko, A., & Huda, M. (2013). Karakteristik Batubara dan Pengaruhnya terhadap Proses Pencairan. *Reaktor*, 14(4), 267-271.
- Tarigan, M, Z, P., Bahri, S., Mulyawan., Jalaluddin., Muarif, A. (2023). Pemanfaatan Limbah Ampas Tebu untuk Pembuatan Arang Briket dengan Menggunakan Bahan Perekat Lem K dan Tepung Beras Ketan. *Chemical Engineering Journal Storage*, 3(6), 798-809.
- Ulfaniyah, N. I., & Burhan, R. P. (2014). Karakterisasi Geokimia Organik Batubara Samarinda, Kalimantan Timur. *Jurnal Berkala Ilmiah Sains dan Terapan Kimia*, 8(2), 57-68.
- Ulhaq, I, D., Nurhadi, N., Sriyanti, S. (2021). Proses Pembakaran Menggunakan Co-firing Sistem Fluidized Bed dengan Pencampuran antara Batubara dan Kayu Lamtoro sebagai Energi Baru Terbarukan untuk Bahan Bakar PLTU ABC. *Prosiding Teknik Pertambangan*, 7(1), 116-125.
- Usman, T., Abicho, S., Meshesha, D., & Adam, G. (2022). Froth flotation beneficiation and physiochemical characterization of coal from Achibo-Sombo-Dabaso area, southwestern Ethiopia. *Heliyon*, 8(11).
- Valdes, C. F., Chejne, F., Marrugo, G., Macias, R. J., Gómez, C. A., Montoya, J. I., ... & Arenas, E. (2016). Co-gasification of sub-bituminous coal with palm kernel shell in fluidized bed coupled to a ceramic industry process. *Applied Thermal Engineering*, 107, 1201-1209. <https://doi.org/10.1016/j.applthermaleng.2016.07.086>.
- Vamvuka, D., & Kakaras, E. (2011). Ash properties and environmental impact of various biomass and coal fuels and their blends. *Fuel Processing Technology*, 92(3), 570-581. <https://doi.org/10.1016/j.fuproc.2010.11.013>.
- Varapiang, T., Rangton, N., Nukkhong, W., Wises, P., Piumsomboon, P., Piemjaiswang, R., Chalermssinsuwan, B. (2023). Digital Twin of Biomass/coal Co-Firing Circulationg Fluidized Bed Boiler by Using Computational Fluid Dynamics Simulation. *Energy Reports*, 9, 6-9.

- Wahyudi, D. (2013). Kecepatan Api Premix Penyalaan atas Campuran Stoikiometri dan Nitrogen. *Energy-Jurnal Ilmiah Ilmu-ilmu Teknik*, 3(2).
- Wahyudiono, B. T., (2003). Pengaruh Posisi Stratigrafi terhadap Mutu Batubara Formasi Warukin sebagai Energi Panas Kontak Langsung. (Tesis, Universitas Gadjah Mada, Yogyakarta).
- Wang, H., Tian, Y., Chen, X., Li, J. (2020). Kinetic and Synergetic Effect Analysis of the Co-combustion of Coal Blended with Polyurethane Materials. *ACS omega*, 5(40), 26005-26014.
- Wang, Q., Liu, L., Chen, M., Yang, X., Liu, J., Tu, Y., Wang, S. (2024). Comprehensive Experimental Investigations on Co-combustion Dynamics and Multi-pollutant Formation Characteristics of Coal Gangue and Biomass in Oxy-fuel Atmosphere. *Case Studies in Thermal Engineering*, 58, 104398.
- Wardani, F. K., & Ariani, A. (2023). Studi Karakteristik Briket Campuran Used Carbon dan Sludge Industri Bioteknologi dengan Analisa Proksimat dan Nilai Kalor. *Distilat: Jurnal Teknologi Separasi*, 9(4), 606-615.
- Wilastari, S., & Hidayat, T. N. (2021). Pencegahan Kerak dan Korosi Umpan Ketel Uap Di PG Mojo Sragen. *Jurnal Sains Teknologi Transportasi Maritim*, 3(1), 41-47.
- Winaya, S., Susila, I. N. D., & Agung, I. B. (2010). Co-firing Sistem Fluidized Bed Berbahan Bakar Batubara dan Ampas Tebu. *Jurnal Energi dan Manufaktur*, 4(2), 180-188.
- Windiarti, R. Y. P., Erlinawati, E., & Zikri, A. (2022). Pengaruh Variabel Proses dan Penambahan Cangkang Kelapa Sawit Terhadap Karakteristik Biopelet Serbuk Gergaji. *Jurnal Distilasi*, 7(1), 41-51.
- Yadav, S., Yadav, P. S. (2017). Analysis of Performance of Coal Fired Boiler in Thermal Power Plant. *Advance Physics Letter*, 4(1-2), 5-14.
- Yang, H., Yan, R., Chen, H., Lee, D. H., & Zheng, C. (2007). Characteristics of Hemicellulose, Cellulose and Lignin Pyrolysis. *Fuel*, 86(12-13), 1781-1788.
- Yuliah, Y., et al. (2015). Penentuan Kadar Air Hilang dan Volatile Matter pada Bio-Briket dari Campuran Arang Sekam Padi dan Arang Tempurung Kelapa. *Jurnal Ilmu dan Inovasi Fisika*, 1(2), 51–56.
- Yuliarita, E. (2011). Pengaruh Kadungan Logam dalam Minyak Solar 48 terhadap Pembentukan Deposit pada Komponen Ruang Bakar Mesin Diesel Statis (Genset). *Lembaran publikasi minyak dan gas bumi*, 45(3), 231-241.

- Yuniarti, D. P., & Efrinalia, W. (2018). Pengaruh jumlah ragi dan waktu fermentasi pada pembuatan bioetanol dengan bahan baku ampas tebu. *Jurnal Redoks*, 3(2), 1-12.
- Zaman, M. R., & Suedy, S. W. A. (2020). Pemanfaatan Batubara Kalori Rendah pada IGCC (Integrated Gasification Combined Cycle). In *Jurnal Energi Baru dan Terbarukan* (Vol. 1, Issue 1, p. 35). <https://doi.org/10.14710/jebt.2020.11156>
- Zhan, Z., Xia, P., Xia, D., & Hu, Y. (2025). Multi-Objective optimization in the construction of steel-concrete composite columns with carbon emission considerations: Pareto front development and decision-making. *Ain Shams Engineering Journal*, 16(2), 103283. <https://doi.org/10.1016/j.asej.2025.103283>
- Zhang, R., Lei, K., Ye, B., Cao, J., & Liu, D. (2018). Combustion characteristics and Synergy Behaviors of biomass and Coal Blending in Oxy-fuel Conditions: A Single Particle Co-combustion Method. *Science China Technological Sciences*, 61, 1723-1731.
- Zhang, Y., Jia, W., Wang, R., Guo, Y., Guo, F., Wu, J., & Dai, B. (2021). Investigation of the Characteristics of Catalysis Synergy During Co-combustion for Coal Gasification Fine Slag with Bituminous Coal and Bamboo Residue. *Catalysts*, 11(10), 1152.