

DAFTAR ISI

	Halaman
HALAMAN JUDUL.....	i
LEMBAR PENGESAHAN	iii
PERNYATAAN KEASLIAN KARYA ILMIAH.....	iv
HALAMAN PERSEMBAHAN.....	v
PRAKATA	vi
ABSTRAK	vii
<i>ABSTRACT</i>	viii
DAFTAR ISI.....	ix
DAFTAR GAMBAR.....	xi
DAFTAR LAMPIRAN	xiv
DAFTAR SINGKATAN DAN LAMBANG	xv
BAB I PENDAHULUAN.....	1
1.1. Latar Belakang	1
1.2. Rumusan Masalah	2
1.3. Tujuan	2
1.4. Batasan Masalah.....	3
1.5. Lokasi Penelitian.....	3
1.5.1. Tinjauan Geografis Lapangan.....	3
1.5.2. Statigrafi regional cekungan jawa timur	4
1.6. Luaran penelitian.....	7
1.7. Manfaat penelitian.....	8
BAB II TINJAUAN PUSTAKA DAN LANDASAN TEORI.....	9
2.1. Tinjauan Pustaka	9
2.2. Perencanaan <i>Casing</i>	9
2.2.1. Fungsi <i>Casing</i>	10
2.2.2. Klasifikasi <i>Casing</i>	11
2.2.3. Faktor-Faktor Yang Mempengaruhi Desain <i>Casing</i>	13
2.2.4. <i>Casing Setting Depth</i>	15
2.2.5. Spesifikasi <i>Casing</i>	20

DAFTAR ISI

(Lanjutan)

	Halaman
2.2.6. Pembebanan Pada <i>Casing</i>	25
2.2.7. <i>Internal Yield Pressure</i>	29
2.2.8. <i>Maximum Collapse Resistance</i>	30
2.2.9. <i>Joint Strength</i>	30
2.3. Perhitungan <i>Design Casing</i>	31
2.3.1. Perencanaan <i>Desain Casing</i>	31
2.3.2. <i>Metode Maximum Load</i>	32
2.4. <i>Software Stresscheck</i>	38
2.4.1 <i>Analisa Stress Check</i>	39
BAB III METODOLOGI PENELITIAN	41
3.1. Metode Penelitian	41
3.2. Tahapan Penelitian	41
BAB IV EVALUASI DESAIN CASING PADA SUMUR “AZ-14”	44
4.1. Data Sumur “AZ-14”	44
4.2. Desain <i>Casing</i> pada Sumur “AZ-14”	45
4.2.1. <i>Surface Casing</i> 20” @987 ft TVD	45
4.2.2. <i>Casing (Intermediate I)</i> 13 3/8” @4702 ft MD	
4.2.3. <i>(Intermediate Casing II)</i> 9 5/8” @6600 ft MDt TVD	56
4.2.4. <i>Production Liner</i> 7” @7400 ft MD/@6638 ft TVD	62
4.3. Evaluasi <i>Grade Casing</i> Setiap Trayek Sumur “AZ-14”	65
4.4. Perbandingan <i>Safety Factor</i> Setelah Evaluasi	67
4.5.1. <i>Surface Casing</i> 20” @987 ftMD	69
4.5.2. <i>(Intermediate 1) Casing</i> @4702 ftMD	70
4.5.3. <i>(intermediate II) Casing</i> @6600 ftMD	71
4.5.4. <i>Production Liner</i> @7402 ftMD	72
4.5. Perhitungan Biaya <i>Casing</i>	73
BAB V PEMBAHASAN	75
BAB VI KESIMPULAN DAN SARAN	81
DAFTAR PUSTAKA	83
LAMPIRAN	85

DAFTAR GAMBAR

	Halaman
Gambar 1. 1. Peta Lokasi Sumur AZ-14.....	3
Gambar 1. 2. Statigrafi Cekungan Jawa Timur.....	5
Gambar 2. 1. Casing Pemboran.....	13
Gambar 2. 2. Casing Setting Depth	19
Gambar 2. 3. Casing String Size.....	20
Gambar 2. 4. Dimensi Dari Tipe Sambungan Round Thread.....	24
Gambar 2. 5 Dimensi Dari Tipe Sambungan Buttress Thread	24
Gambar 2. 6. Extreme-Line Thread Coupling	25
Gambar 2. 7. Burst Pressure	26
Gambar 2. 8. Collapse Pressure.....	26
Gambar 2. 9. Kurva Ellips Beban Biaxial	28
Gambar 2. 10. Triaxial stress.....	29
Gambar 2. 11. Analisa Biaxial stress	36
Gambar 2. 12. Tabel Harga X dan Y Collapse Rating.....	37
Gambar 2. 13 Biaxial stress.	38
Gambar 2.14. Design Limit.....	40
Gambar 3.1. Diagram Alir Penelitian	43
Gambar 4.1. Trajectory planning sumur AZ-14.....	44
Gambar 4.2. Burst Design Surface Casing 20” Section.....	48
Gambar 4.3. Collapse Design Surface 20” Section.....	48
Gambar 4.4. tension Load Surface Casing 20” Section.....	49
Gambar 4.5. Biaxial Load Surface Casing 20” Section.....	50
Gambar 4.6. Burst Design Intermediate I Casing 13 3/8” Section	54
Gambar 4.7. Collapse Design Intermediate I 13 3/8” Section	54
Gambar 4.8. tension Load Surface Intermediate I 13 3/8” Section	55
Gambar 4.9. Biaxial Load Intermediate I Casing 13 3/8” Section.....	56
Gambar 4.10. Burst Design Intermediate II Casing 9 5/8” Section	59
Gambar 4.11. Collapse Design Intermediate II 9 5/8” Section.....	60

DAFTAR GAMBAR

(Lanjutan)

	Halaman
Gambar 4.12. tension Load Surface Intermediate II 9 5/8" Section	61
Gambar 4.13. Biaxial Load Intermediate II Casing 9 5/8" Section	62
Gambar 4.14. Burst Design Production Liner 7" Section	65
Gambar 4.15. Collapse Design Production Liner 7" Section	65
Gambar 4.16. Keterangan Parameter Pada Design Limit	69
Gambar 4.17. Design Plot K-55, 94 ppf.....	69
Gambar 4.18. Design Limit K-55, 94 ppf.....	70
Gambar 4.19. Design Plot K-55, 68 ppf.....	70
Gambar 4.20. Design Limit K-55, 68 ppf.....	71
Gambar 4.21. Design Plot L-80, 40 ppf.....	71
Gambar 4.22. Design Limit L-80, 40 ppf.....	72
Gambar 4.23. Design Plot L-80, 23 ppf.....	72
Gambar 4.24. Design Limit L-80, 23 ppf.....	73

DAFTAR TABEL

	Halaman
Tabel 2. 1. Letak Kedalaman Surface Casing oleh SWB USA	16
Tabel 2. 2. Karakteristik Casing API Grade.....	21
Tabel 2. 3. Karakteristik Casing Non-API Grade.....	22
Tabel 2. 4. Panjang Joint Standar API.....	23
Tabel 2. 5. Angka Keselamatan.....	30
Tabel 2. 6. Parameter Stress Check.....	39
Tabel 4. 1. Data Sumur AZ-14.....	44
Tabel 4. 2. Pemilihan Surface Casing 20” Section	66
Tabel 4. 3. Pemilihan Intermediate I 13 3/8” Section.....	66
Tabel 4. 4. Pemilihan Intermediate II 9 5/8” Section.....	67
Tabel 4. 5. Pemilihan Production Liner 7” Section	67
Tabel 4. 6. Hasil Safety Factor Desain Casing Aktual.....	67
Tabel 4. 7. Hasil Safety Factor Desain Casing Setelah Evaluasi	67
Tabel 4. 8. Biaya Desain Casing Sumur AZ-14 Sebelum di Optimasi	74
Tabel 4. 9. Biaya Desain Casing Sumur AZ-14 Setelah di Evaluasi	74

DAFTAR LAMPIRAN

	Halaman
Lampiran A. Data PPFG Sumur “AZ-14”	86
Lampiran B. Data Casing Sumur “AZ-14”	86
Lampiran C. Well Schematic Sumur “AZ-14”	86