

DAFTAR PUSTAKA

- Ardi, R. D. W., Aswan, Maryunani, K. A., Yulianto, E., Putra, P. S., Nugroho, S. H., & Istiana. (2020). Last Deglaciation—Holocene Australian-Indonesian Monsoon Rainfall Changes Off Southwest Sumba, Indonesia. *Atmosphere*, 11(9), 932.
- Aribowo, S., Handayani, L., Hananto, N. D., Gaol, K. L., Syuhada, S., & Anggono, T. (2014). Deformasi Kompleks Di Pulau Simeulue, Sumatra: Interaksi Antara Struktur Dan Diapirisme. *Jurnal Riset Geologi dan Pertambangan*, 24(2), 131-144.
- Auliair N, R., Jurnaliah, L, & Winantris. (2020). Foraminifera Planktonik Sebagai Penciri Paleotemperatur: Studi Kasus Pada Lintasan Sungai Kenteng, Desa Kenteng, Kabupaten Kebumen, Jawa Tengah. *Geoscience Journal*, 4(6), 489-497.
- Barker, R.W. (1960) Taxonomic notes on the species figured by H. B. Brady in his report on the foraminifera dredged by H.M.S. Challenger during the years 1873-1876. *The Society of Economic Paleontology and Mineralogist Special Publication*, 9, 1-238.
- Blott, S. J., & Pye, K. (2001). GRADISTAT: A grain size distribution and statistics package for the analysis of unconsolidated sediments. *Earth Surface Processes and Landforms*, 26(11), 1237–1248.
- Blow, W. H. (1969). Late Middle Eocene to Recent planktonic foraminiferal biostratigraphy. In *Proceedings of the first international conference on planktonic microfossils* (Vol. 1, pp. 199-422).
- Boersma, A. (1998). Foraminifera. In *Introduction to marine micropaleontology* (pp. 19-77). Elsevier Science BV.
- Boggs, S. Jr. (2006). *Principles of Sedimentology and Stratigraphy. 4th Edition*, Pearson Education Inc., Upper Saddle River, 662 p.
- Boltovskoy, E. & Wright, R. (1976). *Recent Foraminifera*, Springer Science Business Media, 127.
- Borzenkova, I., Zorita, E., Borisova, O., Kalniņa, L., Kisielienė, D., Koff, T., ... & Subetto, D. (2015). Climate change during the Holocene (past 12,000 years). *Second assessment of climate change for the Baltic Sea basin*, 25-49. Springer.
- Bradley, R. S., & Jonest, P. D. (1993). 'Little Ice Age' summer temperature variations: their nature and relevance to recent global warming trends. *The Holocene*, 3(4), 367-376.

- Bradley, R.S. (2015). *Paleoclimatology: Reconstructing Climates of the Quaternary*, Third Edition. Elsevier.
- Brouwer, P. (2010). Theory of XRF. *PANalytical BV*, 59.
- Chabangborn, A., Punwong, P., Phountong, K., Nudnara, W., Yoojam, N., Sainakum, A., ... & Sompongchaiyakul, P. (2020). Environmental changes on the west coast of the Gulf of Thailand during the 8.2 ka event. *Quaternary International*, 536, 103-113.
- Chauhan, M. S., Kumar, K., Quamar, M. F., & Sharma, A. (2013). Correlation of data on loss-on-ignition and palynology for Late Quaternary climate change in southwestern Madhya Pradesh, India. *Current Science (00113891)*, 104(3).
- Chua, S., Switzer, A. D., Li, T., Chen, H., Christie, M., Shaw, T. A., ... & Horton, B. P. (2021). A new Holocene sea-level record for Singapore. *The Holocene*, 31(9), 1376-1390.
- Damayanti, A. (2013). Analisis zone agroekologi untuk strategi pengelolaan DAS berkelanjutan. *Jurnal Geografi*, 5(1), 1-16.
- Das, G. K. (2016). Sediment grain size. In *Encyclopedia of estuaries* (pp. 555-558). Springer, Dordrecht.
- Dommain, R., Couwenberg, J., & Joosten, H. (2011). Development and carbon sequestration of tropical peat domes in south-east Asia: links to post-glacial sea-level changes and Holocene climate variability. *Quaternary Science Reviews*, 30(7-8), 999-1010.
- Easterbrook, D. J. (2011). Geologic evidence of recurring climate cycles and their implications for the cause of global climate changes—The past is the key to the future. *Evidenced-based Climate Science*, 3-51.
- Endharto, M., & Sukido. (1994). *Peta Geologi Lembar Sinabang, Sumatra*. Pusat Penelitian dan Pengembangan Geologi, Bandung.
- Folk, R.L. & Ward, W.C. (1957). A Study in the Significance of Grain-Size Parameters. *Journal of Sedimentary Petrology*, 27, 3-26.
- Gao, S., & Collins, M. (2001). The use of grain size trends in marine sediment dynamics: a review. *Chinese Journal of oceanology and Limnology*, 19(3), 265-271.
- Gregory, B. R., Peros, M., Reinhardt, E. G., & Donnelly, J. P. (2015). Middle-late Holocene Caribbean aridity inferred from foraminifera and elemental data in sediment cores from two Cuban lagoons. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 426, 229-241.

- Haug, G. H., Hughen, K. A., Sigman, D. M., Peterson, L. C., & Rohl, U. (2001). Southward migration of the intertropical convergence zone through the Holocene. *Science*, 293(5533), 1304-1308.
- Heiri, O., Lotter, A. F., & Lemcke, G. (2001). Loss on ignition as a method for estimating organic and carbonate content in sediments: reproducibility and comparability of results. *Journal of paleolimnology*, 25, 101-110.
- Hemming, S. R. (2007): Terrigenous sediments, Paleooceanography, Physical and Chemical Proxies, *Elsevier B.V.*, 1776 – 1786.
- Herho, S. H. S. (2017). *Paleoklimatologi untuk pemula*. Bandung: Perkumpulan Studi Ilmu Kemasyarakatan ITB.
- Hoek, W. Z., & Bos, J. A. (2007). Early Holocene climate oscillations—causes and consequences. *Quaternary Science Reviews*, 26(15-16), 1901-1906.
- Horton, B. P., Gibbard, P. L., Mine, G. M., Morley, R. J., Purintavaragul, C., & Stargardt, J. M. (2005). Holocene sea levels and palaeoenvironments, Malay-Thai Peninsula, southeast Asia. *The Holocene*, 15(8), 1199-1213.
- Ingle, J. C. Jr., (1980). Cenozoic Paleobathymetry and Depositional History of Selected Sequences within the Southern California Continental Borderland. *Cushman Foundation Special Publication*, vol. 19, Memorial to Orville L. Bandy, pp. 163-195.
- Keller, G. (1985). Depth stratification of planktonic foraminifers in the Miocene ocean. *Geological Society of America*.
- Kilhamn, H., Couchoud, I., Drysdale, R. N., Rossi, C., Hellstrom, J., Arnaud, F., & Wong, H. (2022). The 8.2 ka event in northern Spain: timing, structure and climatic impact from a multi-proxy speleothem record. *Climate of the Past*, 18(10), 2321-2344.
- Kissel, C., Laj, C., Kienast, M., Bolliet, T., Holbourn, A., Hill, P., ... & Braconnot, P. (2010). Monsoon variability and deep oceanic circulation in the western equatorial Pacific over the last climatic cycle: Insights from sedimentary magnetic properties and sortable silt. *Paleoceanography*, 25(3).
- Kuhnert, H., Kuhlmann, H., Mohtadi, M., Meggers, H., Baumann, K. H., & Pätzold, J. (2014). Holocene tropical western Indian Ocean sea surface temperatures in covariation with climatic changes in the Indonesian region. *Paleoceanography*, 29(5), 423-437.
- Lamy, F., Hebbeln, D., Röhl, U., & Wefer, G. (2001). Holocene rainfall variability in southern Chile: a marine record of latitudinal shifts of the Southern Westerlies. *Earth and Planetary Science Letters*, 185(3-4), 369-382.
- Li, T., Chua, S., Tan, F., Khan, N. S., Shaw, T. A., Majewski, J., ... & Horton, B. P. (2023). Glacial Isostatic Adjustment modelling of the mid-Holocene sea-

- level highstand of Singapore and Southeast Asia. *Quaternary Science Reviews*, 319, 108332.
- Mann, M. E. (2002). Little ice age. *Encyclopedia of global environmental change*, 1(504), e509.
- Mann, M. E. (2002). Medieval Climatic Optimum. In M. C. MacCracken & J. S. Perry (Eds.), *Encyclopedia of Global Environmental Change: Vol. 1. The Earth System: Physical and Chemical Dimensions of Global Environmental Change* (pp. 514–516). Chichester: John Wiley & Sons.
- Maslin, M. A. (2009). Quaternary climate transitions and cycles. In S. A. Elias (Ed.), *Encyclopedia of Quaternary Science* (Vol. 2, pp. 190–201). Springer, Dordrecht.
- McKay, N. P., Kaufman, D. S., Arcusa, S. H., Kolus, H. R., Edge, D. C., Erb, M. P., ... & Telles, F. (2024). The 4.2 ka event is not remarkable in the context of Holocene climate variability. *Nature communications*, 15(1), 6555.
- Mollier-Vogel, E., Leduc, G., Bösch, T., Martinez, P., & Schneider, R. R. (2013). Rainfall response to orbital and millennial forcing in northern Peru over the last 18 ka. *Quaternary Science Reviews*, 76, 29-38.
- Nesbitt, H. W., Markovics, G., dan Price, R. C. (1980): Chemical Processes Affecting Alkalis and Alkaline Earths During Continental Weathering, *Geochimica et Cosmochimica Acta*, 44, 1659-1666.
- Nugroho, S. H. (2018). Sedimen Laut Sebagai Proxy Dalam Menentukan Dinamika Iklim di Masa Lampau. *Oseana*, 43(3), 1-15.
- Nugroho, S. H., & Putra, P. S. (2017). Spatial distribution of grain size and depositional process in tidal area along Waikelo Beach, Sumba. *Marine Georesources & Geotechnology*, 36(3), 299-307.
- Nugroho, S. H., & Putra, P. S. (2019). Karakteristik sebaran besar butir endapan pantai Pulau Sumba, Nusa Tenggara Timur berdasarkan data ukuran butir dan geokimia. *Jurnal Geologi dan Sumberdaya Mineral*, 20(3), 153-164.
- Nugroho, S. H., Zaim, Y., Yulianto, E., Rizal, Y., Kurniasih, A., Putra, P. S., ... & Amar, A. (2021). A preliminary study in vertical distribution of planktonic foraminifera and marine ecological conditions of Simeulue sub-basin, Aceh, Indonesia. *Bulletin of the Geological Society of Malaysia*, 72, 137–149.
- Ön, Z. B., Greaves, A. M., Akçer-Ön, S., & Özeren, M. S. (2021). A Bayesian test for the 4.2 ka BP abrupt climatic change event in southeast Europe and southwest Asia using structural time series analysis of paleoclimate data. *Climatic Change*, 165(1), 7.

- Pamungkas, A. D. G. (2018). *Karakteristik Sedimen dan Analisis Paleoklimat Pada Kala Holosen dan Pleistosen di Perairan Barat Sumatra*. (Undergraduate thesis). Institut Teknologi Bandung, Bandung.
- Parker, S. E., & Harrison, S. P. (2022). The timing, duration and magnitude of the 8.2 ka event in global speleothem records. *Scientific Reports*, 12(1), 10542.
- Passega, R. (1964). Grain size representation by CM patterns as a geologic tool. *Journal of Sedimentary Research*, 34(4), 830-847.
- Pradesh, M., Mf, Q., & Sharma, A. (2013): Correlation of data on loss-on-ignition and palynology for Late Quaternary climate change in southwestern Madhya Pradesh, India, *Current Science*, 104 (3), 209–301.
- Pringgoprawiro, H. & Kapid, R. (2000). *Foraminifera: Pengenalan Mikrofosil dan Aplikasi Biostratigrafi*. Institut Teknologi Bandung: Bandung.
- Puteri, W. E. M. (2021). *Rekonstruksi Paleoklimat Dan Paleoseanografi Berdasarkan Multiproksi Pada Pleistosen Akhir-Holosen di Perairan Kepulauan Simeulue, Aceh*. (Unpublished master's thesis). Institut Teknologi Bandung, Bandung.
- Putra, A. B. W. (2020). *Identifikasi Dinamika Paleoklimat dan Paleoseanografi Pada Pleistosen Akhir Holosen di Perairan Barat Sumatra*. (Undergraduate thesis). Institut Teknologi Bandung, Bandung.
- Renssen, H., Seppä, H., Crosta, X., Goosse, H., & Roche, D. M. (2012). Global characterization of the Holocene thermal maximum. *Quaternary Science Reviews*, 48, 7-19.
- Roland, T. P., Caseldine, C. J., Charman, D. J., Turney, C. S. M., & Amesbury, M. J. (2014). Was there a '4.2 ka event' in Great Britain and Ireland? Evidence from the peatland record. *Quaternary Science Reviews*, 83, 11–27.
- Rothwell, R. G., & Croudace, I. W. (2015). Twenty years of XRF core scanning marine sediments: What do geochemical proxies tell us?. *Micro-XRF studies of sediment cores: Applications of a non-destructive tool for the environmental sciences*, 25-102.
- Saraswat, R. (2015). Non-destructive foraminiferal paleoclimatic proxies: A brief insight. *Proceedings Indian National Science Academy*. 81(2), 381 395.
- Sarmiento, J. L., & Gruber, N. (2006). *Ocean Biogeochemical Dynamics*. Princeton University Press.
- Sembiring, T. B., Irmawati, Sabir, M., & Tjahyadi, I. (2024). *Buku Ajar Metodologi Penelitian (Teori Dan Praktik)*. Karawang: CV. Saba Jaya Publisher.

- Silalahi, I. R., Adisaputra, M. K., Saputro, E., & Ali, A. (2018). Keberadaan Fosil Penunjuk Foraminifera Plankton Kuarter di Perairan Bengkulu, Pantai Barat Sumatera. *Jurnal Geologi Kelautan*, 16(1).
- Steinke, S., Mohtadi, M., Prange, M., Varma, V., Pittauerova, D., & Fischer, H. W. (2014). Mid-to late-Holocene Australian–Indonesian summer monsoon variability. *Quaternary Science Reviews*, 93, 142-154.
- Stewart Jr, H. B. (1958). Sedimentary reflections of depositional environment in San Miguel lagoon, Baja California, Mexico. *AAPG bulletin*, 42(11), 2567-2618.
- Suwito & Susanti, N. E. (2017). *Geografi Kelautan*. Malang: Penerbit Ediide Infografika.
- Thomas, E. R., Wolff, E. W., Mulvaney, R., Steffensen, J. P., Johnsen, S. J., Arrowsmith, C., ... & Popp, T. (2007). The 8.2 ka event from Greenland ice cores. *Quaternary Science Reviews*, 26(1-2), 70-81.
- Tipword, H. L., Setzer, F. M., & Smith F. L. Jr., (1966). *Interpretation of depositional environment in Gulf Coast petroleum exploration from paleoecology and related stratigraphy*. Transaction G. C. Assoc. Geol. Soc: America.
- Van Bemmelen, R.W. (1949). *The Geology of Indonesia*, V.F.A. Government Printing Office, The Hague.
- Wanner, H., Beer, J., Bütikofer, J., Crowley, T. J., Cubasch, U., Flückiger, J., ... & Widmann, M. (2008). Mid-to Late Holocene climate change: an overview. *Quaternary Science Reviews*, 27(19-20), 1791-1828.
- Wanner, H., Mercolli, L., Grosjean, M., & Ritz, S. P. (2014). Holocene climate variability and change: A data-based review. *Journal of the Geological Society*, 172(2), 254–263.
- Wood, C. T., Johnson, K. R., Lewis, L. E., Wright, K., Wang, J. K., Borsato, A., ... & White, J. C. (2023). High-resolution, multiproxy speleothem record of the 8.2 ka event from mainland southeast Asia. *Paleoceanography and Paleoclimatology*, 38(12), e2023PA004675.