

LITERATURE

- Adams, J. B. and K. B. Nguyen. 2002. *Taxonomy and Systematics*. Pp 1-28 in : Parwinder S. Grewal, Ralf-Udo Ehlers, David I. Shapiro-Ilan (Eds), *Nematodes as Biocontrol Agents*. CAB International, Wallingford, Oxford.
- Afifah, L., B. T. Rahardjo, H. Tarno. 2013. Exploration of Entomopathogenic Nematodes in Corn, Soybean, and Cabbage Plants in Malang and Their Virulence against *Spodoptera litura* Fabricius. *Journal of HPT* 1(2): 1 – 9.
- Bhat, A.H., S. Srivastava, A. Rana, A.K. Chaubey, R.A.R. Machado, and J. Abolafia. 2020. Morphological, Morphometrical, and Molecular Characterization of *Metarhabditis amsactae* (Ali, Pervez, Andrabi, Sharma and Verma, 2011) Sudhaus, 2011 (Rhabditida, Rhabditidae) from India and Proposal of *Metarhabditis longicaudata* as a Junior Synonym of *M. Amsactae*. *Journal of Nematology* 52: 1 – 23.
- Brida, A. L., J. M. O. Rosa, C. M. G. Oliveira, B. M. Castro, J. E. Serrão, J. C. Zanuncio, L. G. Leite, and S. R. S. Wilcken. 2017. Entomopathogenic Nematodes in Agricultural Areas in Brazil. *Scientific Reports* 7(45254): 1 – 7.
- Chaubey, A. K., V. Tyagi, T. Vasta, and C. Kaushik. 2010. Evaluation of Virulence of Entomopathogenic Nematode Isolates Against *Helicoverpa armigera* and *Spodoptera litura*. *The Scientific Temper** 1: 171 – 176.
- Darmawan, A., H. T. Arminudin, and E. Rahmadani. 2024. Identification of Nematodes in PTPN V Sei Pagar Oil Palm Plantation. *Journal of Agrotechnology* 15(1): 37 – 46.
- Djafar, M. F. Y., L. Astika, W. Hendrawan, F. Hasan, and F. M. Yunus. 2021. Analysis of Factors Influencing Corn Production of the Bangkit Bersama Farmers Group in Ambara Village. *AGRINESIA* 5(2): 155 – 161.
- Duncan, L. W., J. H. Graham, J. Zellers, D. Bright, D. C. Duun, F. E. El-Borai, D. L. Porazinska. 2007. Food Web Responses to Augmenting the Entomopathogenic Nematodes in Bare and Animal Manure-Mulched Soil. *Journal of Nematology* 39(2): 176–189.
- Erdiansyah, I., and A. N. Fauziah. 2024. Exploration, Identification, and Characterization of Entomopathogenic Nematodes in Corn and Rice Fields. *Indonesian Journal of Agricultural Sciences (JIPI)* 29(2): 173 – 178.

- Fadhli, R. and T. Andayono. 2022. The Effect of Soil Texture on Infiltration Capacity in Settlement Development Areas in Kuranji District, Padang City. *Journal of Civil Engineering* 11 (1): 72-79.
- Flores, P., A. Alvarado, G. Lankin, P. Lax, S. Prodan, and E. Aballay. 2021. Morphological, Molecular and Ecological Characterization of a Native Isolate of *Steinernema feltiae* (Rhabditida: Steinernematidae) from Southern Chile. *Journal of Parasites & Vectors* 14(45): 1 – 13.
- Fu, J. R., and Q. Z. Liu. 2019. Evaluation and Entomopathogenicity of Gut Bacteria Associated with Dauer Juveniles of *Oscheius chongmingensis* (Nematoda: Rhabditidae). *Microbiology Open*: 1 – 11.
- Grewal, P. and R. Georgis. 1999. *Entomopathogenic Nematodes*. Humana Press: Totowa, New Jersey.
- Hikmatyar, M. F., J. I. Royani, and Dasumiati. 2015. Isolation and Amplification of Keladi tikus (*Thyponium flagelliform*) DNA for Identification of Genetic Variation. *Journal of Bioteknologi & Biosains Indonesia* 2(2): 42 – 48.
- Insani, A. L., A. Ramalia, B. Amanda, and R. Anggriyani. 2023. Utilization of Entomopathogenic Nematodes *Steinernema* sp. and *Heterorhabditis* sp. in Agriculture. *Proceedings of the National Biology Seminar* 3(2): 706–712. December 14, 2023: Padang State University
- Kooliyottil, R., D. Upadhyay, F. Inman III, S. Mandjiny, L. Holmes. 2013. A Comparative Analysis of Entomoparasitic Nematodes *Heterorhabditis bacteriophora* and *Steinernema carpocapsae*. *Journal of Animal Sciences* 3(4): 326 – 333.
- Kour, S., N. Sharma, R. Singh, S. G. Gandhi, P. Ohri. 2024. *Metarhabditis amsactae* : A potential Biopesticide Isolated from Punjab (India) with Potent Insecticidal Activity and Immunomodulatory Effects Against *Galleria mellonella* (Lepidoptera: Pyralidae). *Journal of Invertebrate Pathology* 203: 108046.
- Lia S., L. E. Susilowati, and Zaenal Arifin. 2025. Analysis of Soil Chemical Properties Under Monoculture (Cocoa) and Polyculture (Avocado, Cocoa, and Coffee) Cropping Systems in the Senaru Village Forest Area, North Lombok Regency. *Journal of Science, Technology, and Environment* 10 (2): 1 – 14.
- Malan, A.P., R. Knoetze, and L. Tiedt. 2014. *Heterorhabditis noenieputensis* n. sp. (Rhabditida: Heterorhabditidae), a New Entomopathogenic Nematode from South Africa. *Journal of Helminthology* 88: 139 – 151.

- Mirzam, H., Supramana, and G. Suastika. 2015. Detection and Identification of Meloidogyne Species in Carrot Plants from the Malino Highlands, Gowa, South Sulawesi. *Indonesian Journal of Phytopathology* 11(1): 1 – 8.
- Mulyadi. 1996. *Nematology*. Department of Pests and Diseases. Faculty of Agriculture, Gadjah Mada University. Yogyakarta.
- Mulyanto, B. S. 2013. Study of Fertilization Recommendations for Various Types of Soil for Corn, Rice, and Cassava Plants in Wonogiri Regency. *Thesis*. Surakarta: Sebelas Maret University.
- Mwesige¹, R., A. Seid, and W. Wesemael. 2016. Root-knot Nematodes on Tomatoes in Kyenjojo and Masaka Districts in Uganda. *African Journal of Agricultural Research* 11(38): 3598 – 3606.
- Nasmith, C. G., Speranzini, D., Jeng, R. & Hubbes, M. 1996. RFLP Analysis of PCR Amplified ITS and 26S ribosomal RNA Genes of Selected Entomopathogenic Nematodes (Steinernematidae, Heterorhabditidae). *Journal of Nematology* 28(1): 15–25.
- Nguyen, K. B. and Smart, GC 1996. Motphometrics of infective juveniles of *Steinernema* species (Nematoda: Rhabditida). *Journal of Nematology* 28(1): 107–113.
- Nikdel, M., G. Niknam. 2015. Morphological and molecular characterization of a new isolate of entomopathogenic nematode, *Steinernema feltiae* (Filipjev) (Rhabditida: Steinernematidae) from the Arasbaran forests, Iran. *Journal of Asia-Pacific Biodiversity* 8(2): 144 – 151.
- Nugrohorini. 2010. Exploration of Entomopathogenic Nematodes in Several Regions in East Java. *MAPETA Agricultural Journal* 12(2): 72 – 144.
- Paski, J. A. I., G. I. S. L. Faski, M. F. Handoyo, D. A. S. Pertiwi. 2017. Land Water Balance Analysis for Rice and Corn Crops in Bengkulu City. *Journal of Environmental Science* 15(2): 83 – 89.
- Prasetyowati, D. A., Siswanto, and K. Wijaya. 2023. Determination and Mapping of Land Suitability for Porang (*Amorphophallus oncophyllus* L.) Cultivation in Madiun Regency, Indonesia. *Journal of Agricultural Scientific* 20(1): 88 – 98.
- Probowati, R. A., B. Guritno, and T. Sumarni. 2014. The Effect of Ground Cover Plants and Planting Distance on Weeds and Corn Yield (*Zea mays* L.). *Journal of Plant Production* 2(8): 639–647.

- Putera, T. E., S. Oemry, and M. I. Pinem. 2018. Effectiveness Test of Entomopathogenic Nematodes *Steinernema* sp. on Coffee Berry Borer Pest *Hypothenemus hampei* Ferr. (Coleoptera: Scolytidae) in the Laboratory. *Journal of Agroecotechnology, Faculty of Agriculture, University of North Sumatra* 6(1): 54 – 60.
- Rahman R. M., Munif A., Kurniawati F. 2018. Detection and Identification of Nematodes *Aphelenchoides besseyi* from Rice Seeds. *Indonesian Journal of Phytopathology* 14(2): 39 – 46.
- Rochani, S. 2007. *Corn Farming*. Ganeca Exact.
- Sabrina, L., L. E. Susilowati, and Z. Arifin. 2025. Analysis of Soil Chemical Properties Under Monoculture (Cocoa) and Polyculture (Avocado, Cocoa, and Coffee) Cropping Systems in the Senaru Village Forest Area, North Lombok Regency. *Journal of Science, Technology, and Environment* 10(10): 1 – 4.
- Sari, I. Y. H., and Wagiyana. 2023. Effectiveness of Entomopathogenic Nematode Isolates *Steinernema* sp. PPAH Production of Kediri Regency on Mortality of *Spodoptera frugiperda* Larvae JE Smith. *Agricultural Scientific Periodical* 6(3): 129 – 134.
- Sari, K. 2019. The Presence of Entomopathogenic Nematodes in Horticultural Plants on Peat Land with Different Pesticide Application Frequencies. Pontianak: Tanjungpura University.
- Sari, K. K. 2020. Viral Invasive Pest of Armyworm (*Spodoptera frugiperda*) Threatens Corn Harvest in Tanah Laut Regency, South Kalimantan. *Tropical Plant Protection* 3(3): 244 – 247.
- Sastrini, T., M. Y. Nurjayadi, and A. Munifs. 2019. Exploration and Characterization of Biological Agent Bacteria from *Imperata cylindrica* for Controlling *Rigidoporus microporus*. *Journal of Phytopathology* 15(2): 69 – 75.
- Sembiring, R., A. Umasangaji, and M. R. Uluputty. 2023. Exploration of Entomopathogenic Nematodes in the Rhizosphere of Chili, Tomato, and Eggplant Plants in Negeri Rumahtiga and Wayame Village. *Journal of Archipelago Agriculture* 7: 80 – 86.
- Setiawan., B. D. Sulistyanto, and K. Senjarini. 2017. Physiological and Molecular Characterization of Entomopathogenic Nematode-Symbiont Bacteria Based on 16S rRNA Gene Sequences from Bromo, Probolinggo Regency. *Journal of Basic Sciences* 18(1): 39 – 42.

- Smart, G.C. 1995. Entomopathogenic Nematodes for the Biological Control of Insects. *Journal of Nematology* 27: 529 – 534.
- Soraaj, S., M. S. Nisha, R. Narayana, and H. K. Kumar. 2024. Pathogenicity of Native Strains of Entomopathogenic Nematodes Against Aphids and Pseudostem Weevil. *Indian Journal of Entomology* 86(3): 875 – 880.
- Sucipto. 2009. Local Madura Isolate of *Heterohabditis Entomopathogenic Nematode* as an Environmentally Friendly Biological Control of Important Horticultural Pests. *Agrovigor* 2(1): 47 – 53.
- Sunarto, T., W. D. Natawigena, A. W. Irwan, and W. W. Tyas. 2023. Effectiveness of Several Concentrations of Entomopathogenic Nematode (*Steinernema* sp.) On Mortality of *Spodoptera exigua* Hub. in Onions. *Cropsaver* 6 (1): 49 – 55.
- Suyadi, Rosfiansyah, J. Nurdiana, A. Suryadi, Sopialena, and S. Waluyo. 2017. Study of Entomopathogenic Nematode Genera in Lowland Rice Fields (*Oryza sativa* L.) in Muara Wis District, Kutai Kartanegara Regency. *10th Borneo Islamic International Conference* : 500 – 506.
- Syahrok, S. E., and P. Suryaminarsih. 2023. Effectiveness Factors in the Use of Entomopathogenic Nematodes. *Exact Papers in Compilation (EpiC)* 5(1): 30 – 34.
- Tahseen, Q., A. Hussain, V. Tomar, A. A. Shah, and M. S. Jairajpuri. 2004. Description of *Metarhabditis andrassyana* gen. n., sp. n. (Nematoda: Rhabditae) from India. *International Journal of Nematology* 142: 163 – 168.
- Uhan, T. S. 2008. Effectiveness of Entomopathogenic Nematode *Steinernema carpocapsae* (Rhabditida: Steinernematidae) Isolate from Lembang on Mortality of *Agrotis ipsilon* Hufn. (Lepidoptera: Noctuidae) Larvae on Cabbage Plants in Greenhouse. *Hort Journal* 18(2): 165 – 174.
- Varghese, R., J.G. Ray. 2023. Sustainable Agriculture of Tropical Spices: Arbuscular Mycorrhizal Fungi as an Ecotechnological Tool – A critical Review. *Journal of Applied Research on Medicinal and Aromatic Plants* 36: 1 – 15.
- Valadas, V., Laranjo, M., Mota, M. & Oliveira, S. 2014. A Survey of Entomopathogenic Nematode Species in Continental Portugal. *Journal of Helminthology* 88(3): 327–341.
- Vintyas, R. M., and H. Purnomo. 2022. *Hermetia iilucens* and *Alphitobius diaperinus* larvae on the production of *Steinernema* spp. Entomopathogenic nematodes . *Journal of Agronomy Research* 24(2): 63 – 67.