

DAFTAR PUSTAKA

- Abolafia, J., & Peña-Santiago, R. 2019. *Description of Metarhabditis giennensis sp. n. (Nematoda, Rhabditida, Rhabditidae) from decaying wood of a river-bank forest in the southern Iberian Peninsula*. Zootaxa, 4652(1).
- Afifah, L., Rahardjo, B. T., & Tarno, H. 2013. Eksplorasi Nematoda Entomopatogen Pada Lahan Tanaman Jagung, Kedelai dan Kubis Di Malang Serta Virulensinya Terhadap *Spodoptera Litura Fabricius*. *Jurnal HPT (Hama Penyakit Tumbuhan)*, 1(2), 1-9.
- Afifah, N., Wahyudi, A. T., & Suharjono, S. 2020. Diversity of entomopathogenic nematodes (*Steinernema* and *Heterorhabditis*) and their symbiotic bacteria in agricultural soils of Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(5), 2023–2031.
- Ali, M., Allouf, N., & Ahmad, M. 2022. First Report of Entomopathogenic Nematode *Steinernema* affine (Nematoda: *Steinernematidae*) in Syria and its Virulence Against *Galleria Mellonella* L.(Lepidoptera: *Pyralidae*). *Egyptian Journal of Biological Pest Control*, 32(1), 101.
- Ambiyar, A., Arafat, A., & Syahri, B. 2021. Inovasi Mesin Pemipil Biji Jagung Untuk Petani di Kenagarian Cimpago Barat. Suluah Benda: *Jurnal Ilmiah Pengabdian Kepada Masyarakat*. 21(3).
- Asif, M., Prasad, J. S., Khan, R., Somasekhar, N., & Tahseen, Q. 2013. A revision of the genus *Metarhabditis* (Nematoda: *Rhabditidae*) with description of three known species, a key to the identification of congeners and discussion of their relations. *Journal of Natural History*, 47(31–32), 2599–2622.
- Bernard, G. C., Egnin, M., & Bonsi, C. K. 2017. The Impact of Plant-Parasitic Nematodes on Agriculture and Methods of Control.
- Bhat, A. H., Chaubey, A. K., & Askary, T. H. 2020. Global distribution of entomopathogenic nematodes, *Steinernema* and *Heterorhabditis*. *Egyptian Journal of Biological Pest Control*, 30(1), 31.
- Boemare, N., & Akhurst, R. 2006. The genera *Steinernema* and *Heterorhabditis* (Nematoda: Rhabditida): A review of morphology and taxonomy. In A. E. Gaugler (Ed.), *Entomopathogenic nematology* (pp. 3–33). CABI Publishing.
- Bogale, M., Baniya, A., & DiGennaro, P. 2020. Nematode identification techniques and recent advances. *Plants*, 9(10), 1260.

- Brisson, V. L., Schmidt, J. E., Northen, T. R., Vogel, J. P., & Gaudin, A. C. 2019. Impacts of Maize Domestication and Breeding on Rhizosphere Microbial Community Recruitment From A Nutrient Depleted Agricultural Soil. *Scientific reports*, 9(1), 15611.
- Çakmak, B. 2024. Morphological variability of infective juveniles of *Steinernema* and *Heterorhabditis* species isolated from agricultural soils. *Nematology*, 26(1), 45–55.
- Chaerani, R., Nurwahidah, E., & Fitriani, A. 2018. Morphological characteristics of entomopathogenic nematodes infective juveniles in relation to host-seeking behavior. *Journal of Biological Research*, 25(2), 112–120.
- Cimen, H. 2023. The role of *Photorhabdus*-induced bioluminescence and red cadaver coloration on the deterrence of insect scavengers from entomopathogenic nematode-infected cadavers. *Journal of Invertebrate Pathology*, 196, 107871.
- Dafrosa, L.Br.S. 2016. Aplikasi Nematoda Entomopatogen pada Larva *Oryctes Rhinoceros* Menggunakan Tiga Variasi Dosis yang Berbeda. Universitas Negeri Semarang.
- Dula, M. W. 2019. Review on Development and Performance Evaluation of Maize Sheller. In M. W. Dula, International Journal of Engineering Research and (Issue 5). *International Research Publication House*.
- El-Saadony, M. T., Abuljadayel, D. A., Shafi, M. E., Albaqami, N. M., Desoky, E. S. M., El-Tahan, A. M., & Saad, A. M. 2021. Control of foliar phytoparasitic nematodes through sustainable natural materials: Current progress and challenges. *Saudi Journal of Biological Sciences*, 28(12), 7314-7326.
- Erdiansyah, I., & Fauziah, A. N. 2024. Eksplorasi, Identifikasi, dan Karakterisasi Nematoda Entomopatogen pada Lahan Jagung dan Padi. *Jurnal Ilmu Pertanian Indonesia*, 29(2), 173-178.
- Eviati, Sulaeman, L. Herawaty, L. Anggria, Usman, H. E. Tantika, R. Prihatini, dan P. Wuningrum. 2023. Petunjuk Teknis Analisis Kimia Tanah, Tanaman, Air, dan Pupuk. Kementerian Pertanian Republik Indonesia, Bogor.
- Gee, G. W., & Bauder, J. W. 1986. Particle-Size Analysis. *Methods of soil analysis: Part 1 Physical and mineralogical methods*, 5, 383-411.
- Hernandez, N., Chavarria,., Lopez, M., Vergara, S.G., Maciel, B.R., Pastrana, R., Rodríguez, H.A. 2008. Effects of Culture Media on The Kinetics of Infective Juvenile Production of The Entomopathogenic Nematode *Steinernema Carpocapsae*, In Submerged Monoxenic Culture. *Revista mexicana de ingeniería química*, 7(1), 13-20.

- Hummel, R. L., Walgenbach, J. F., Barbercheck, M. E., Kennedy, G. G., Hoyt, G. D., & Arellano, C. 2002. Effects of Production Practices on Soil-Borne Entomopathogens in Western North Carolina Vegetable Systems. In *Environmental Entomology* (Vol. 31, Issue 1, p. 84). Oxford University.
- Hunt, D. J., & Nguyen, K. B. 2016. Advances in entomopathogenic nematode taxonomy and phylogeny. *Nematology Monographs and Perspectives*, 12, 1–493. *Brill Academic Publishers*.
- Hussein, M. A., El-Borai, F. E., & Duncan, L. W. 2021. Diagnostic morphological traits of entomopathogenic nematode infective juveniles: Limitations and implications for taxonomy. *Journal of Nematology*, 53(1), 1–12.
- Imanadi L. 2012. Kajian Pengendalian Hama dengan Nematoda Entomopatogen (*Steinernema* spp dan *Heterorhabditis* spp). Surabaya: Laboratorium Bidang Tumbuhan Balai Besar Karantina Pertanian Surabaya.
- Jaffuel, G., Blanco-Pérez, R., Hug, A.S., Chiriboga, X., Meuli, R.G., Mascher, F., Turlings, T.C. and Campos-Herrera, R., 2018. The evaluation of entomopathogenic nematode soil food web assemblages across Switzerland reveals major differences among agricultural, grassland and forest ecosystems. *Agriculture, Ecosystems & Environment*, 262, pp.48-57.
- Jamin, F. S., Yani, A., & Rahim, N. 2022. Penggunaan insektisida dalam pertanian: Risiko kesehatan dan alternatif ramah lingkungan. *Jurnal Kesehatan dan Sains*, 4(3), 120–128.
- Kaya, H. K., & Gaugler, R. 1993. Entomopathogenic nematodes. *Annual Review of Entomology*, 38(1), 181–206.
- Komarudin, K. (2014). Dampak insektisida karbamat terhadap organisme non-target pada tanah pertanian. *Jurnal Bioteknologi dan Sains*, 2(1), 33–39.
- Lal, R., & Shukla, M. K. 2004. *Principles of Soil Physics*. *Marcel Dekker Inc.*, New York.
- Lestari, D., Rahmawati, S., & Prasetyo, A. 2023. Efektivitas entomopatogen terhadap Spodoptera frugiperda dan dampak penggunaan insektisida sintetik di lahan jagung. *Jurnal Agrotek Tropika*, 11(2), 45–52.
- Malan, A.P., Knoetze, R. & Tiedt, L.R. 2014. *Heterorhabditis noenieputensis* n. sp. (*Rhabditida: Heterorhabditidae*), a new entomopathogenic nematode from South Africa. *Journal of Helminthology*, 88(2): 139-151.

- Maulida, H. C., Rokhim, S., & Zahroin, E. 2021. Patogenitas nematoda entomopatogen *heterorhabditis* spp. terhadap larva *spodoptera litura*. *Jurnal Al-Azhar Indonesia Seri SAINS dan Teknologi*, 6(2), 96-101.
- Millar, L.C. and Barbercheck, M.E., 2002. Effects of tillage practices on entomopathogenic nematodes in a corn agroecosystem. *Biological control*, 25(1), pp.1-11.
- Mokievsky, V., Bezerra, T. N., Decraemer, W., Eisendle, U., Hodda, M., Holovachov, O., Leduc, D., Miljutin, D., Peña-Santiago, R., Sharma, J., Smol, N., Tchesunov, A., Venekey, V., Zhao, Z., Pérez-García, J. A., Půža, V., Zullini, A., & Vanreusel, A. 2024. Guidelines for species descriptions of free-living aquatic nematodes: characters, measurements and their presentation in taxonomic publications. *Zootaxa*, 5543(2), 225-236.
- Morindya, R., Indarti, S., Soffan, A., & Hartono, S. 2023. Optimization of DNA extraction methods for genomic analysis of rice root-knot nematode (*Meloidogyne graminicola*) using PCR (polymerase chain reaction) and sanger sequencing. *Journal of Plant Protection Research*, 50-58.
- Ndriyanti, D. R., Pribasari, A. D. H., Puspitarini, D., & Widiyaningrum, P. 2014. Kelimpahan dan pola penyebaran nematoda entomopatogen sebagai agensia pengendali serangga hama pada berbagai lahan di Semarang. *Jurnal Lahan Suboptimal: Journal of Suboptimal Lands*, 3(1), 55–61.
- Nguyen, K. B., & Hunt, D. J. 2007. Entomopathogenic nematodes: Systematics, phylogeny and bacterial symbionts. *Nematology Monographs and Perspectives*, 5, 1–816. Brill Academic Publishers.
- Nguyen, K. B., Tesfamariam, M., Gozel, U., Gaugler, R., & Adams, B. J. 2006. *Steinernema abbasi* n. sp. (Rhabditida: Steinernematidae) from the Sultanate of Oman. *Nematology*, 8(2), 319–332.
- Nikdel, M., & Niknam, G. 2015. Morphological and molecular characterization of a new isolate of entomopathogenic nematode, *Steinernema feltiae* (Filipjev)(Rhabditida: Steinernematidae) from the Arasbaran forests, Iran. *Journal of Asia-Pacific Biodiversity*, 8(2), 144-151.
- Paeru, R. H., & Trias Qurnia Dewi, S. P. 2017. *Panduan praktis budidaya jagung*. Penebar Swadaya Grup.
- Panikkai, Sumarni. 2017. Analisis Ketersedian Jagung Nasional Menuju Pencapaian Swasembada dengan Pendekatan Model Dinamik. *Informatika Pertanian* Vol.26 No.1: 4.
- Permanasari, I., & Kastono, D. 2012. Pertumbuhan tumpangsari jagung dan kedelai pada perbedaan waktu tanam dan pemangkasan jagung. *Jurnal Agroteknologi*, 3(1), 13-21.

- Prabowo, H. 2012. Pemanfaatan nematoda patogen *Steinernema* spp. isolat Malang dan Nusa Tenggara Barat dalam pengendalian *Spodoptera litura* L. yang ramah lingkungan. *Bumi Lestari (Jurnal)*, 12(2), 350–356.
- Poinar, G. O. 1990. *Taxonomy and biology of Steinernematidae and Heterorhabditidae*. CRC Press.
- Qiu, J., Westerdahl, B. B., Takeuchi, Y., & Myers, J. (2006). Detection and differentiation of *Meloidogyne arenaria*, *M. incognita*, and *M. javanica* using PCR. *Journal of Nematology*, 38(1), 58–64.
- Rochani, S. 2007. *Bercocok Tanam Jagung*. Ganeca Exact.
- Saputra, O. G., Salbiah, D., & Sutikno, A. 2017. Isolasi dan Identifikasi Morfologis Nematoda Entomopatogen Dari Lahan Pertanian Semusim Kebun Percobaan Fakultas Pertanian Dengan Menggunakan Umpan Larva *Tenebrio Molitor* L. (*Coleoptera: Tenebrionidae*) (Doctoral dissertation, Riau University).
- Sari, I. Y. H., & Wagiyana, W. 2023. Efektivitas Isolat Nematoda Entomopatogen *Steinernema* sp. Produksi PPAH Kabupaten Kediri terhadap Mortalitas Larva *Spodoptera frugiperda* JE Smith. *Berkala Ilmiah Pertanian*, 6(3), 129–133.
- Sinaga, A. H. 2018. Analisis Komoditi Jagung (*Zea Mays* L). *Jurnal Darma Agung*, 26(1), 318–325.
- Suarni dan Yasin. M. 2011. Jagung Sebagai Sumber Pangan Fungsional. *Iptek Tanaman Pangan*. 6(1): 41–56.
- Sucipto. 2009. Nematoda entomopatogen *Heterorhabditis* isolat lokal Madura sebagai pengendalian hayati hama penting tanaman hortikultura yang ramah pada lingkungan. *Agrovigor: Jurnal Agroekoteknologi*, 2(1).
- Sunaryo, H., Wirman, A. P., Permanasari, E. D., Nikmatullah, N. A., Lestari, D., & Nurjanah, D. 2023. Optimization of DNA extraction methods in fresh meat (*Rat and Chicken Meat*) based on incubation time. *Indonesian Journal of Halal Research*, 5(2), 99–108.
- Susurluk, A., & Ehlers, R. U. 2008. Field persistence of the entomopathogenic nematode *Heterorhabditis bacteriophora* in different crops. *Biocontrol Science and Technology*, 18(9), 987–996.
- Suyadi, S., Budi, S., & Kurniawan, D. 2022. The impact of soil cultivation and pesticide application on the diversity of entomopathogenic nematodes in maize fields of East Java. *Journal of Agricultural Science and Technology*, 24(3), 155–165.

Syahrok, S. F., & Suryaminarsih, P. 2023. Faktor Efektivitas Penggunaan Nematoda Entomopatogen. *Exact Papers in Compilation (EPiC)*, 5(1), 29-33.

Tarasco, E., Fanelli, E., Salvemini, C., El-Khoury, Y., Troccoli, A., Vovlas, A., & De Luca, F. 2023. Entomopathogenic nematodes and their symbiotic bacteria: from genes to field uses. *Frontiers in Insect Science*, 3, Article 1195254.

Tepa-Yotto, G. T., Baimey, H., Zadji, L., & Ahissou, H. 2017. Comparative morphology of infective juveniles of *Steinernema* and *Heterorhabditis* species in West Africa. *African Journal of Agricultural Research*, 12(35), 2631–2639.

Tomar, P., Thakur, N., & Yadav, A. N. 2022. Endosymbiotic microbes from entomopathogenic nematode (EPNs) and their applications as biocontrol agents for agro-environmental sustainability. *Egyptian Journal of Biological Pest Control*, 32, 80.

Wirawan, G. N., & Wahab, M. I. 2007. Teknologi Budidaya Jagung.

Zhao, Y., Zhang, W. Y., Wang, R. L., & Niu, D. L. 2020. Divergent domains of 28S ribosomal RNA gene: DNA barcodes for molecular classification and identification of mites. *Parasites & vectors*, 13, 1-12.