

## REFERENCE

- Abadi, A. L., Syib'li, M. A., Aini, L. Q., Sektiono, A. W., Choliq, F. A., and Trianti, I. 2023. *Pengelolaan Penyakit Tumbuhan Terpadu (Integrated Planting system Disease Management)*. Universitas Brawijaya Press.
- Adewale, D. B., and S.O., Dada. 2020. Diversity of phyto-parasitic nematodes in the on-farm cacao (*Theobroma cacao* L.) Planting systemations of south western Nigeria. *Tropical Agriculture*, 97(2).
- Andrássy, I. 2009. Free-living nematodes from Albania, including the description of three new species. *Nematologia mediterranea*.
- Aviron, S. 2023. Wild plants in hedgerows and weeds in crop fields are important floral resources for wild flower-visiting insects, independently of the presence of intercrops. *Agriculture, Ecosystems and Environmen*, 8.
- Amir, F., Widajati, W., Rahmadhini, N., & Imanadi, L. 2024. Nematoda yang berasosiasi dengan tanaman padi (*Oryza sativa* L.) di Desa Sumbergepoh, Lawang, Kabupaten Malang. *Jurnal Agrotek Tropika*, 12(4), 757–768.
- Badan Pusat Statistik. 2025. Kabupaten Gunungkidul dalam Angka 2025 [https://gunungkidulkab.bps.go.id/id/publication/2025/02/28/3aaca00e571452697d05b31b/kabupaten-gunungkidul-dalam-angka-2025.html?utm\\_source=chatgpt.com](https://gunungkidulkab.bps.go.id/id/publication/2025/02/28/3aaca00e571452697d05b31b/kabupaten-gunungkidul-dalam-angka-2025.html?utm_source=chatgpt.com)
- Badan Pusat Statistik. 2024. Statistika Kakao Indonesia [online] tersedia di : <https://www.bps.go.id/id/publication/2024/11/29/ed255af0c9059f288fb7e1de/statistik-kakao-indonesia-2023.html>
- Bahari, D. I., Lubis, M. M., Apriyanti, E., Affandi, M. R., and Perlambang, R. 2025. Analisis Pengaruh Pertanian Berkelanjutan terhadap Ketahanan Pangan di Daerah Perdesaan. *Jurnal Kolaboratif Sains*, 8(2), 1231-1238.
- Becke, P. A. 2021. First report of northern root-knot nematode, *Meloidogyne hapla* on strawberry in Turkey. *Journal Of Nematology*, 13.
- Bongers, T., & Ferris, H. 1999. Nematode community structure as a bioindicator in environmental monitoring. *Trends in Ecology and Evolution*, 14(6), 224–228.
- Carta, L. K., and Osbrink, W. 2005. *Rhabditis rainai* n. sp. (Nematoda: Rhabditida) associated with the Formosan subterranean termite, *Coptotermes formosanus* (Isoptera: Rhinotermitidae). *Nematology*, 7(6), 863–873.

- Castillo, M.B and Reyes, T.T. 1972. Philippine Soil Nematodes: Inventory, Classification and Key to Their Identification. Department of Plant Pathology. College of Agriculture. University of the Philippines.
- Castillo, P., and N. Vovlas. 2007. *Pratylenchus (Nematoda: Pratylenchidae): Diagnosis, Biology, Pathogenicity and Management*. Brill Academic Publishers, Leiden–Boston, 529.
- Cimen, Harun & Lee, Ming-Min & Hatting, Justin & Hazir, Selcuk & Stock, S. Patricia. 2014. *Steinernema innovationi* n. sp. (Panagrolaimomorpha: Steinernematidae), a new entomopathogenic nematode species from South Africa. *Journal of helminthology*. 89. 1-4.
- Coyne, D., and Affokpon, A. 2018. Nematode parasites of tropical root and tuber crops (excluding potatoes). In *Plant parasitic nematodes in subtropical and tropical agriculture* (pp. 252-289). Wallingford UK: CAB International.
- Darazat, M. A. 2023. Keragaman dan kelimpahan nematoda pada perlakuan berbagai pupuk organik di lahan bawang merah. *Tesis Magister*, Universitas Gadjah Mada. Program Studi Ilmu Hama Tumbuhan.
- David, W., S. Alkausar, and B. Widyarti. 2023. *Statistik Pertanian Organik Indonesia*. Jakarta : Bpress.
- Dillman, A. R., and Sternberg, P. W. 2012. Entomopathogenic nematodes. *Current Biology*, 22(11), R430-R431.
- Direktorat Jendral Perkebunan. 2023. *Kembalikan Kejayaan Kakao Indonesia, Kementan Gandeng BUMN and Pemerintah Daerah*. Departemen Pertanian.
- Durahman, D., Tarno, H., and Rahardjo, B. T. (2014). Eksplorasi nematoda parasit tumbuhan pada tanaman nilam (*Pogostemon cablin* Benth) di kecamatan kesamben kabupaten Blitar. *Jurnal HPT (Hama Penyakit Tumbuhan)*, 2(4), 1-10
- Eisenback, J. D. 1985. Detailed morphology and anatomy of second-stage juveniles, males, and females of the genus *Meloidogyne* (root-knot nematodes). *An advanced treatise on Meloidogyne*, 1, 47-77.
- Eisenback, J. 2003. *Nematology Laboratory Investigations: Morphology and Taxonomy*. Mactode Publications, Blacksburg, VA, USA. ISBN 1-893961-13-3.

- Elidar, Y. 2020. Karakteristik agronomis tanaman aren genjah (*Arenga pinnata*) dan Kakao (*Theobroma cacao* L.) sebagai tanaman sela melalui pemupukan pada penanaman sistem jalur. *Agrifor*, 19(1), 173-190.
- El-Marzoki, A. 2019. A comparative study of three widespread methods for extracting plant-parasitic nematodes from soil samples. *Egyptian journal of Agronematology*, 18(2), 81-89.
- Farhanandi, B. W., and N. K. Indah. 2022. Karakteristik Morfologi dan Anatomi Tanaman Kakao (*Theobroma cacao* L.) yang Tumbuh pada Ketinggian Berbeda. *Berkala Ilmiah Biologi*, 11(2), 310-325.
- Ferris, H., Bongers, T., & de Goede, R. G. M. 2001. A framework for soil food web diagnostics: Extension of the nematode faunal analysis concept. *Applied Soil Ecology*, 18(1), 13–29.
- Félix, M. A., and Braendle, C. 2010. The natural history of *Caenorhabditis elegans*. *Current Biology*, 20(22), 965–969
- Gosset, W. S. 1908. The probable error of a mean. *Biometrika*, 6(1), 1–25.
- Ilyas, M. R. 2023. Karakterisasi Morfologi Kakao (*Theobroma cacao* L.) Klon Harapan Tahan VSD Di Puslitkoka Jember. *Maliki Interdisciplinary Journal*, 1(6), 191-203.
- Jalinas, J., Izham, N. F. M., Sundaram, D. A. N., Abba, A., and Khairuddin, W. N. 2024. Pemencilan Nematoda dari Tanah Tanaman Limau Kasturi dan Kesan Nematoda Sebagai Entomopatogen bagi Afid Toxoptera Citricidus: Isolation of Nematodes from Calamansi Lime Plant Soil and the Effect of Entomopathogenic Nematodes for Aphid (Toxoptera Citricida). *Semarak Proceedings of Natural and Environmental Sciences*, 1(1), 30-35.
- Jones, M. G. K., and Fosu-Nyarko, J. 2014. Molecular biology of root lesion nematodes (*Pratylenchus spp.*) and their interaction with host plants. *Annals of applied biology*, 164(2), 163-181.
- Kanga, F. N., Waeyenberge, L., Hauser, S., and Moens, M. 2012. Distribution of entomopathogenic nematodes in Southern Cameroon. *Journal of Invertebrate Pathology*, 109(1), 41–51.
- Khalimi, F., and Kusuma, Z. 2018. Analisis ketersediaan air pada pertanian lahan kering di Gunungkidul Yogyakarta (Analysis of water availability on dryland Planting in Gunungkidul Yogyakarta). *Jurnal Tanah dan Sumberdaya Lahan*, 5(1), 721–725.

- Kurniawan, H. H., Mulyanto, D., and Nurcholis, M. 2021. Pengaruh pemberian kalsit terhadap beberapa sifat kimia latosol Patuk Gunungkidul (The effect of calcite application to several chemical properties of latosol in Patuk, Gunungkidul). *Jurnal Tanah dan Air (Soil and Water Journal)*, 18(1), 37–47.
- Katz, D. L., Doughty, K., and Ali, A. 2011. Cocoa and chocolate in human health and disease. *Antioxidants and redox signaling*, 15(10): 2779-2811.
- Landesman, W. J., Treonis, A. M., & Dighton, J. 2011. Effects of a one-year rainfall manipulation on soil nematode abundances and community composition. *Pedobiologia*, 54(2), 87-91.
- Martinez, L., Wu, S., Baur, L., Patton, M. T., Owen-Smith, P., Collins, S. L., & Rudgers, J. A. 2023. Soil nematode assemblages respond to interacting environmental changes. *Oecologia*, 202(3), 481-495.
- McCarter, J. P., Dautova Mitreva, M., Martin, J., Dante, M., Wylie, T., Rao, U., ... and Waterston, R. H. 2003. Analysis and functional classification of transcripts from the nematode *Meloidogyne incognita*. *Genome biology*, 4, 1-19.
- Muhammad, W. B. 2022. *Keanekaragaman dan Kepadatan Populasi Genus Nematoda Parasit Pada Rizosfer Tanaman Kentang Di Sentra Produksi Kabupaten Solok. Disertasi*. Sumatera Barat: Universitas Andalas.
- Motamayor, J. C., Lachenaud, P., Da Silva e Mota, J. W., Loor, R., Kuhn, D. N., Brown, J. S., and Schnell, R. J. 2008. Geographic and genetic population differentiation of the Amazonian chocolate tree (*Theobroma cocoa* L). *PLoS one*, 3(10): e3311.
- Muhlison, W., Purnomo, H., and Saputra, T. W. 2022. Kajian Kesesuaian Larva *Hermetia Illucens* (Diptera: Stratiomyidae) Pada Perbanyakan Nematoda Entomopatogen *Steinernema Spp.* Secara In Vivo. *Jurnal Agrotek Tropika*, 10(4), 517-525.
- Mullin, P. 2000. Morfologi Nematoda. Dalam Prairie Konza. Photo Gallery. <http://nematode.unl.edu>. Diunduh pada tanggal 24 Juni 2014.
- Neher, D. A. 2010. Ecology of plant and free-living nematodes in natural and agricultural soils. *Annual Review of Phytopathology*, 48, 371–394.
- Neher, D. A. 2023. Moving Up within the Soil Food Web Protists, Nematodes, and Other Microfauna. In *Biological Approaches to Regenerative Soil Systems* (p. 12). USA: CRC Press.

- Nguyen, T. D., Le, T. M. L., Nguyen, H. T., Nguyen, T. A. D., Liebanas, G., and Trinh, Q. P. 2017. Morphological and molecular characteristics of *Pratylenchus haiduongensis* sp. n., a new species of root-lesion nematodes associated with carrot in Vietnam. *Journal of Nematology*, 49(3), 276.
- Norton, D.C. 1978. Some Simple Metodes of Community Analysis. Community. Ecology of Planting system-Parasitic Nematodes. Department of Botany and Planting system Patology. Iowa Satate University. Ames.
- Nursusilawati, N., Sunarto, T., and Hersanti, H. 2024. Deteksi dan Identifikasi Nematoda *Radopholus similis* Cobb pada Tanaman Hias *Anthurium andreanum*. *Agrikultura*, 35(1), 10-19.
- Okeniyi, M. O., Afolami, S. O., Fademi, A. O., and Aikpokpodion, P. 2009. Evaluation of cacao (*Theobroma cacao* L.) clones for resistance to root-knot nematode *Meloidogyne incognita* (Kofoid and White) Chitwood. *Journal of Applied Biosciences*, 17, 913-921.
- Oktafiyanto, M. F., and Ibrahim, R. 2021. Keragaman dan kelimpahan nematoda secara horizontal dan vertikal pada beberapa tanaman sayur di Kabupaten Cianjur. *Jurnal Agro Wiralodra*, 4(1), 9-15.
- Panjerrino, Y. G., B. S. Dewi, and I. G. Swibawa. 2019. Keanekaragaman Nematoda Tanah di Blok Pemanfaatan Hutan Pendidikan Konservasi Terpadu Taman Hutan Raya Wan Abdul Rachman. *Jurnal Sylva Lestari*, 7(2), 214-224.
- Perry, R. N., and Moens, M. 2011. Introduction to plant parasitic nematodes; modes of parasitism. In *Genomics and Molecular Genetics of Plant Nematode Interactions*. Springer, Dordrecht.
- Pratiwi, N. W. K., Amrulloh, R., El Auly, F., and Kurniawati, F. 2020. Deteksi dan identifikasi nematoda puru akar (*Meloidogyne* spp.) pada tanaman bit menggunakan metode DNA barcoding. *Jurnal Fitopatologi Indonesia*, 16(1), 1-8.
- Preez, G. D. 2022. Nematode-based indices in soil ecology: Application, utility, and future directions. *Elsevier*, 2.
- Prewitt, S. F., Shalit-Kaneh, A., Maximova, S. N., and Gultinan, M. J. 2021. Interspecies functional compatibility of the *Theobroma cocoa* and *Arabidopsis* FT orthologs: 90 million years of functional conservation of meristem identity genes. *BMC plant biology*, 21(1): 218.

- Purnomo, H., and Vintyas, R. M. 2022. Pengaruh Inang Alternatif terhadap Kepadatan Populasi Nematoda Entomopatogen *Steinernema* spp. *Agrosains: Jurnal Penelitian Agronomi*, 24(2), 63-67.
- Ramadhani, R. 2022. *Tingkat Keberhasilan dan Pertumbuhan Sambung Pucuk Tanaman Kakao (Theobroma cocoa L.) Pada Berbagai Pasangan Klon Batang Bawah dan Entres*. Disertasi. Makassar: Universitas Hasanuddin.
- Saputra, O. G., Salbiah, D., and Sutikno, A. 2017. Isolasi Dan Identifikasi Morfologis Nematoda Entomopatogen dari Lahan Pertanaman Semusim Kebun Percobaan Fakultas Pertanian dengan Menggunakan Umpan Larva *Tenebrio Molitor* L. *Doctoral dissertation*, Riau University.
- Saputro, W. A., and Fidayani, Y. 2020. Faktor-faktor yang mempengaruhi produksi kakao Desa Nglanggeran Kecamatan Patuk Kabupaten Gunungkidul. *Vigor: Jurnal Ilmu Pertanian Tropika dan Subtropika*, 5(1), 24–30.
- Shannon, C. E. (1948). A mathematical theory of communication. *The Bell system technical journal*, 27(3), 379-423.
- Shamim, M. 1992. Description And Development Biology Of *Plectus zelli* (nematode: araelaimida). Department of Zoology. Aligarh muslim university. india. 15 (6); 503-510
- Smith, J., and Doe, A. (2016). Morphological and morphometric variability of *Radopholus similis* populations from different hosts. *Nematology*, 18(5), 467–479.
- Socci, V., Tempesta, D., Desideri, G., De Gennaro, L., and Ferrara, M. (2017). Enhancing human cognition with cocoa flavonoids. *Frontiers in Nutrition*, 4, 19-23.
- Sofia, N. A., Hartono, S., and Sudrajat, I. S. 2019. Dampak industri pengolahan kakao (*Theobroma cacao* L.) terhadap pendapatan petani di Gapoktan, Nglanggeran, Patuk, Kab. Gunungkidul, Yogyakarta. *Jurnal Ilmiah Agritas*, 3(1), 39–46.
- Stefanovska, T., Luckhart, S., Ripa, L., Stevens, G., and Lewis, E. 2023. *Steinernema carpocapsae*. *Trends in Parasitology*, 39(5), 400–401.
- Sturhan, D., Shutova, T. S., Akimov, V. N., & Subbotin, S. A. 2005. Occurrence, hosts, morphology, and molecular characterisation of *Pasteuria* bacteria parasitic in nematodes of the family Plectidae. *Journal of Invertebrate Pathology*, 88(1), 17-26.

- Subarjah, C., Himawan, T., and Puspitarini, R. D. 2016. Effects of compost on nematode *Pratylenchus sp.*(Tylenchida: Pratylenchidae) population in patchouli. *Journal of tropical life science*, 6(2), 101-106.
- Sudhaus, W., and Fitch, D. 2001. Comparative studies on the phylogeny and systematics of the *Rhabditidae* (Nematoda). *Journal of Nematology*, 33(1), 1–70.
- Sudhaus, W. 2011. Rhabditid Nematodes (Rhabditida). *Encyclopedia of Life Sciences*. Wiley-Blackwell, pp. 1–10.
- Sugiharti, E. (2023). *Budidaya kakao*. Bandung: Nuansa Cendekia.
- Susanti, P. D., and Halwany, W. (2017). Dekomposisi serasah dan keanekaragaman makrofauna tanah pada hutan tanaman industri nyawai (*Ficus variegata* Blume). *Jurnal Ilmu Kehutanan*, 11(2), 212–223.
- Sutomo, N., Hariyadi, B. W., and Ali, M. 2018. *Budidaya tanaman kakao (Theobroma cacao L.)*. 33-49. Jakarta Pusat.
- Swibawa, I. G., and Aeny, T. N. 2007. Karakteristik komunitas nematoda di Padang Golf Sukarame (PGS) Bandar Lampung. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 7(2), 47–55.
- Yeates, G. W., Bongers, T., de Goede, R. G. M., Freckman, D. W., and Georgieva, S. S. 1999. Feeding habits in soil nematode families and genera An outline for soil ecologists. *Journal of Nematology*, 31(4), 315–331.
- Yunus, F., Lambui, O., and Suwastika, I. N. 2017 Kelimpahan Mikroorganisme Tanah Pada Sistem Perkebunan Kakao (*Theobroma cacao L.*) Semi Intensif Dan Non Intensif. *Journal of Science and Technology* Vol 6 (3) : 194 – 20.
- Zeng, J. L., Chen, H. X., Ni, X. F., Kang, J. Y., and Li, L. (2024). Molecular phylogeny of the family Rhabdiasidae (Nematoda: Rhabditida), with morphology, genetic characterization and mitochondrial genomes of *Rhabdias kafunata* and *R. bufonis*. *Parasites and Vectors*, 17(1), 100.