

DAFTAR PUSTAKA

- Aggarwal, C. C. (2018). *Neural networks and deep learning: A textbook*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-94463-0>
- Akiba, T., Sano, S., Yanase, T., Ohta, T., & Koyama, M. (2019). Optuna: A next-generation hyperparameter optimization framework. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining* (pp. 2623–2631). Association for Computing Machinery. <https://doi.org/10.1145/3292500.3330701>
- Al-Humaidan, N. A., & Prince, M. (2021). A classification of Arab ethnicity based on face image using *deep learning* approach. *IEEE Access*, 9, 48119-48130. <https://doi.org/10.1109/ACCESS.2021.3069022>
- Aldaheri, S., & Alhuzali, A. (2023). SGAN-IDS: Self-attention-based *generative adversarial network* against intrusion detection systems. *Sensors*, 23(18), 7796. <https://doi.org/10.3390/s23187796>
- Arjovsky, M., Chintala, S., & Bottou, L. (2017). *Wasserstein generative adversarial networks*. In *Proceedings of the 34th International Conference on Machine Learning* (Vol. 70, pp. 214–223). JMLR.org. <https://dl.acm.org/doi/10.5555/3305381.3305404>
- Ashraf, S., & Ahmed, T. (2020). Machine Learning Shrewd Approach For An *Imbalanced Dataset* Conversion Samples. *Journal of Engineering and Technology*, 11(1). https://journal.utm.edu.my/index.php/jet/article/view/5896/pdf_105.
- Bahdanau, D., Cho, K., & Bengio, Y. (2015). *Neural machine translation by jointly learning to align and translate*. In *Proceedings of the 3rd International Conference on Learning Representations (ICLR)*. <https://doi.org/10.48550/arXiv.1409.0473>
- Bir, P., & Balas, V. E. (2020). A review on medical image analysis with *convolutional neural networks*. *2020 IEEE International Conference on Computing, Power and Communication Technologies (GUCON)*, 870-876. <https://api.semanticscholar.org/CorpusID:226267190>.
- Bińkowski, M., Sutherland, D. J., Arbel, M., & Gretton, A. (2018). Demystifying MMD GANs. In *6th International Conference on Learning Representations (ICLR)*. <https://doi.org/10.48550/arXiv.1801.01401>
- Chacon-Chamorro, M., Gallego, F. A., & Riano-Rojas, J. C. (2025). Reducing *overfitting* in ResNet with adaptive Lipschitz regularization. *Journal of Computational and Applied Mathematics*, 471, Article 116747. <https://doi.org/10.1016/j.cam.2025.116747>.
- Chapman, P., Clinton, J., Kerber, R., Khabaza, T., Reinartz, T., Shearer, C., Rüdiger Wirth, NCR Systems Engineering Copenhagen, DaimlerChrysler AG, SPSS Inc., & OHRA Verzekeringen en Bank Groep B.V. (2000). *CRISP-DM 1.0 Step-by-step data mining guide*. <https://www.kde.cs.uni-kassel.de/wp-content/uploads/lehre/ws2012-13/kdd/files/CRISPWP-0800.pdf>.
- Chlap, P., Min, H., Vandenberg, N., Dowling, J., Holloway, L., & Haworth, A. (2021). A review of medical image data augmentation techniques for *deep learning* applications. *Journal of Medical Imaging and Radiation Oncology*, 65(5), 545–563. <https://doi.org/10.1111/1754-9485.13261>

- Choi, J., & Yoon, K. (2020). Conditional Activation GAN: Improved *Auxiliary Classifier* GAN. *IEEE Access*, 8, 216449–216460. <https://doi.org/10.1109/ACCESS.2020.3041480>
- Datta, S. K., Shaikh, M. A., Srihari, S. N., & Gao, M. (2021). *Soft Attention* improves skin cancer classification performance. In M. Reyes, N. Sharkas, P. Schüffler, & H. C. Bogunović (Eds.), *Interpretability of machine intelligence in medical image computing, and topological data analysis and its applications for medical data* (Vol. 12929, pp. 13–23). Springer, Cham. https://doi.org/10.1007/978-3-030-87444-5_2
- Doshi, K. (2025). *Batch Norm Explained Visually – How it works, and why neural networks need it*. Towards Data Science. <https://towardsdatascience.com/batch-norm-explained-visually-how-it-works-and-why-neural-networks-need-it-b18919692739/>.
- Elgendy, M., Nasir, M. U., Tang, Q., Smith, D., Grenier, J.-P., Batte, C., Spieler, B., Leslie, W. D., Menon, C., Fletcher, R. R., Howard, N., Ward, R., Parker, W., & Nicolaou, S. (2021). The effectiveness of image augmentation in *deep learning networks* for detecting COVID-19: A geometric transformation perspective. *Frontiers in Medicine*, 8, Artikel 629134. <https://doi.org/10.3389/fmed.2021.629134>.
- Esteva, A., Kuprel, B., Novoa, R. A., Ko, J., Swetter, S. M., Blau, H. M., & Thrun, S. (2017). Dermatologist-level classification of skin cancer with *deep neural networks*. *Nature*, 542(7639), 115–118. <https://doi.org/10.1038/nature21056>.
- Géron, A. (2017). *Hands-On Machine Learning with Scikit-Learn & TensorFlow*. O'Reilly Media, Inc.
- Goodfellow, I. J., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., & Bengio, Y. (2014). *Generative adversarial nets*. In *Advances in Neural Information Processing Systems* (Vol. 27, pp. 2672–2680). <https://doi.org/10.5555/2969033.2969125>
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *deep learning*. MIT Press. <http://www.deeplearningbook.org>
- Gulrajani, I., Ahmed, F., Arjovsky, M., Dumoulin, V., & Courville, A. (2017). Improved training of *Wasserstein* GANs. *Advances in Neural Information Processing Systems*, 30, 5767–5777.
- Gunawan, D., & Setiawan, H. (2022). *Convolutional neural network* dalam analisis citra medis. *KONSTELASI: Konvergensi Teknologi dan Sistem Informasi*, Vol. Vol.2 (Issue No.2, pp. 376–378).
- Guo, Z., Xie, J., Wan, Y., Zhang, M., Qiao, L., Yu, J., Chen, S., Li, B., & Yao, Y. (2022). A review of the current state of the *computer-aided diagnosis* (CAD) systems for breast cancer diagnosis. *Open Life Sciences*, 17(1), 1600–1611. <https://doi.org/10.1515/biol-2022-0517>
- Habirovs, M. (2024). *Enhancing the performance of skin cancer classification with GAN augmented medical imaging datasets* [Bachelor's thesis, Tilburg University]. Tilburg University Repository. <https://explore.lib.tilburguniversity.edu/s/tue/item/66562098000105963>
- Hasan, M. K., Alam, M. A., Roy, S., Dutta, A., Jawad, Md. T., & Das, S. (2021). Missing value imputation affects the performance of machine learning: A review and analysis

- of the literature (2010–2021). In *Informatics in Medicine Unlocked* (Vol. 27, p. 100799). <https://doi.org/10.1016/j.imu.2021.100799>.
- Hasan, M. K., Elahi, M. T. E., Alam, M. A., Jawad, M. T., & Martí, R. (2022). DermoExpert: Skin lesion *classification* using a hybrid *convolutional neural network* through segmentation, transfer learning, and augmentation. *Informatics in Medicine Unlocked*, 28, 100819. <https://doi.org/10.1016/j.imu.2021.100819>.
- He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. Dalam *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (hlm. 770–778). <https://doi.org/10.1109/CVPR.2016.90>
- Ihsan, M. T., Rafi, M. R. H., Raihan, A. S., Ahmed, I., & Azeem, A. (2025). *Boosting predictive performance on tabular data through data augmentation with latent-space flow-based diffusion*. arXiv. <https://arxiv.org/abs/2511.16571>
- Karthik, R., Vaichole, T. S., Kulkarni, S. K., Yadav, O., & Khan, F. (2021). Eff2Net: An efficient channel attention-based *convolutional neural network* for skin disease *classification*. *Biomedical Signal Processing and Control*, 73, 103406. <https://doi.org/10.1016/j.bspc.2021.103406>.
- Khoirunnisa, N., & Rosyda, M. (2025). A comparative study on SMOTE, CTGAN, and hybrid SMOTE-CTGAN for medical data augmentation. *Science in Information Technology Letters*, 6(1), 44–54. <http://pubs2.ascee.org/index.php/sitech>
- Kong, H.-J., Kim, J. Y., Moon, H.-M., Park, H. C., Lim, R., Woo, J., El Fakhri, G., Kim, D. W., & Kim, S. (2023). *Automation of generative adversarial network-based synthetic data-augmentation for maximizing the diagnostic performance with paranasal imaging*. *Scientific Reports*, 13(1), 18365. <https://doi.org/10.1038/s41598-022-22222-z>
- LeCun, Y., Bottou, L., Bengio, Y., & Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11), 2278–2324. <https://doi.org/10.1109/5.726791>.
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). *deep learning*. *Nature*, 521(7553), 436–444. <https://doi.org/10.1038/nature14539>.
- Liao, C., & Dong, M. (2022). ACWGAN: An *auxiliary classifier Wasserstein* GAN-based oversampling approach for multi-class *imbalanced* learning. *International Journal of Innovative Computing, Information and Control*, 18(3), 703–721. <http://www.ijicic.org/ijicic-180303.pdf>
- Liao, W., & Pu, Y. (2021). Dose-Conditioned Synthesis of Radiotherapy Dose *With Auxiliary Classifier Generative Adversarial Network*. *IEEE Access*, 9, 87972–87981. <https://doi.org/10.1109/ACCESS.2021.3089369>.
- Litjens, G., Kooi, T., Bejnordi, B. E., Setio, A. a. A., Ciompi, F., Ghafoorian, M., Van Der Laak, J. A., Van Ginneken, B., & Sánchez, C. I. (2017). A survey on *deep learning* in medical image analysis. *Medical Image Analysis*, 42, 60–88. <https://doi.org/10.1016/j.media.2017.07.005>.
- Masters, D., & Luschi, C. (2018). Revisiting small batch training for deep *neural networks*. *arXiv*. <https://doi.org/10.48550/arXiv.1804.07612>

- Nguyen, V. D., Bui, N. D., & Do, H. K. (2022). Skin lesion *classification on imbalanced data using deep learning with Soft Attention*. *Sensors*, 22(19), 7530. <https://doi.org/10.3390/s22197530>.
- Niakšu, O. (2015). CRISP data mining methodology extension for medical domain. *Baltic Journal of Modern Computing*, 3(2), 92–109. https://www.bjmc.lu.lv/fileadmin/user_upload/lu_portal/projekti/bjmc/Contents/3_2_2_Niaksu.pdf
- Odena, A., Olah, C., & Shlens, J. (2017). Conditional image synthesis *with auxiliary classifier GANs*. Dalam *Proceedings of the 34th International Conference on Machine Learning* (Vol. 70, hlm. 2642–2651). PMLR. <https://dl.acm.org/doi/10.5555/3305890.3305954>
- Pérez, E., & Ventura, S. (2023). Progressive growing of *Generative Adversarial Networks* for improving data augmentation and skin cancer diagnosis. *Artificial Intelligence in Medicine*, 141, 102556. <https://doi.org/10.1016/j.artmed.2023.102556>.
- Saha, D. K., Joy, A. M., & Majumder, A. (2024). YoTransViT: A transformer and CNN method for predicting and *classifying* skin diseases using segmentation techniques. *Informatics in Medicine Unlocked*, 47, 101495. <https://doi.org/10.1016/j.imu.2024.101495>.
- Salimans, T., Goodfellow, I., Zaremba, W., Cheung, V., Radford, A., & Chen, X. (2016). Improved techniques for training GANs. In D. Lee, M. Sugiyama, U. Luxburg, I. Guyon, & R. Garnett (Eds.), *Advances in Neural Information Processing Systems* (Vol. 29, pp. 2234–2242). Curran Associates, Inc. <https://doi/10.5555/3157096.3157346>
- Samalla, K. (2024). Pioneering Dermatological Disease Detection *with CNNs*. *International Journal for Research in Applied Science and Engineering Technology*. <https://doi.org/10.22214/ijraset.2024.61648>.
- Sandler, M., Howard, A., Zhu, M., Zhmoginov, A., & Chen, L.-C. (2018). MobileNetV2: Inverted residuals and linear bottlenecks. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (pp. 4510–4520). IEEE. <https://doi.org/10.1109/CVPR.2018.00474>
- Shetty, S., V. S., A., & Mahale, A. (2023). Data augmentation vs. synthetic data generation: An empirical evaluation for enhancing radiology image *classification*. In *2023 IEEE 17th International Conference on Industrial and Information Systems (ICIIS)* (pp. 1–6). IEEE. <https://doi.org/10.1109/ICIIS58898.2023.10253599>.
- Shin, H. C., Tenenholtz, N. A., Rogers, J. K., Schwarz, C. G., Senjem, M. L., Gunter, J. L., Andriole, K. P., & Michalski, M. (2018). Medical image synthesis for data augmentation and anonymization using *generative adversarial networks*. In O. Goksel, I. Oguz, A. Gooya, & N. Burgos (Eds.), *Simulation and Synthesis in Medical Imaging* (pp. 1–11). Springer Nature Switzerland AG. https://doi.org/10.1007/978-3-030-00536-8_1
- Shorten, C., & Khoshgoftaar, T. M. (2019). A survey on Image Data Augmentation for *deep learning*. *Journal of Big Data*, 6, 60. <https://doi.org/10.1186/s40537-019-0197-0>

- Srivastava, R. K., Greff, K., & Schmidhuber, J. (2015). Training very *deep networks*. In *Advances in Neural Information Processing Systems* (Vol. 28, pp. 2377–2385). Curran Associates, Inc. <https://doi.org/10.5555/2969442.2969505>
- Sineglazov, V., & Shcherban, O. (2025). Intelligent system for hyperspectral image processing based on *generative adversarial networks*. *CEUR Workshop Proceedings*, 4042, 167–179. <https://ceur-ws.org/Vol-4042/paper13.pdf>
- Studer, S., Bui, T. B., Drescher, C., Hanuschkin, A., Winkler, L., Peters, S., & Müller, K.-R. (2021). Towards CRISP-ML(Q): A Machine Learning Process Model *with* Quality Assurance Methodology. *Mach. Learn. Knowl. Extr.*, 392–413. <https://doi.org/10.3390/make3020020>
- Tschandl, P., Rosendahl, C., & Kittler, H. (2018). The HAM10000 *dataset*, a large collection of multi-source dermatoscopic images of common pigmented skin lesions. *Scientific Data*, 5(1). <https://doi.org/10.1038/sdata.2018.161>.
- Wang, F., Jiang, M., Qian, C., Yang, S., Li, C., Zhang, H., Wang, X., & Tang, X. (2017). Residual attention *network* for image *classification*. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)* (pp. 6450–6458). <https://doi.org/10.1109/CVPR.2017.683>.
- Wang, Z., She, Q., & Ward, T. E. (2021). *Generative adversarial networks* in computer vision: A survey and taxonomy. *ACM Computing Surveys*, 54(2), 1–38. <https://doi.org/10.1145/3439723>.
- Yao, H., Wu, Y., Liu, S., Liu, Y., & Xie, H. (2023). A pavement crack synthesis method based on conditional *generative adversarial networks*. *Mathematical Biosciences & Engineering*, 21(1), 903–923. <https://doi.org/10.3934/mbe.2024038>.
- Zafar, A., Aamir, M., Mohd Nawi, N., Arshad, A., Riaz, S., Alruban, A., Dutta, A. K., Almotairi, S., & Zafar, A. (2022). A comparison of *pooling* methods for *convolutional neural networks*. *Applied Sciences*, 12, 8643. <https://doi.org/10.3390/app12178643>
- Zhang, L., Zhang, Y., & Gao, Y. (2018). *A Wasserstein GAN model with the total variational regularization* (ArXiv:1812.00810). arXiv. <https://doi.org/10.48550/arXiv.1812.00810>