

## DAFTAR PUSTAKA

- Abdullakutty, F., Johnston, P., & Elyan, E. (2022). Fusion Methods for Face Presentation Attack Detection. *Sensors 2022, Vol. 22, Page 5196*, 22(14), 5196. <https://doi.org/10.3390/S22145196>
- Akbar, M., Purnomo, A. S., & Supatman, S. (2022). Multi-Scale Convolutional Networks untuk Pengenalan Rambu Lalu Lintas di Indonesia. *Jurnal Sisfokom (Sistem Informasi dan Komputer)*, 11(3), 310–315. <https://doi.org/10.32736/SISFOKOM.V11I3.1452>
- Bai, Y., Li, X., Liu, Z., Huang, Y., Guo, T., Hou, M., & Luo, W. (2025). Learning multi-granularity temporal characteristics for attention based knowledge tracing. *Neurocomputing*, 655, 131338. <https://doi.org/10.1016/J.NEUCOM.2025.131338>
- Bian, Y., Zhang, P., Wang, J., Wang, C., & Pu, S. (2022). Learning Multiple Explainable and Generalizable Cues for Face Anti-spoofing. *ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings, 2022-May*, 2310–2314. <https://doi.org/10.1109/ICASSP43922.2022.9747677>
- Boulkenafet, Z., Komulainen, J., Li, L., Feng, X., & Hadid, A. (2017). OULU-NPU: A Mobile Face Presentation Attack Database with Real-World Variations. *Proceedings - 12th IEEE International Conference on Automatic Face and Gesture Recognition, FG 2017 - 1st International Workshop on Adaptive Shot Learning for Gesture Understanding and Production, ASLAGUP 2017, Biometrics in the Wild, Bwild 2017, Heterog...*, 612–618. <https://doi.org/10.1109/FG.2017.77>
- Cai, R., Li, Z., Wan, R., Li, H., Hu, Y., & Kot, A. C. (2022). Learning Meta Pattern for Face Anti-Spoofing. *IEEE Transactions on Information Forensics and Security*, 17, 1201–1213. <https://doi.org/10.1109/TIFS.2022.3158551>
- Cai, R., Soh, C., Yu, Z., Li, H., Yang, W., & Kot, A. C. (2024). Towards Data-Centric Face Anti-Spoofing: Improving Cross-domain Generalization via Physics-based Data Synthesis. *International Journal of Computer Vision*, 133(4), 1689–1710. <https://doi.org/10.1007/s11263-024-02240-2>
- Chen, H., Liu, J., Wang, J., & Shi, W. (2025). *DAPLSR: Data Augmentation Partial Least Squares Regression Model via Manifold Optimization*. <https://doi.org/10.5121/ijci.2024.130507>
- Chen, S., Wu, G., Yang, Y., & Guo, Z. (2023). A simple and effective patch-Based method for frame-level face anti-spoofing. *Pattern Recognition Letters*, 171, 1–7. <https://doi.org/10.1016/J.PATREC.2023.04.011>
- Chen, Z., Yao, T., Sheng, K., Ding, S., Tai, Y., Li, J., Huang, F., & Jin, X. (2021). Generalizable Representation Learning for Mixture Domain Face Anti-Spoofing. *35th AAAI Conference on Artificial Intelligence, AAAI 2021, 2A*, 1132–1139. <https://doi.org/10.1609/aaai.v35i2.16199>
- Deb, D., & Jain, A. K. (2020). Look Locally Infer Globally: A Generalizable Face Anti-Spoofing Approach. *IEEE Transactions on Information Forensics and Security*, 16, 1143–1157. <https://doi.org/10.1109/TIFS.2020.3029879>

- El-Din, Y. S., Moustafa, M. N., & Mahdi, H. (2020). Deep convolutional neural networks for face and iris presentation attack detection: Survey and case study. *IET Biometrics*, *9*(5), 179–193. <https://doi.org/10.1049/iet-bmt.2020.0004>
- Fahad, M., Zhang, T., Iqbal, Y., Ikram, A., Siddiqui, F., Abdullah, B. Y., Muhammad Nauman, M., Zhao, X., & Geng, Y. (2024). Advanced deepfake detection with enhanced Resnet-18 and multilayer CNN max pooling. *The Visual Computer* *2024* *41:5*, *41*(5), 3473–3486. <https://doi.org/10.1007/S00371-024-03613-X>
- George, A., & Marcel, S. (2020). Learning One Class Representations for Face Presentation Attack Detection using Multi-channel Convolutional Neural Networks. *IEEE Transactions on Information Forensics and Security*, *16*, 361–375. <https://doi.org/10.1109/TIFS.2020.3013214>
- Hakim, L., Rahmanto, H. R., Kristanto, S. P., & Yusuf, D. (2023). KLASIFIKASI CITRA MOTIF BATIK BANYUWANGI MENGGUNAKAN CONVOLUTIONAL NEURAL NETWORK. *Jurnal Teknoinfo*, *17*(1), 203. <https://doi.org/10.33365/JTI.V17I1.2342>
- He, K., Zhang, X., Ren, S., & Sun, J. (2015). Deep Residual Learning for Image Recognition. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 2016-December, 770–778. <https://doi.org/10.1109/CVPR.2016.90>
- Hernandez-Ortega, J., Fierrez, J., Morales, A., & Galbally, J. (2021). Introduction to Presentation Attack Detection in Face Biometrics and Recent Advances. *Advances in Computer Vision and Pattern Recognition*, 203–230. [https://doi.org/10.1007/978-981-19-5288-3\\_9](https://doi.org/10.1007/978-981-19-5288-3_9)
- Jiang, Y., & Manem, V. S. K. (2025). Data augmented lung cancer prediction framework using the nested case control NLST cohort. *Frontiers in Oncology*, *15*, 1492758. <https://doi.org/10.3389/FONC.2025.1492758/BIBTEX>
- Li, C., Liu, K., Liu, S., Li, C., Liu, K., & Liu, S. (2025). A Survey of Loss Functions in Deep Learning. *Mathematics* *2025*, *Vol. 13*, *13*(15). <https://doi.org/10.3390/MATH13152417>
- Li, D., Chen, G., Wu, X., Yu, Z., & Tan, M. (2024). Face anti-spoofing with cross-stage relation enhancement and spoof material perception. *Neural Networks*, *175*, 106275. <https://doi.org/10.1016/J.NEUNET.2024.106275>
- Li, K., Yang, H., Chen, B., Li, P., Wang, B., & Huang, D. (2023). Learning Polysemantic Spoof Trace: A Multi-Modal Disentanglement Network for Face Anti-spoofing. *Proceedings of the AAAI Conference on Artificial Intelligence*, *37*(1), 1351–1359. <https://doi.org/10.1609/AAAI.V37I1.25219>
- Li, L., Yao, Z., Gao, S., Han, H., & Xia, Z. (2024). Face anti-spoofing via jointly modeling local texture and constructed depth. *Engineering Applications of Artificial Intelligence*, *133*, 108345. <https://doi.org/10.1016/J.ENGAPPAI.2024.108345>
- Li, Y., Sun, W., Li, Z., Guo, X., Li, Y., Sun, W., Li, Z., & Guo, X. (2025). Face Anti-Spoofing Based on Adaptive Channel Enhancement and Intra-Class Constraint.

- Journal of Imaging* 2025, Vol. 11, 11(4).  
<https://doi.org/10.3390/JIMAGING11040116>
- Ming, Z., Visani, M., Luqman, M. M., & Burie, J. C. (2020). A Survey on Anti-Spoofing Methods for Facial Recognition with RGB Cameras of Generic Consumer Devices. *Journal of Imaging* 2020, Vol. 6, Page 139, 6(12), 139. <https://doi.org/10.3390/JIMAGING6120139>
- Muhammad, U., Yu, Z., & Komulainen, J. (2022). Self-supervised 2D face presentation attack detection via temporal sequence sampling. *Pattern Recognition Letters*, 156, 15–22. <https://doi.org/10.1016/J.PATREC.2022.03.001>
- Nurpeisova, A., Shaushenova, A., Kuznetsov, O., Ispussinov, A., Mutalova, Z., Kassymova, A., Nurpeisova, A., Shaushenova, A., Kuznetsov, O., Ispussinov, A., Mutalova, Z., & Kassymova, A. (2025). Deep Residual Learning for Face Anti-Spoofing: A Mathematical Framework for Optimized Skip Connections. *Technologies* 2025, Vol. 13, 13(9). <https://doi.org/10.3390/TECHNOLOGIES13090413>
- Pasmino, D., Aravena, C., Tapia, J. E., & Busch, C. (2023). Flickr-PAD: New Face High-Resolution Presentation Attack Detection Database. *2023 11th International Workshop on Biometrics and Forensics, IWBF 2023*. <https://doi.org/10.1109/IWBF57495.2023.10157771>
- PyTorch. (2017). *Illustration of transforms — Torchvision main documentation*. [https://docs.pytorch.org/vision/main/auto\\_examples/transforms/plot\\_transforms\\_illustrations.html](https://docs.pytorch.org/vision/main/auto_examples/transforms/plot_transforms_illustrations.html)
- PyTorch. (2026a). *BCEWithLogitsLoss — PyTorch 2.9 documentation*. <https://docs.pytorch.org/docs/stable/generated/torch.nn.BCEWithLogitsLoss.html>
- PyTorch. (2026b). *vision/torchvision/transforms/\_functional\_tensor.py at main · pytorch/vision · GitHub*. [https://github.com/pytorch/vision/blob/main/torchvision/transforms/\\_functional\\_tensor.py](https://github.com/pytorch/vision/blob/main/torchvision/transforms/_functional_tensor.py)
- Qin, Y., Yu, Z., Yan, L., Wang, Z., Zhao, C., & Lei, Z. (2021). Meta-Teacher For Face Anti-Spoofing. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 44(10), 6311–6326. <https://doi.org/10.1109/TPAMI.2021.3091167>
- Ruby, U., & Yendapalli, V. (2020). Binary cross entropy with deep learning technique for Image classification. *International Journal of Advanced Trends in Computer Science and Engineering*, 9(4), 5393–5397. <https://doi.org/10.30534/IJATCSE/2020/175942020>
- Sani, S. (2025). *Analisis Perbandingan Metode Fusi Multimodal Untuk Deteksi Pemalsuan Wajah: Concatenation, Addition, dan Cross-Attention*. <http://eprints.upnyk.ac.id/id/eprint/44213>
- Shafiq, M., & Gu, Z. (2022). Deep Residual Learning for Image Recognition: A Survey. *Applied Sciences* 2022, Vol. 12, 12(18). <https://doi.org/10.3390/APP12188972>

- Tan, M., & Le, Q. V. (2019). EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks. *36th International Conference on Machine Learning, ICML 2019, 2019-June*, 10691–10700. <https://arxiv.org/pdf/1905.11946>
- Tang, Z., Xu, T., Zhu, X., Li, H., Zhao, S., Zhou, T., Cheng, C., Wu, X.-J., & Kittler, J. (2025). *Omni Survey for Multimodality Analysis in Visual Object Tracking*. <https://arxiv.org/pdf/2508.13000>
- Vinutha, H., & Thippeswamy, G. (2023). Antispoofing in face biometrics: A comprehensive study on software-based techniques. *Computer Science and Information Technologies*, 4(1), 1–13. <https://doi.org/10.11591/CSIT.V4I1.P1-13>
- Wang, C., & Zhou, J. (2022). An adaptive index smoothing loss for face anti-spoofing. *Pattern Recognition Letters*, 153, 168–175. <https://doi.org/10.1016/J.PATREC.2021.12.006>
- Wang, J., Zhang, J., Bian, Y., Cai, Y., Wang, C., & Pu, S. (2021). *Self-Domain Adaptation for Face Anti-Spoofing*. <https://arxiv.org/pdf/2102.12129>
- Wang, X., Wang, K., & Lian, S. (2019). A Survey on Face Data Augmentation. *Neural Computing and Applications*, 32(19), 15503–15531. <https://doi.org/10.1007/s00521-020-04748-3>
- Wang, Y. C., Wang, C. Y., & Lai, S. H. (2021). Disentangled Representation with Dual-stage Feature Learning for Face Anti-spoofing. *Proceedings - 2022 IEEE/CVF Winter Conference on Applications of Computer Vision, WACV 2022*, 1234–1243. <https://doi.org/10.1109/WACV51458.2022.00130>
- Wang, Z., Xu, Y., Wu, L., Han, H., Ma, Y., & Ma, G. (2021). Multi-Perspective Features Learning for Face Anti-Spoofing. *2021 IEEE/CVF International Conference on Computer Vision Workshops (ICCVW), 2021-October*, 4099–4105. <https://doi.org/10.1109/ICCVW54120.2021.00457>
- Woo, S., Park, J., Lee, J. Y., & Kweon, I. S. (2018). CBAM: Convolutional block attention module. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 11211 LNCS, 3–19. [https://doi.org/10.1007/978-3-030-01234-2\\_1/TABLES/8](https://doi.org/10.1007/978-3-030-01234-2_1/TABLES/8)
- Wu, H., Zeng, D., Hu, Y., Shi, H., & Mei, T. (2021). Dual Spoof Disentanglement Generation for Face Anti-spoofing with Depth Uncertainty Learning. *IEEE Transactions on Circuits and Systems for Video Technology*, 32(7), 4626–4638. <https://doi.org/10.1109/TCSVT.2021.3133620>
- Xing, H., Tan, S. Y., Qamar, F., Jiao, Y., Xing, H., Tan, S. Y., Qamar, F., & Jiao, Y. (2025). Face Anti-Spoofing Based on Deep Learning: A Comprehensive Survey. *Applied Sciences 2025, Vol. 15*, 15(12). <https://doi.org/10.3390/APP15126891>
- Yu, Z., Wan, J., Qin, Y., Li, X., Li, S. Z., & Zhao, G. (2020). NAS-FAS: Static-Dynamic Central Difference Network Search for Face Anti-Spoofing. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 43(9), 3005–3023. <https://doi.org/10.1109/tpami.2020.3036338>
- Yue, H., Wang, K., Zhang, G., Feng, H., Han, J., Ding, E., & Wang, J. (2022). Cyclically Disentangled Feature Translation for Face Anti-spoofing. *Proceedings of the 37th*

- AAAI Conference on Artificial Intelligence, AAAI 2023*, 37, 3358–3366. <https://doi.org/10.1609/aaai.v37i3.25443>
- Zeng, D., Gao, L., Fang, H., Xiang, G., Feng, Y., & Lu, Q. (2023). Bandpass Filter Based Dual-stream Network for Face Anti-spoofing. *IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops, 2023-June*, 6403–6410. <https://doi.org/10.1109/CVPRW59228.2023.00681>
- Zhang, Q. L., & Yang, Y. Bin. (2021). SA-Net: Shuffle attention for deep convolutional neural networks. *ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings, 2021-June*, 2235–2239. <https://doi.org/10.1109/ICASSP39728.2021.9414568>
- Zhang, S., Liu, A., Wan, J., Liang, Y., Guo, G., Escalera, S., Escalante, H. J., & Li, S. Z. (2020). CASIA-SURF: A Large-Scale Multi-Modal Benchmark for Face Anti-Spoofing. *IEEE Transactions on Biometrics, Behavior, and Identity Science*, 2(2), 182–193. <https://doi.org/10.1109/TBIOM.2020.2973001>
- Zhao, S., Chen, W., Zhang, F., & Liu, X. (2023). Disentangle irrelevant and critical representations for face anti-spoofing. *Neurocomputing*, 536, 175–190. <https://doi.org/10.1016/J.NEUCOM.2023.03.018>
- Zhenlin, S., Hao, Y., Mengyu, G., & Zhiqiang, H. (2024). Lightweight Face Anti-spoofing for Improved MobileNetV3. *Journal of Image Processing Theory and Applications*, 7(1), 143–151. <https://doi.org/10.23977/JIPTA.2024.070117>