

DAFTAR PUSTAKA

- Aki, K., dan Richards, P. (2002): *Quantitative Seismology, 2nd Ed.*
- Asten, M. W. (1978): 1978. Geological Control on The Three-Component Spectra of Rayleigh Wave Microseisms. , 68(6), pp. 1623-1636. , *Bulletin of the Seismological Society of America*, **68**(6), 1623–1636.
- Bard, P. . . (1999): Microtremor Measurement: A Tool for Site Estimates, *Yokohama, s.n.*, 1252–1279.
- Biantoro, E., Muritno, B. P., dan Mamuaya, J. M. B. (1992): *Inversion Faults as the Major Structural Control in the Northern Part of the Kutai Basin, East Kalimantan.*
- Bour, M., Fouissac, D., Dominique, P., dan Martin, C. (1998): On the use of microtremor recordings in seismic microzonation, *Soil Dynamics and Earthquake Engineering*.
- Bowman, D. C., dan Lees, J. M. (2013): The hilbert-huang transform: A high resolution spectral method for nonlinear and nonstationary time series, *Seismological Research Letters*, **84**(6), 1074–1080. <https://doi.org/10.1785/0220130025>
- Brigham, E. O. (1988): *The fast Fourier transform and its applications*, Prentice Hall, 448.
- BSN (2019): Tata cara perencanaan ketahanan gempa untuk struktur bangunan gedung dan nongedung, diperoleh melalui situs internet: www.bsn.go.id.
- BSSC (2003): *RECOMMENDED PROVISIONS FOR SEISMIC REGULATIONS FOR NEW BUILDINGS AND OTHER STRUCTURES (FEMA 450)*, diperoleh melalui situs internet: www.bssconline.org.
- Castellaro, S., dan Mulargia, F. (2009): VS30 estimates using constrained H/V measurements, *Bulletin of the Seismological Society of America*, **99**(2 A), 761–773. <https://doi.org/10.1785/0120080179>
- Cloke, I. R., Moss, S. J., dan Craig, J. (1999): Structural controls on the evolution of the Kutai Basin, East Kalimantan, *Jurnal of Asian Earth Science*, 137–156.
- Cooley, J. W., dan Tukey, J. W. (1965): An Algorithm for the Machine Calculation of Complex Fourier Series, *Mathematics of Computation*, **19**, 297–301.
- Cui, D., Shi, L., dan Gao, K. (2023): Rapid construction of Rayleigh wave dispersion curve based on deep learning, *Frontiers in Earth Science*, **10**. <https://doi.org/10.3389/feart.2022.1084414>
- Dewi, S. P. N. A. D. C., Lestari, R. T., Soemitro, R. A. A., dan Warnana, D. D. (2016): Earthquake Microzonation and VS₃₀ Mapping Based on Microtremor Measurement (Case Study in Kaliwates and Summersari Sub-District, Jember Regency), *Procedia - Social and Behavioral Sciences*, **227**,

354–360. <https://doi.org/10.1016/j.sbspro.2016.06.082>

- Elnashai, A. S., dan Sarno, L. Di (2008): *FUNDAMENTALS OF EARTHQUAKE ENGINEERING*, John Wiley & Sons.
- Feldman, M. (2011): Hilbert transform in vibration analysis, *Mechanical Systems and Signal Processing*, Academic Press. <https://doi.org/10.1016/j.ymssp.2010.07.018>
- Ferguson, A., dan McClay, K. (1997): STRUCTURAL MODELING WITHIN THE SANGA SANGA PSC, KUTEI BASIN, KALIMANTAN: ITS APPLICATION TO PALEOCHANNEL ORIENTATION STUDIES AND TIMING OF HYDROCARBON ENTRAPMENT, *Proceedings of an International Conference on Petroleum Systems of SE Asia and Australasia, 1997*, IPA.
- Gutenberg, B. (1958): Caustics Produced by Waves Through the Earth's Core, *Geophysical Journal International*, **1**(3), 238–248.
- Hall, R. (2002): *Cenozoic geological and plate tectonic evolution of SE Asia and the SW Pacific: computer-based reconstructions, model and animations*, *Journal of Asian Earth Sciences*, diperoleh melalui situs internet: www.elsevier.com/locate/jseaes*, **20**, 353–431.
- Harris, F. J. (1978): *On the Use of Windows for Harmonic Analysis with the Discrete Fourier Transform*, *PROCEEDINGS OF THE IEEE*, **6**, 51.
- Harsuko, M. R. C., Zulfakriza, Z., Nugraha, A. D., Sarjan, A. F. N., Widiyantoro, S., Rosalia, S., Puspito, N. T., dan Sahara, D. P. (2020): Investigation of Hilbert–Huang Transform and Fourier Transform for Horizontal-to-Vertical Spectral Ratio Analysis: Understanding the Shallow Structure in Mataram City, Lombok, Indonesia, *Frontiers in Earth Science*, **8**. <https://doi.org/10.3389/feart.2020.00334>
- Hidayati, S. (2010): *Pengenalan Seismologi Gunungapi. Bandung: Diklat Pelaksana Pemula Pengamat Gunungapi Baru*, Pusat Vulkanologi dan Mitigasi Bencana Geologi.
- Huang, N. E., Shen, Z., Long, S. R., Shih, H. H., Zheng, Q., Yen, N., Tung, C. C., dan Liu, H. H. (1998): The empirical mode decomposition and the Hilbert spectrum for nonlinear and non-stationary time series analysis, *The Royal Society*, diperoleh melalui situs internet: <http://rspa.royalsocietypublishing.org/>, **454**, 903–995.
- Huang, Norden E. (2005): *CHAPTER 1 INTRODUCTION TO THE HILBERT HUANG TRANSFORM AND ITS RELATED MATHEMATICAL PROBLEMS*.
- Kanai, K. (1983): *Engineering Seismology*.
- Kayal, J. (2008): *Microearthquake Seismology and Seismotectonics of South Asia*, Capital Publishing Company, India.
- Klingspor, M. (2015): *Hilbert transform: Mathematical theory and applications to signal processing*.

- Kramer, S. L. (1996): *Geotechnical Earthquake Engineering*.
- Lay, T., dan Wallace, T. C. (1995): *Modern Global Seismology*, Academic Press, California.
- Liu, L., Mehl, R., Wang, W., dan Chen, Q. F. (2015): Applications of the Hilbert-Huang transform for microtremor data analysis enhancement, *Journal of Earth Science*, **26**(6), 799–806. <https://doi.org/10.1007/s12583-015-0594-z>
- McClay, K., Dooley, T., Ferguson, A., dan Poblet, J. (2000): Tectonic Evolution of the Sanga Sanga Block, Mahakam Delta, Kalimantan, Indonesia, *AAPG Bulletin*, **84**, 765–786.
- Mirzaoglu, M., dan Dikmen, Ü. (2003): Application of microtremors to seismic microzoning procedure, *Journal of the Balkan Geophysical Society*, diperoleh melalui situs internet: <https://www.researchgate.net/publication/268359370>, **6**, 143–156.
- Moss, S. J., Chambers, J., Cloke, I., Satria, D., Ali, J. R., Baker, S., Milsom, J., dan Carter, A. (1997): New observations on the sedimentary and tectonic evolution of the Tertiary Kutai Basin, East Kalimantan, *Geological Society Special Publication*, **126**, 395–416. <https://doi.org/10.1144/GSL.SP.1997.126.01.24>
- Naeim, F. (2001): EARTHQUAKE EXCITATION AND RESPONSE OF BUILDINGS, 439–461 *dalam Encyclopedia of Vibration*, Elsevier. <https://doi.org/10.1006/rwvb.2001.0067>
- Nakamura, Y. (1989): *A Method for Dynamic Characteristics Estimation of Subsurface using Microtremor on the Ground Surface*.
- Nakamura, Y. (2000): *CLEAR IDENTIFICATION OF FUNDAMENTAL IDEA OF NAKAMURA'S TECHNIQUE AND ITS APPLICATIONS*.
- Nakamura, Y. (2008): *ON THE H/V SPECTRUM*.
- Nandi, H., Fikri, A., dan Rustadi. (2019): *Mikroseismik, Mikrotremor, dan Mikroearthquake Dalam Ilmu Kebumihan*, Pusaka Media, Lampung.
- Neukirch, M., García-Jerez, A., Villaseñor, A., Luzón, F., Ruiz, M., dan Molina, L. (2021): Horizontal-to-vertical spectral ratio of ambient vibration obtained with hilbert–huang transform, *Sensors*, **21**(9). <https://doi.org/10.3390/s21093292>
- Orosco, E. C., Lopez, N. M., dan Di Sciascio, F. (2013): Bispectrum-based features classification for myoelectric control, *Biomedical Signal Processing and Control*, **8**(2), 153–168. <https://doi.org/10.1016/j.bspc.2012.08.008>
- Philip, S. (2007): *Planet yang Bergolak*, PT Gelora Aksara, Jakarta.
- Resmawan, R. . (2007): *ANALISIS VARIASI KANDUNGAN SULFUR PADA BATUBARA SEAM S DI DAERAH PALARAN KUTAI KARTANEGARA KALIMANTAN TIMUR*, Institut Teknologi Bandung.
- Sambridge, M. (1999): Geophysical inversion with a neighbourhood algorithm - I. Searching a parameter space, *Geophysical Journal International*, **138**(2), 479–494. <https://doi.org/10.1046/j.1365-246X.1999.00876.x>

- Satyana, A. H., dan Biantoro, E. (1996): SEISMIC STRATIGRAPHY OF EOCENE BERIUN SANDS OF WEST BUNGALUN, EAST KALIMANTAN, INDONESIA: A CONTRIBUTION TO THE PALEOGENE STRATIGRAPHICAL KNOWLEDGE OF THE KUTEI BASIN, *Proceedings of the International Symposium on Sequence Stratigraphy in SE Asia*, Indonesian Petroleum Association.
- Scherbaum, F., Hinzen, K. G., dan Ohrnberger, M. (2003): Determination of shallow shear wave velocity profiles in the Cologne, Germany area using ambient vibrations, *Geophysical Journal International*, **152**(3), 597–612. <https://doi.org/10.1046/j.1365-246X.2003.01856.x>
- SESAME (2004): *GUIDELINES FOR THE IMPLEMENTATION OF THE H/V SPECTRAL RATIO TECHNIQUE ON AMBIENT VIBRATIONS*, diperoleh melalui situs internet: <http://sesame-fp5.obs.ujf-grenoble.fr/index.htm>.
- Setiawan, J. J. H. (2009): *MIKROZONASI SEISMISITAS DAERAH YOGYAKARTA DAN SEKITARNYA*, Institut Teknologi Bandung.
- Slob, S. (2007): *Micro Seismic Hazard Analysis, Earthquake Vulnerability and Multi Hazard Risk Assessment: Geospatial Tools for Rehabilitation and Reconstruction Efforts*, ITC The Netherlands.
- Sukardi, N., Sikumbang, I., Umar, dan R. Sunaryo (1995): Peta Geologi Lembar Sangatta, Kalimantan.
- Supriatna, S., Sukardi, dan Rustandi, E. (1995): Peta Geologi Lembar Samarinda, Kalimantan, Pusat Penelitian dan Pengembangan Geologi, Bandung.
- Syaiful, F. ., dan Koswara, A. . (2020): Penentuan Prioritas Pengembangan Infrastruktur Wilayah Pesisir Kecamatan Sangatta Utara dan Kecamatan Sangatta Selatan Kabupaten Kutai Timur, *Jurnal Teknik ITS*, **9**(2).
- Telford, W., Geldart, L., Sheriff, R., dan Keys, D. (1976): *Applied Geophysics*, Cambridge University Press, New York.
- Titchmarsh, E. M. (1948): *Introduction to the theory of Fourier integrals -- 2nd*, IRL Press at Oxford University Press.
- Tuladhar, R., Nguyen Hong CUONG, N., dan Yamazaki, F. (2004): SEISMIC MICROZONATION OF HANOI, VIETNAM USING MICROTREMOR OBSERVATIONS, *13th World Conference on Earthquake Engineering*.
- UpdateIKN.com (2025): *BBPJN Kaltim Libatkan Swasta Tangani Longsor Jalan Nasional Sangatta-Sp Perdau*, diperoleh 1 Oktober 2025 melalui situs internet: <https://updateikn.com/bbpjn-kaltim-libatkan-swasta-tangani-longsor-jalan-nasional-sangatta-sp-perdau/>.
- Wathelet, M. (2008): An improved neighborhood algorithm: Parameter conditions and dynamic scaling, *Geophysical Research Letters*, **35**(9). <https://doi.org/10.1029/2008GL033256>