

DAFTAR PUSTAKA

- Barker, R. W. (1960). *Taxonomic notes on the species figured by H. B. Brady in his report on the foraminifera dredged by H.M.S. Challenger during the years 1873–1876*. Society of Economic Paleontologists and Mineralogists Special Publication No. 9.
- Bé, A. W. H., & Tolderlund, D. S. (1971). Distribution and ecology of living planktonic foraminifera in surface waters of the Atlantic and Indian Oceans. In B. M. Funnell & W. R. Riedel (Eds.), *The micropaleontology of oceans* (pp. 105–149). Cambridge University Press.
- Berger, W. H., Smetacek, V. S., & Wefer, G. (1989). Ocean productivity and paleoproductivity—An overview. In W. H. Berger, V. S. Smetacek, & G. Wefer (Eds.), *Productivity of the ocean: Present and past* (pp. 1–34). Wiley.
- Bijma, J., Faber, W. W., & Hemleben, C. (1990). Temperature and salinity limits for growth and survival of some planktonic foraminifers in laboratory cultures. *Journal of Foraminiferal Research*, 20(2), 95–116.
- Blow, W. H. (1969). Late middle Eocene to Recent planktonic foraminiferal biostratigraphy. In P. Brönnimann & H. H. Renz (Eds.), *Proceedings of the First International Conference on Planktonic Microfossils* (Vol. 1, pp. 199–421). E.J. Brill.
- Boltovskoy, E., & Wright, R. (1976). *Recent foraminifera*. Dr. W. Junk Publishers.
- Bothe, A. (1929). *Djiwo Hills and Southern Range*. Excursion Guide C1, Fourth Pacific Science Congress, Java, 1–14.
- Demaison, G., & Moore, G. T. (1980). Anoxic environments and oil source bed genesis. *AAPG Bulletin*, 64(8), 1179–1209.
- Duleba, W., Debenay, J. P., Eichler, B. B., & de Mahieu, M. M. (2005). Holocene environmental and water circulation changes: Foraminifer morphogroups evidence in Flamengo Bay (SP, Brazil). *Journal of Foraminiferal Research*, 35(1), 62–78.
- Dunham, R. J. (1962). Classification of carbonate rocks according to depositional texture. In W. E. Ham (Ed.), *Classification of carbonate rocks* (pp. 108–121). AAPG Memoir 1.
- Einsele, G. (2000). *Sedimentary basins: Evolution, facies, and sediment budget* (2nd ed.). Springer.
- Emery, D., & Myers, K. J. (1996). *Sequence stratigraphy*. Blackwell Science.
- Flügel, E. (2010). *Microfacies of carbonate rocks: Analysis, interpretation and application* (2nd ed.). Springer.
- Gooday, A. J. (2003). Benthic foraminifera (Protista) as tools in deep-water palaeoceanography. *Advances in Marine Biology*, 46, 1–90.
- Grimsdale, T. F., & van Morkhoven, F. P. C. M. (1955). The ratio between pelagic and benthonic foraminifera as a means of estimating depth of deposition of

sedimentary rocks. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series B*, 58, 473–482.

- Hall, R. (2012). Late Jurassic–Cenozoic reconstructions of the Indonesian region and the Indian Ocean. *Tectonophysics*, 570–571, 1–41.
- Hallock, P., Lidz, B. H., Cockey-Burkhard, E. M., & Donnelly, K. B. (2003). Foraminifera as bioindicators in coral reef assessment and monitoring. *Environmental Monitoring and Assessment*, 81, 221–238.
- Haq, B. U., Hardenbol, J., & Vail, P. R. (1987). Chronology of fluctuating sea levels since the Triassic. *Science*, 235, 1156–1167.
- Hartono, H. (2010). *Geologi regional Jawa*. Gadjah Mada University Press.
- Hillaire-Marcel, C., & de Vernal, A. (2007). *Proxies in Late Cenozoic paleoceanography*. Elsevier.
- Jorissen, F. J., de Stigter, H. C., & Widmark, J. G. V. (1995). A conceptual model explaining benthic foraminiferal microhabitats. *Marine Micropaleontology*, 26(1–4), 3–15.
- Kaiho, K. (1994). Benthic foraminiferal dissolved-oxygen index and dissolved-oxygen levels in the modern ocean. *Geology*, 22(8), 719–722.
- Katz, M. E., Cramer, B. S., Franzese, A., Hönisch, B., Miller, K. G., Rosenthal, Y., & Wright, J. D. (2010). Traditional and emerging geochemical proxies in foraminifera. *Earth-Science Reviews*, 102(1–2), 1–20.
- Loeblich, A. R., & Tappan, H. (1988). *Foraminiferal genera and their classification*. Van Nostrand Reinhold.
- Magoon, L. B., & Dow, W. G. (1994). *The petroleum system: From source to trap*. AAPG Memoir 60.
- Murray, J. W. (2006). *Ecology and applications of benthic foraminifera*. Cambridge University Press.
- Nontji, A. (1993). *Laut Nusantara*. Djambatan.
- Peters, K. E., Walters, C. C., & Moldowan, J. M. (2005). *The Biomarker Guide* (2nd ed.). Cambridge University Press.
- Rahardjo, W., Sukandarrumidi, & Rosidi, H. M. D. (1995). *Peta Geologi Lembar Yogyakarta, Jawa* (Skala 1:100.000). Pusat Penelitian dan Pengembangan Geologi.
- Saraswati, P. K., & Srinivasan, M. S. (2015). *Micropaleontology: Principles and Applications*. Springer.
- Surono. (2009). *Stratigrafi Pegunungan Selatan Jawa*. Pusat Survei Geologi.
- Surono, Toha, B., & Sudarno, I. (1992). *Peta Geologi Lembar Surakarta–Giritontro, Jawa* (Skala 1:100.000). Pusat Penelitian dan Pengembangan Geologi.
- Tania, D. (2019). Perkembangan lingkungan pengendapan dari Formasi Sambipitu ke Formasi Wonosari daerah Jelok, Desa Beji, Kecamatan Patuk, Kabupaten Gunungkidul, Daerah Istimewa Yogyakarta. *Jurnal Teknologi Technoscientia*, 11(2), 1–10.

- Tissot, B. P., & Welte, D. H. (1978). *Petroleum Formation and Occurrence*. Springer.
- Tipsword, H. L., Setzer, F. M., & Smith, F. L. (1966). Interpretation of depositional environment in Gulf Coast petroleum exploration from paleoecology and related stratigraphy. *Gulf Coast Association of Geological Societies Transactions*, 16, 119–130.
- Tyson, R. V. (1995). *Sedimentary Organic Matter*. Chapman & Hall.
- Van Bemmelen, R. W. (1949). *The Geology of Indonesia*. Government Printing Office.
- Van der Zwaan, G. J., Jorissen, F. J., & de Stigter, H. C. (1999). The depth dependency of planktonic/benthic foraminiferal ratios. *Marine Micropaleontology*, 38(1–2), 1–16.

