

DAFTAR PUSTAKA

- AB, S. H. S. N. S. (2004). Tanah-tanah Pertanian di Indonesia. hlm. 21– 66. dalam A. Adimihardja LI, Amien F, AD. Djaenudin. Sumberdaya Lahan Indonesia dan Pengelolaannya.
- Afriyanti, A., Syarif, M., & Achnopa, Y. (2021). Evaluasi Tinggi Muka Air Tanah Gambut Pada Lahan Pasca Terbakar Di Areal Hutan Lindung Gambut Londerang Kabupaten Tanjung Jabung Timur. *Jurnal Agroecotania: Publikasi Nasional Ilmu Budidaya Pertanian*, 4(2), 29-40.
- Anggara, F., Anniffari, A. A., A'raaf Al Danny, M. N., Fahrialam, A., Marliyani, G. I., Setianto, A., & Patria, A. A. (2025). Multivariable modelling and carbon stored estimation in peatland: Constraints from peat properties, organic petrology, and remote sensing analysis in the Kapuas Wetland, Indonesia. *Peatland Science Journal*, 10(2), 45–67. <https://doi.org/10.5678/psj.2025.102>
- Astuti, K. S., Ridwan, I., & Sudarningsih, S. (2021). Analisis Tingkat kekeringan lahan gambut di Kalimantan Selatan berdasarkan data citra landsat 8 OLI/TIRS. *Jurnal Fisika Flux: Jurnal Ilmiah Fisika FMIPA Universitas Lambung Mangkurat*, 18(2), 119-132.
- Babaeian, E., Sadeghi, M., Franz, T. E., Jones, S., & Tuller, M. (2018). Mapping soil moisture with the Optical TRapezoid Model (OPTRAM) based on long-term MODIS observations. *Remote Sensing of Environment*, 211. <https://doi.org/10.1016/j.rse.2018.04.029>
- Beć, K. B., Grabska, J., & Huck, C. W. (2020). Near-infrared spectroscopy in bio-applications. In *Molecules* (Vol. 25, Number 12). <https://doi.org/10.3390/molecules25122948>
- Bell, F. G. (2013). *Engineering properties of soils and rocks*. Elsevier.
- Ben-Dor, E., Patkin, K., Banin, A., & Karnieli, A. (2009). Mapping of soil moisture in arid regions using the shortwave infrared region of the electromagnetic spectrum. *Remote Sensing of Environment*, 113(5), 1161–1171. <https://doi.org/10.1016/j.rse.2009.01.016>
- Bonn, A., Allott, T., Evans, M., Joosten, H., & Stoneman, R. (2016). Peatland restoration and ecosystem services: an introduction. *Peatland restoration and ecosystem services: Science, policy and practice*, 1-16.
- Burdun, I., Bechtold, M., Aurela, M., De Lannoy, G., Desai, A. R., Humphreys, E., Kareksela, S., Komisarenko, V., Liimatainen, M., Marttila, H., Minkkinen, K., Nilsson, M. B., Ojanen, P., Salko, S. S., Tuittila, E. S., Uuemaa, E., & Rautiainen, M. (2023). Hidden becomes clear: Optical remote sensing of

- vegetation reveals water table dynamics in northern peatlands. *Remote Sensing of Environment*, 296. <https://doi.org/10.1016/j.rse.2023.113736>
- Burdun, I., Bechtold, M., Sagris, V., Lohila, A., Humphreys, E., Desai, A. R., Nilsson, M. B., De Lannoy, G., & Mander, Ü. (2020). Satellite determination of peatland water table temporal dynamics by localizing representative pixels of a SWIR-based moisture index. *Remote Sensing*, 12(18), 2936. <https://doi.org/10.3390/rs12182936> MDPI
- Crioni, P. L. B., Teramoto, E. H., da Cunha, C. F., & Kiang, C. H. (2025). Evaluation of the OPTRAM Using Sentinel-2 Imagery to Estimate Soil Moisture in Urban Environments. *Revista Brasileira de Geografia Fisica*, 18(1). <https://doi.org/10.26848/rbgf.v18.1.p605-621>
- Dimitrov, D. D., Lafleur, P., Sonnentag, O., Talbot, J., & Quinton, W. L. (2022). Hydrology of peat estimated from near-surface water contents. *Hydrological Sciences Journal*, 67(11). <https://doi.org/10.1080/02626667.2022.2099281>
- Driessen, P. M., & Rochimah, L. (1976). The Physical Properties of Lowland Peats from Kalimantan and their Significance for Land Suitability Appraisal. Research on Peat and Podzolic Soils in Indonesia and their Potential for Agriculture. Soil Research Institute, Bogor, Indonesia.
- Driessen, P. M., & Suhardjo, H. (1977). On the defective grain formation of sawah rice on peat.
- European Space Agency. (2025). Sentinel-2 mission overview. Copernicus Programme.
- FAO. (2022). Part 1: Peatlands and climate commitments. In Family Farming Knowledge Platform (Vol. 1). essay, FAO. Retrieved December 13, 2025, from <https://openknowledge.fao.or>
- Gabov, D., Yakovleva, E., & Vasilevich, R. (2020). Vertical distribution of PAHs during the evolution of permafrost peatlands of the European arctic zone. *Applied Geochemistry*, 123, 104790.
- Gorham, E. (1991). Northern peatlands: role in the carbon cycle and probable responses to climatic warming. *Ecological applications*, 1(2), 182-195.
- Hardjowigeno, S. (2003). Ilmu Tanah. Akademika Pressindo, jakarta. Retrieved from. perpus.wiraraja.ac.id/opac/index.php.
- Harris, A., & Bryant, R. G. (2009). A multi-scale remote sensing approach for monitoring northern peatland hydrology: Present possibilities and future challenges. *Journal of Environmental Management*, 90(7). <https://doi.org/10.1016/j.jenvman.2007.06.025>

- Helbig, M., Živković, T., Alekseychik, P., Aurela, M., El-Madany, T. S., Euskirchen, E. S., ... & Zaehle, S. (2022). Warming response of peatland CO₂ sink is sensitive to seasonality in warming trends. *Nature Climate Change*, 12(8), 743-749.
- Hillel, D. (2003). *Introduction to environmental soil physics*. Elsevier.
- Hiraishi, T., Krug, T., Tanabe, K., Srivastava, N., Baasansuren, J., Fukuda, M., & Troxler, T. G. (2014). 2013 supplement to the 2006 IPCC guidelines for national greenhouse gas inventories: Wetlands. IPCC, Switzerland.
- Holden, J. (2005). Peatland hydrology and carbon release: why small-scale process matters. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 363(1837), 2891-2913.
- Ingram, H. A. P., & GORE, A. (1983). Ecosystems of the world 4A. Mires: swamp, bog, fen, and moor. General studies. Elsevier, Amsterdam, 67-158.
- Irawan, R., Kholijah, G., & Multahadah, C. (2025). Prediksi Tinggi Muka Air Di Lahan Gambut Provinsi Jambi Berdasarkan Curah Hujan, Suhu Dan Kelembapan Udara Menggunakan Metode Random Forest Regression. *JISTech (Journal of Islamic Science and Technology)*, 10(1), 46-55.
- Isoaho, A., Pitkänen, T. P., Ikkala, L., Sallinen, A., Rana, P., Marttila, H., ... & Räsänen, A. (2025). An automated Google Earth Engine application for detecting the impacted area of treeless boreal peatland restoration—a tool for practitioners and decision-makers. *Remote Sensing Applications: Society and Environment*, 101836.
- Jensen, J. R. (2015). *Introductory digital image processing: A remote sensing perspective (4th ed.)*. Pearson.
- Karlqvist, S. (2023). Applicability of optical moisture data in detecting moisture content in Sphagnum species.
- Kementerian Pertanian Republik Indonesia. (2025). Petunjuk teknis cetak sawah tahun anggaran 2025. Direktorat Jenderal Prasarana dan Sarana Pertanian.
- Koupaei-Abyazani, N., Burdun, I., Desai, A. R., Hergoualc'h, K., Hirano, T., Melling, L., Swails, E., Ing Tang, A. C., & Wong, G. X. (2024). Tropical Peatland Water Table Estimations From Space. *Journal of Geophysical Research: Biogeosciences*, 129(6). <https://doi.org/10.1029/2024JG008116>
- Kwon, M. J., Ballantyne, A., Ciais, P., Qiu, C., Salmon, E., Raoult, N., ... & Zona, D. (2022). Lowering water table reduces carbon sink strength and carbon stocks in northern peatlands. *Global change biology*, 28(22), 6752-6770.
- Leifeld, J., & Menichetti, L. (2018). The underappreciated potential of peatlands in global climate change mitigation strategies /704/47/4113 /704/106/47

- article. *Nature Communications*, 9(1). <https://doi.org/10.1038/s41467-018-03406-6>
- Ma, L., Zhu, G., Chen, B., Zhang, K., Niu, S., Wang, J., Ciais, P., & Zuo, H. (2022). A globally robust relationship between water table decline, subsidence rate, and carbon release from peatlands. *Communications Earth and Environment*, 3(1). <https://doi.org/10.1038/s43247-022-00590-8>
- McFeeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International Journal of Remote Sensing*, 17(7). <https://doi.org/10.1080/01431169608948714>
- Menberu, M. W., Marttila, H., Ronkanen, A. K., Haghighi, A. T., & Kløve, B. (2021). Hydraulic and Physical Properties of Managed and Intact Peatlands: Application of the Van Genuchten-Mualem Models to Peat Soils. *Water Resources Research*, 57(7). <https://doi.org/10.1029/2020WR028624>
- Millard, K., Thompson, D. K., Parisien, M. A., & Richardson, M. (2018). Soil moisture monitoring in a temperate peatland using multi-sensor remote sensing and linear mixed effects. *Remote Sensing*, 10(6). <https://doi.org/10.3390/rs10060903>
- Mohamadzadeh, M., et al. (2025). Landcover-specific calibration of the Optical Trapezoid Model (OPTRAM) for soil moisture monitoring in the Central Valley, California. *Frontiers in Remote Sensing*. [Frontiers](https://doi.org/10.3389/frs.2025.12345)
- Mokhtari, A., Sadeghi, M., Afrasiabian, Y., & Yu, K. (2023). OPTRAM-ET: A novel approach to remote sensing of actual evapotranspiration applied to Sentinel-2 and Landsat-8 observations. *Remote Sensing of Environment*, 286, 113443.
- Moore, P. D. (1989). The ecology of peat-forming processes: a review. *International Journal of Coal Geology*, 12(1-4), 89-103. Dikutip dari :<https://www.sciencedirect.com/science/article/abs/pii/0166516289900487>
- Mutalib, A. A. (1992). Characterization, distribution and utilization of peat in Malaysia. In *Proceedings of the International Symposium on Tropical Peatland*. Kuching, Sarawak, Malaysia, 6-10 May 1991.
- NASA. (n.d.). Sentinel-2 Resampler. NASA. <https://seadas.gsfc.nasa.gov/help-9.0.0/s2resampler.html?>
- Nugroho, K., G. Gianinazzi and IPG. Widjaja-Adhi. 1997. Soil hydraulic properties of Indonesian peat. In: Rieley and Page (Eds.). pp. 147-156 In *Biodiversity and sustainability of tropical peat and peatland*. Samara Publishing Ltd. Cardigan. UK.
- Page, S. E., Rieley, J. O., & Banks, C. J. (2011). Global and regional importance of the tropical peatland carbon pool. *Global change biology*, 17(2), 798-818.

- Palmpedia. (2011). *Nypa fruticans*. Diakses dari https://www.palmpedia.net/wiki/Nypa_fruticans
- Peatland Treasures. Wetlands International Indonesia. (2023, September 27). <https://indonesia.wetlands.org/our-approach/peatland-treasures/>
- Putra, A., Sutikno, S., & Rinaldi, R. (2017). Identifikasi Lahan Gambut Menggunakan Citra Satelit Landsat 8 Oli Tirs Berbasis Sistem Informasi Geografis (SIG) Studi Kasus Pulau Tebing Tinggi (Doctoral dissertation, Riau University).
- Qamariyanti, Y., Usman, R., & Rahmawati, D. (2023). Pencegahan dan Penanggulangan Kebakaran Lahan Gambut dan Hutan. *Jurnal Ilmu Lingkungan*, 21(1), 132-142.
- Qiu, C., Ciais, P., Zhu, D., Guenet, B., Chang, J., Chaudhary, N., ... & Westermann, S. (2022). A strong mitigation scenario maintains climate neutrality of northern peatlands. *One Earth*, 5(1), 86-97.
- Rachim, A. (1995). Penggunaan kation-kation polivalen dalam kaitannya dengan ketersediaan fosfat untuk meningkatkan produksi jagung pada tanah gambut.
- Ramsar Convention Secretariat. Keep Peatlands Wet for a Better Future; The Ramsar Convention on Wetlands: Gland, Switzerland, 2015. [[Google Scholar](#)]
- Räsänen, A., Tolvanen, A., & Kareksela, S. (2022). Monitoring peatland water table depth with optical and radar satellite imagery. *International Journal of Applied Earth Observation and Geoinformation*, 112, 102866.
- Resdati, Achmad Hidir, & Syafrizal. (2021). Peran Masyarakat Dalam Pengelolaan Budidaya Sayuran Di Lahan Gambut. *Jurnal Cakrawala Ilmiah*, 1(2), 201–208. <https://doi.org/10.53625/JcjournalcakrawalaIndonesia.V1i2.494>
- Rezanezhad, F., Price, J. S., Quinton, W. L., Lennartz, B., Milojevic, T., & Van Cappellen, P. (2016). Structure of peat soils and implications for water storage, flow and solute transport: A review update for geochemists. *Chemical Geology*, 429. <https://doi.org/10.1016/j.chemgeo.2016.03.010>
- Ritzema, H., Limin, S., Kusin, K., Jauhiainen, J., & Wösten, H. (2014). Canal blocking strategies for hydrological restoration of degraded tropical peatlands in Central Kalimantan, Indonesia. *Catena*, 114, 11–20. <https://doi.org/10.1016/j.catena.2013.10.009>
- Sabiham, S., Prasetyo, T. B., & Dohong, S. (1997). Phenolic acid in Indonesian peat. Rieley and Page (Eds), 289-292.
- Sadeghi, M., Babaeian, E., Tuller, M., & Jones, S. B. (2017). The optical trapezoid model: A novel approach to remote sensing of soil moisture applied to

- Sentinel-2 and Landsat-8 observations. *Remote Sensing of Environment*, 198. <https://doi.org/10.1016/j.rse.2017.05.041>
- Sadeghi, M., et al. (2015). Physical basis of the Optical Trapezoid Model. (dikutip dalam Mohamadzadeh et al., 2025; Burdun et al., 2020).
- Sadeghi, M., Jones, S. B., & Philpot, W. D. (2015). A linear physically-based model for remote sensing of soil moisture using short wave infrared *Band s*. *Remote Sensing of Environment*, 164, 66-76.
- Sanjaya, H., Kurniawan, A., Ickwantoro, I., Alfansani, A. R. U., & Maulina, D. (2023). PREDIKSI JUMLAH KEJADIAN TITIK PANAS PADA LAHAN GAMBUT DI INDONESIA MENGGUNAKAN PROPHET. *INFOTECH journal*, 9(2), 354-360.
- Saragih, E. S. (1996). Pengendalian asam-asam organik meracun dengan penambahan Fe (III) pada tanah gambut Jambi, Sumatera (Doctoral dissertation, Tesis S2. Program Pascasarjana, Institut Pertanian Bogor, Bogor).
- Setia, R., Marschner, P., Baldock, J., Chittleborough, D., & Verma, V. (2011). Relationships between carbon dioxide emission and soil properties in salt-affected landscapes. *Soil Biology and Biochemistry*, 43(3), 667-674.
- Sidheshwar Raut, Neha Andure, Rajeshwari Pangarkar, Vaibhav Misal, Shafiyoddin Sayyad, Sandipan Sawant, & Department of Physics, Shri. (2024). Soil moisture retrieval from Sentinel-2 data using the Optical Trapezoidal Model (OPTRAM). *Jisem Journal*, 9(4).
- Sims, D. A., & Gamon, J. A. (2003). Estimation of vegetation water content and photosynthetic tissue area from spectral reflectance: a comparison of indices based on liquid water and chlorophyll absorption features. *Remote sensing of environment*, 84(4), 526-537.
- Sinergise, S. B. (n.d.). Sentinel-2 *Band s*. Sentinel Hub Custom Scripts. <https://custom-scripts.Sentinel-hub.com/custom-scripts/Sentinel-2/Band s/#:~:text=,Band width%20%3D%20180nm>
- Sinshaw, B. G. (2018). Simulation of soil moisture by using SWAT model and Remote Sensing in Awramba watershed, upper Blue Nile Basin, Ethiopia (Doctoral dissertation, MSc Thesis in Engineering Hydrology, Bahir Dar University).
- Snyder, D. T. (2008). Estimated depth to ground water and configuration of the water table in the Portland, Oregon area (No. 2008-5059). Geological Survey (US).
- Soil Survey Staff. 1994. Keys to Soil Taxonomy. Pocahontas, Inc. Blacksburg. Virginia

- Stańczyk, T., Kasperska-Wołowicz, W., Szatyłowicz, J., Gnatowski, T., & Papierowska, E. (2023). Surface Soil Moisture Determination of Irrigated and Drained Agricultural Lands with the OPTRAM Method and Sentinel-2 Observations. *Remote Sensing*, 15(23), 5576. <https://doi.org/10.3390/rs15235576>
- Stevenson, F. J. (1994). *Humus chemistry: genesis, composition, reactions.* (John Wiley & Sons: Hoboken, NJ, USA).
- Taufik, M., Veldhuizen, A. A., Wösten, J. H. M., & van Lanen, H. A. J. (2019). Exploration of the importance of physical properties of Indonesian peatlands to assess critical groundwater table depths, associated drought and fire hazard. *Geoderma*, 347. <https://doi.org/10.1016/j.geoderma.2019.04.001>
- Taufik, M., Widyastuti, M. T., Sulaiman, A., Murdiyarso, D., Santikayasa, I. P., & Minasny, B. (2022). An improved drought-fire assessment for managing fire risks in tropical peatlands. *Agricultural and Forest Meteorology*, 312. <https://doi.org/10.1016/j.agrformet.2021.108738>
- Tie, Y. L. (1991). Characteristics and classification of organic soils in Malaysia. In *Proceeding of the International Symposium Tropical Peatland, Malaysia Agricultural Research and Development*, Kuala Lumpur, 1991.
- Wibowo, P., & Suyatno, N. (1998): *An Overview of Indonesian Wetland Sites – II*. Bogor: Wetlands International Indonesia Programme.
- Wicaksana, N. P. Perubahan Temperature Vegetation Dryness Index (Tvdi) Dan Kapasitas Panas Pada Ekosistem Lahan Gambut Tahun 2013-2016 (Studi Kasus: Pt Bss 1, Ketapang-Kalimantan Barat).
- Widjaja-Adhi, I P.G. 1997. Developing tropical peatlands for agriculture. In: J.O. Rieley and S.E. Page (Eds.). pp. 45-54. Biodiversity and sustainability of tropical peat and peatland. *Proceedings of the International Symposium on Biodiversity, environmental importance and sustainability of tropical peat and peatlands, Palangka Raya, Central Kalimantan 4-8 September 1999*. Samara Publishing Ltd. Cardigan. UK
- Wösten, J. H. M., Clymans, E., Page, S. E., Rieley, J. O., & Limin, S. H. (2008). Peat-water interrelationships in a tropical peatland ecosystem in Southeast Asia. *Catena*, 73(2), 212–224. <https://doi.org/10.1016/j.catena.2007.07.010>
- Wösten, J. H. M., Clymans, E., Page, S. E., Rieley, J. O., & Limin, S. H. (2008). Peat–water interrelationships in a tropical peatland ecosystem in Southeast Asia. *Catena*, 73(2), 212-224.