

6 DAFTAR PUSTAKA

- Arjovsky, M., Chintala, S., & Bottou, L. (2017). Wasserstein generative adversarial networks. In Proceedings of the 34th International Conference on Machine Learning (Vol. 70, pp. 214–223). JMLR.org. <https://dl.acm.org/doi/10.5555/3305381.3305404>
- Demšar, J. (2006). *Statistical Comparisons of Classifiers over Multiple Data Sets*. *Journal of Machine Learning Research*, 7, 1–30.
- Fu, C., Chi, M., Zheng, X., Chen, J., Li, Q., & Sham, C. W. (2024). Edge Priors Image Inpainting with StyleGAN2. *Authorea Preprints*.
- Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., ... & Bengio, Y. (2014). Generative adversarial nets. *Advances in Neural Information Processing Systems* (NeurIPS), 27, 2672-268
- He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. In *Proceedings of the IEEE conference on computer vision and pattern recognition* (pp. 770-778).
- He, L., Qiang, Z., Shao, X., Lin, H., Wang, M., & Dai, F. (2022). Research on High-Resolution Face Image Inpainting Method Based on StyleGAN. *Electronics*, 11(10), 1620. <https://doi.org/10.3390/electronics11101620>
- Hou, Q., Zhou, D., & Feng, J. (2021). *Coordinate Attention* for efficient mobile network design. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 13713-13722).
- Hu, J., Shen, L., & Sun, G. (2018). Squeeze-and-excitation networks. In *Proceedings of the IEEE conference on computer vision and pattern recognition* (pp. 7132-7141).
- Iizuka, S., Simo-Serra, E., & Ishikawa, H. (2017). Globally and locally consistent image completion. *ACM Transactions on Graphics (ToG)*, 36(4), 1-14.
- Ingu, K. (2023). *ffhq-align*. Github. <https://github.com/kangig94/ffhq-align>
- Isola, P., Zhu, J. Y., Zhou, T., & Efros, A. A. (2017). Image-to-image translation with conditional adversarial networks. In *Proceedings of the IEEE conference on computer vision and pattern recognition* (pp. 1125-1134).
- Karras, T., Laine, S., & Aila, T. (2019). A style-based generator architecture for generative adversarial networks. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 4401-4410).
- Karras, T., Aittala, M., Laine, S., Härkönen, E., Hellsten, J., Lehtinen, J., & Aila, T. (2021). Alias-free generative adversarial networks. *Advances in neural information processing systems*, 34, 852-863.
- Koziarski, M., & Cyganek, B. (2018). Impact of low resolution on image recognition with deep neural networks: An experimental study. *International Journal of Applied Mathematics and Computer Science*, 28(4), 735-745. <https://doi.org/10.2478/amcs-2018-0056>
- Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). Imagenet classification with deep convolutional neural networks. *Advances in neural information processing systems*, 25.
- LeCun, Y., Bengio, Y. & Hinton, G. Deep learning. *Nature* **521**, 436–444 (2015). <https://doi.org/10.1038/nature14539>

- Lugmayr, A., Danelljan, M., Romero, A., Yu, F., Timofte, R., & Van Gool, L. (2022). Repaint: Inpainting using denoising diffusion probabilistic models. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 11461-11471).
- Pathak, D., Krahenbuhl, P., Donahue, J., Darrell, T., & Efros, A. A. (2016). Context encoders: Feature learning by inpainting. In *Proceedings of the IEEE conference on computer vision and pattern recognition* (pp. 2536-2544).
- Rainio, O., Teuvo, J., & Klén, R. (2024). Evaluation metrics and statistical tests for machine learning. *Scientific Reports*, 14(1), Artikel 6086. <https://doi.org/10.1038/s41598-024-56706-x>
- Richardson, E., Alaluf, Y., Patashnik, O., Nitzan, Y., Azar, Y., Shapiro, S., & Cohen-Or, D. (2021). Encoding in style: a stylegan encoder for image-to-image translation. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 2287-2296).
- Sumathi G and Uma Devi M (2025) High-resolution image inpainting using a probabilistic framework for diverse images with large arbitrary masks. *Front. Artif. Intell.* 8:1614608. doi: [10.3389/frai.2025.1614608](https://doi.org/10.3389/frai.2025.1614608)
- Tov, O., Alaluf, Y., Nitzan, Y., Patashnik, O., & Cohen-Or, D. (2021). Designing an encoder for stylegan image manipulation. *ACM Transactions on Graphics (TOG)*, 40(4), 1-14.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., ... & Polosukhin, I. (2017). Attention is all you need. *Advances in neural information processing systems*, 30.
- Wan, Z., Zhang, B., Chen, D., Zhang, P., Chen, D., Liao, J., & Wen, F. (2020). Bringing old photos back to life. In *proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 2747-2757).
- Wang, X., Li, Y., Zhang, H., & Shan, Y. (2021). Towards real-world blind face restoration with generative facial prior. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 9168-9178).
- Wang, Z., Bovik, A. C., Sheikh, H. R., & Simoncelli, E. P. (2004). Image quality assessment: from error visibility to structural similarity. *IEEE transactions on image processing*, 13(4), 600-612.
- Woo, S., Park, J., Lee, J. Y., & Kweon, I. S. (2018). Cbam: Convolutional block attention module. In *Proceedings of the European conference on computer vision (ECCV)* (pp. 3-19).
- Yang, T., Ren, P., Xie, X., & Zhang, L. (2021). Gan prior embedded network for blind face restoration in the wild. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 672-681).
- Yang, Y., Guo, X., Ma, J., Ma, L., & Ling, H. (2019). Lafin: Generative landmark guided face inpainting. *arXiv preprint arXiv:1911.11394*.
- Yu, J., Lin, Z., Yang, J., Shen, X., Lu, X., & Huang, T. S. (2018). Generative image inpainting with contextual attention. In *Proceedings of the IEEE conference on computer vision and pattern recognition* (pp. 5505-5514).
- Yuan, Y., Gang, G. J., & Stayman, J. W. (2025). Deep learning CT image restoration using system blur and noise models. *Journal of medical imaging (Bellingham, Wash.)*, 12(1), 014003. <https://doi.org/10.1117/1.JMI.12.1.014003>

- Zhang, K., Zuo, W., Chen, Y., Meng, D., & Zhang, L. (2017). Beyond a gaussian denoiser: Residual learning of deep cnn for image denoising. *IEEE transactions on image processing*, 26(7), 3142-3155.
- Zhang, R., Isola, P., Efros, A. A., Shechtman, E., & Wang, O. (2018). The unreasonable effectiveness of deep features as a perceptual metric. In *Proceedings of the IEEE conference on computer vision and pattern recognition* (pp. 586-595).