

DAFTAR PUSTAKA

- Abdullah, Q., Maune, D., Heidemann, K., & Smith, D. (2015). ASPRS Positional Accuracy Standards for Digital Geospatial Data. *Photogrammetric Engineering & Remote Sensing*, 81(3), 1–26. <https://doi.org/10.14358/pers.81.3.a1-a26>
- Aji, A. R. S., & Djurdjani, D.-. (2022). Perbandingan Volume Stockpile Batu Bara Hasil UAV Fotogrametri dan UAV Lidar. *JGISE: Journal of Geospatial Information Science and Engineering*, 5(2), 70. <https://doi.org/10.22146/jgise.78295>
- Alexiou, S., Deligiannakis, G., Pallikarakis, A., Papanikolaou, I., Psomiadis, E., & Reicherter, K. (2021). Comparing high accuracy t-lidar and uav-sfm derived point clouds for geomorphological change detection. *ISPRS International Journal of Geo-Information*, 10(6). <https://doi.org/10.3390/ijgi10060367>
- Arfaini, J., & Handayani, H. H. (2016). Analisa Data Foto Udara untuk DEM dengan Metode TIN, IDW, dan Kriging. *Jurnal Teknik ITS*, 5 (2), 182–187.
- Arkali, M., & Atik, M. E. (2025). Accuracy Assessment of RTK, PPK, and PPP-AR Techniques for Direct Georeferencing in UAV-Based Photogrammetric Mapping. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 48(M-6-2025), 325–330. <https://doi.org/10.5194/isprs-archives-XLVIII-M-6-2025-325-2025>
- Barba, S., Barbarella, M., Di Benedetto, A., Fiani, M., Gujski, L., & Limongiello, M. (2019). Accuracy assessment of 3d photogrammetric models from an unmanned aerial vehicle. *Drones*, 3(4), 1–19. <https://doi.org/10.3390/drones3040079>
- Beyer, A. (2021). *Introduction to Statistics for Psychology*. Online Statistics Education. <https://open.umn.edu/opentextbooks/textbooks/>
- CANH, L. VAN, CUONG, C. X., LONG, N. Q., HA, L. T. T., ANH, T. T., & BUI, X. N. (2020). Experimental investigation on the performance of DJI phantom

- 4 RTK in the PPK mode for 3d mapping open-pit mines. *Inzynieria Mineralna*, 1(1), 65–74. <https://doi.org/10.29227/IM-2020-02-10>
- Chen, B., Maurer, J., & Gong, W. (2025). Applications of UAV in landslide research: a review. *Landslides*, 22(9), 3029–3048. <https://doi.org/10.1007/s10346-025-02547-2>
- Cirillo, D., Cerritelli, F., Agostini, S., Bello, S., Lavecchia, G., & Brozzetti, F. (2022). Integrating Post-Processing Kinematic (PPK)–Structure-from-Motion (SfM) with Unmanned Aerial Vehicle (UAV) Photogrammetry and Digital Field Mapping for Structural Geological Analysis. *ISPRS International Journal of Geo-Information*, 11(8). <https://doi.org/10.3390/ijgi11080437>
- Correia, C. A. M., Andrade, F. A. A., Sivertsen, A., Guedes, I. P., Pinto, M. F., Manhães, A. G., & Haddad, D. B. (2022). Comprehensive Direct Georeferencing of Aerial Images for Unmanned Aerial Systems Applications. *Sensors*, 22(2), 1–25. <https://doi.org/10.3390/s22020604>
- Cote, L. R., Gordon, R. G., Randell, C. E., Schmitt, J., & Marvin, H. (2021). *INTRODUCTION TO STATISTICS IN THE PSYCHOLOGICAL SCIENCES*. UMSL Libraries.
- Ćwiąkała, P., Puniach, E., Pastucha, E., & Gruszczyński, W. (2026). The impact of processing parameters on high-accuracy measurements in UAV photogrammetry. *Measurement: Journal of the International Measurement Confederation*, 265, 1–17. <https://doi.org/10.1016/j.measurement.2026.120315>
- DiFrancesco, P. M., Bonneau, D., & Hutchinson, D. J. (2020). The implications of M3C2 projection diameter on 3D semi-automated rockfall extraction from sequential terrestrial laser scanning point clouds. *Remote Sensing*, 12(11), 1. <https://doi.org/10.3390/rs12111885>
- Dinkov, D. (2023). Accuracy assessment of high-resolution terrain data produced from UAV images georeferenced with on-board PPK positioning. *Journal of the Bulgarian Geographical Society*, 2023(48), 43–53. <https://doi.org/10.3897/jbgs.e89878>

- Du, M., Li, H., & Roshanianfard, A. (2022). Design and Experimental Study on an Innovative UAV-LiDAR Topographic Mapping System for Precision Land Levelling. *Drones*, 6(12). <https://doi.org/10.3390/drones6120403>
- Elkawi Hawinu, N., Fatih Qodri, M., & Patriot Tampubolon, A. (2025). Kontrol Fasies dan Lingkungan Pengendapan terhadap Kualitas Batubara Formasi Warukin di Daerah Haruai, Tabalong, Kalimantan Selatan. *Prosiding Nasional Rekayasa Teknologi Industri Dan Informasi*, 207–216. <http://journal.itny.ac.id/index.php/ReTII>
- Ferdinandus. (2024). Perhitungan Volume Batubara Pada Stockpile PT Telen Orbit Prima Menggunakan Metode Fotogrametri. *INNOVATIVE : Journal Of Social Science Research*, 4 (3), 18961–18969.
- Firmansyah, Z., Susilo, Y., & Faridatunisa Wijayanti, R. (2025). PERBANDINGAN METODE PPK (POST PROCESSED KINEMATIC) DAN TITIK GCP (GROUND CONTROL POINT) FOTO UDARA STUDI KASUS: DESA KALIPECABEAN, KECAMATAN CANDI, KABUPATEN SIDOARJO. *Jurnal Geodesi Undip Januari*, 14(1), 41–50.
- Hanbudi, G., & Fauzi, E. (2022). Rekonstruksi Model 3D dari Set Citra Menggunakan Metode SFM-MVS dan Algoritma Poisson. *JURNAL MEDIA INFORMATIKA BUDIDARMA*, 6(3), 1304. <https://doi.org/10.30865/mib.v6i3.4126>
- He, H., Chen, T., Zeng, H., & Huang, S. (2019). Ground control point-free unmanned aerial vehicle-based photogrammetry for volume estimation of stockpiles carried on barges. *Sensors*, 19(16), 1–21. <https://doi.org/10.3390/s19163534>
- Heryanto, R. (2014). BATUBARA FORMASI TANJUNG SEBAGAI BATUAN SUMBER HIDROKARBON DI CEKUNGAN BARITO. *J. G. S. M.*, 15, (03), 105.
- Hodson, T. O. (2022). Root-mean-square error (RMSE) or mean absolute error (MAE): when to use them or not. *Geoscientific Model Development*, 15(14), 5481–5487. <https://doi.org/10.5194/gmd-15-5481-2022>

- Hussein, A. J., & Salih, S. A. (2024). Quantifying the Reliability of Volumetric and Areal Calculation with UAV-Generated DEMs: A Comparative Study with Ground Truth Data. *Tikrit Journal of Engineering Sciences*, 31(1), 43–55. <https://doi.org/10.25130/tjes.31.1.5>
- James, M. R., Robson, S., d'Oleire-Oltmanns, S., & Niethammer, U. (2017). Optimising UAV topographic surveys processed with structure-from-motion: Ground control quality, quantity and bundle adjustment. *Geomorphology*, 280, 51–66. <https://doi.org/10.1016/j.geomorph.2016.11.021>
- Jemai, M., Loghmari, M. A., & Naceur, M. S. (2023). A Height Accuracy Study Based on RTK and PPK Methods Outside the Standard Working Range. *IJACSA) International Journal of Advanced Computer Science and Applications*, 14(5), 195–205. www.ijacsa.thesai.org
- Kevin, F., Prasetyo, Y., & Sukmono, A. (2019). ANALISIS AKURASI DTM HASIL EKSTRAKSI DATA PEMETAAN AIRBORNE LiDAR SKALA BESAR MENGGUNAKAN ALGORITMA CLOTH SIMULATION FILTERING, PARAMETER-FREE GROUND FILTERING DAN SIMPLE MORPHOLOGICAL FILTERING TERHADAP SLOPE BASED FILTERING. In *Jurnal Geodesi Undip Oktober* (Vol. 8).
- Korumaz, S. A. G., & Yildiz, F. (2021). Positional accuracy assessment of digital orthophoto based on UAV images: An experience on an archaeological area. *Heritage*, 4(3), 1304–1327. <https://doi.org/10.3390/heritage4030071>
- Lague, D., Brodu, N., & Leroux, J. (2013). *Accurate 3D comparison of complex topography with terrestrial laser scanner: application to the Rangitikei canyon (N-Z)*.
- Linder, W. (2006). *Digital Photogrammetry: A Practical Course*. Springer.
- Luhmann, T., Robson, S., Kyle, S., & Boehm, J. (2020). *Close-Range Photogrammetry and 3D Imaging* (3rd ed.). DE GRUYTER.
- Moyano, J., Nieto-Julian, J. E., Lenin, L. M., & Bruno, S. (2022). Operability of Point Cloud Data in an Architectural Heritage Information Model Publ-2021.

International Journal of Architectural Heritage, 16(10), 1588–1607.
<https://doi.org/10.1080/15583058.2021.1900951>

Nugraha, R., & Putrasakti, S. (2019). PENGARUH SEBARAN DATA GROUND CONTROL POINT (GCP) DALAM PENGOLAHAN DATA FOTO UDARA PADA AREA IN-PIT MAPPING MENGGUNAKAN DRONE QUADCOPTER DJI PHANTOM 4 RTK BERBASIS BASE GPS METODE REAL TIME KINEMATIC (RTK). *PROSIDING TPT XXVIII PERHAPI*, 191–200.

Otepka, J., Ghuffar, S., Waldhauser, C., Hochreiter, R., & Pfeifer, N. (2013). Georeferenced point clouds: A survey of features and point cloud management. *ISPRS International Journal of Geo-Information*, 2(4), 1038–1065.
<https://doi.org/10.3390/ijgi2041038>

Pinatik, N. Y., & Papilaya, F. S. (2024). PENGOLAHAN FOTO UDARA UAV (UNMANNED AERIAL VEHICLE) MENGGUNAKAN SOFTWARE AGISOFT METASHAPE. *Jurnal Perangkat Lunak*, 6(1).

Rabah, M., Basiouny, M., Ghanem, E., & Elhadary, A. (2018). Using RTK and VRS in direct geo-referencing of the UAV imagery. *NRIAG Journal of Astronomy and Geophysics*, 7(2), 220–226. <https://doi.org/10.1016/j.nrjag.2018.05.003>

Rahman, A., & Adhitama, R. (2025). GEOLOGI DAN POLA SEBARAN BATUBARA PADA DAERAH KABUPATEN TABALONG, KALIMANTAN SELATAN GEOLOGY AND COAL DISTRIBUTION PATTERN IN TABALONG REGENCY, SOUTH KALIMANTAN. *Journal Of Geoscience Engineering and Energy (JOGEE)*, 02, 133–142. <https://e-journal.trisakti.ac.id/index.php/jogee>

Rizaldy, A., & Firdaus, W. (2012). DIRECT GEOREFERENCING : A NEW STANDARD IN PHOTOGRAMMETRY FOR HIGH ACCURACY MAPPING. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 39, 5–9.

Salas López, R., Terrones Murga, R. E., Silva-López, J. O., Rojas-Briceño, N. B., Gómez Fernández, D., Oliva-Cruz, M., & Taddia, Y. (2022). Accuracy

- Assessment of Direct Georeferencing for Photogrammetric Applications Based on UAS-GNSS for High Andean Urban Environments. *Drones*, 6(12). <https://doi.org/10.3390/drones6120388>
- SNI 8202-2019. (2019). *Standar Nasional Indonesia Standar Nasional Indonesia Ketelitian peta dasar Ketelitian peta dasar*.
- Son, S. W., Kim, D. W., Sung, W. G., & Yu, J. J. (2020). Integrating UAV and TLS approaches for environmental management: A case study of a waste stockpile area. *Remote Sensing*, 12(10), 1–17. <https://doi.org/10.3390/rs12101615>
- Stalin, J. L., & Gnanaprakasam, R. (2017). Volume Calculation from UAV based DEM. *International Journal of Engineering Research & Technology (IJERT)*, 6(06), 126–128. <https://doi.org/10.17577/IJERTV6IS060076>
- Stöcker, C., Nex, F., Koeva, M., & Gerke, M. (2020). High-quality uav-based orthophotos for cadastral mapping: Guidance for optimal flight configurations. *Remote Sensing*, 12(21), 1–23. <https://doi.org/10.3390/rs12213625>
- Syauqani, A., Subiyanto, S., & Suprayogi, A. (2017). PENGARUH VARIASI TINGGI TERBANG MENGGUNAKAN WAHANA UNMANNED AERIAL VEHICLE (UAV) QUADCOPTER DJI PHANTOM 3 PRO PADA PEMBUATAN PETA ORTHOFOTO (STUDI KASUS KAMPUS UNIVERSITAS DIPONEGORO). *Jurnal Geodesi Undip*, 6(1).
- Wang, Q., & Kim, M. K. (2019). Applications of 3D point cloud data in the construction industry: A fifteen-year review from 2004 to 2018. In *Advanced Engineering Informatics* (Vol. 39, pp. 306–319). Elsevier Ltd. <https://doi.org/10.1016/j.aei.2019.02.007>
- Wang, Q., Tan, Y., & Mei, Z. (2020). Computational Methods of Acquisition and Processing of 3D Point Cloud Data for Construction Applications 2 3. *Archives of Computational Methods in Engineering*, 27, 479–499. <https://doi.org/10.1007/s11831-019-09320-4>
- Wijayanti, R. F., Kaffa, N. S., Kusetiyo, T., Sijabat, H., Putra, A. P., Prabawa, S. E., & Susilo, Y. (2023). UTILIZING POST PROCESSING KINEMATIC

- (PPK) UNMANNED AERIAL VEHICLE (UAV) TO ACCELERATE DETAILED LAND MAPPING. *Jurnal Geosaintek*, 9(3), 176. <https://doi.org/10.12962/j25023659.v9i3.18657>
- Witts, D., Hall, R., Nichols, G., & Morley, R. (2012). A new depositional and provenance model for the Tanjung Formation, Barito Basin, SE Kalimantan, Indonesia. *Journal of Asian Earth Sciences*, 56, 77–104. <https://doi.org/10.1016/j.jseaes.2012.04.022>
- Wolf, P. R. (1993). *ELEMEN FOTOGRA METRI Dengan Interpretasi Foto Udara dan Penginderaan Jauh Edisi kedua* (Gunadi, T. Gunawan, & Zuharnen, Trans.; 2nd ed.). Gadjah Mada University Press.
- Zhang, H., Aldana-Jague, E., Clapuyt, F., Wilken, F., Vanacker, V., & Van Oost, K. (2019). Evaluating the Potential of PPK Direct Georeferencing for UAV-SfM Photogrammetry and Precise Topographic Mapping. *Earth Surface Dynamics*, 1–34. <https://doi.org/10.5194/esurf-2019-2>
- Zhang, K., Gann, D., Ross, M., Biswas, H., Li, Y., & Rhome, J. (2019). Comparison of TanDEM-X DEM with LiDAR data for accuracy assessment in a coastal urban area. *Remote Sensing*, 11(7). <https://doi.org/10.3390/RS11070876>
- Zhong, H., Duan, Y., Tao, P., & Zhang, Z. (2025). Influence of ground control point reliability and distribution on UAV photogrammetric 3D mapping accuracy. *Geo-Spatial Information Science*, 28(5), 1998–2018. <https://doi.org/10.1080/10095020.2025.2451204>