

DAFTAR PUSTAKA

- Agarwal, S., Roy, P. J., Choudhury, P., & Debbarma, N. (2021). Flood forecasting and flood flow modeling in a river system using ANN. *Water Practice and Technology*, 16(4), 1194–1205. <https://doi.org/10.2166/WPT.2021.068>
- Ahmad, M., Al Mehedi, M. A., Yazdan, M. M. S., & Kumar, R. (2022). Development of Machine Learning Flood Model Using Artificial Neural Network (ANN) at Var River. *Liquids 2022, Vol. 2, Pages 147-160*, 2(3), 147–160. <https://doi.org/10.3390/LIQUIDS2030010>
- Aichi, A., Ikirri, M., Ait Haddou, M., Quesada-Román, A., Sahoo, S., Singha, C., Sajinkumar, K. S., & Abioui, M. (2024). Integrated GIS and analytic hierarchy process for flood risk assessment in the Dades Wadi watershed (Central High Atlas, Morocco). *Results in Earth Sciences*, 2, 100019. <https://doi.org/10.1016/J.RINES.2024.100019>
- Akhter, S., Rahman, M. M., & Monir, M. M. (2025). Flood susceptibility analysis to sustainable development using MCDA and support vector machine models by GIS in the selected area of the Teesta River floodplain, Bangladesh. *HydroResearch*, 8, 127–138. <https://doi.org/10.1016/J.HYDRES.2024.10.004>
- Al-Areeq, A. M., Saleh, R. A. A., Ghaleb, M., Abba, S. I., & Yaseen, Z. M. (2024). Implication of novel hybrid machine learning model for flood subsidence susceptibility mapping: A representative case study in Saudi Arabia. *Journal of Hydrology*, 630, 130692. <https://doi.org/10.1016/j.jhydrol.2024.130692>
- Appukuttan, A., Kutty, K. S., Reghunath, R., & P, V. (2026). Flood susceptibility mapping in a tropical river basin of central Kerala, India, using the Analytic Hierarchy Process (AHP) and geospatial techniques. *Evolving Earth*, 4, 100105. <https://doi.org/10.1016/J.EVE.2026.100105>
- Arante, H. R. C. (2025). Development of a Secured IoT-Based Flood Monitoring System. *Sensors*, 25(13), 3885. <https://doi.org/10.3390/s25133885>
- Askari, K., Zheng, W., Shi, S., Chu, J., & Wang, F. (2025). A novel entropy-based machine learning frame work for flood risk mapping in Pakistan. *Journal of Hydrology: Regional Studies*, 62, 102911. <https://doi.org/10.1016/J.EJRH.2025.102911>
- Azmanajaya, E., Hermansyah, H., Rus, T. Y., Kiptiah, M., Devi, S. M., Aditya, A. W., & Paulus, C. A. (2024). The Sustainability Aspect Affecting the Urban Rainwater Harvesting System in Balikpapan City: A Water Supply Adaption Strategies for The Capital City of Nusantara. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 14(3), 627. <https://doi.org/10.29244/jpsl.14.3.627>

- BAPPEDA Balikpapan. (2002). *Study on Geology for Evaluation of Balikpapan City Management and Development*.
- Beetle-Moorcroft, F., Shanafield, M., & Singha, K. (2021). Exploring conceptual models of infiltration and groundwater recharge on an intermittent river: The role of geologic controls. *Journal of Hydrology: Regional Studies*, 35. <https://doi.org/10.1016/j.ejrh.2021.100814>
- Benhammou, Y., Alcaraz-Segura, D., Guirado, E., Khaldi, R., Achchab, B., Herrera, F., & Tabik, S. (2022). Sentinel2GlobalLULC: A Sentinel-2 RGB image tile dataset for global land use/cover mapping with deep learning. *Scientific Data*, 9(1). <https://doi.org/10.1038/s41597-022-01775-8>
- Berkowitz, B. (2002). Characterizing flow and transport in fractured geological media: A review. *Advances in Water Resources*, 25(8), 861–884. [https://doi.org/https://doi.org/10.1016/S0309-1708\(02\)00042-8](https://doi.org/https://doi.org/10.1016/S0309-1708(02)00042-8)
- Beven, K. J., & Kirkby, M. J. (1979). A physically based, variable contributing area model of basin hydrology / Un modèle à base physique de zone d'appel variable de l'hydrologie du bassin versant. *Hydrological Sciences Journal*, 24(1), 43–69. <https://doi.org/10.1080/02626667909491834>
- Boulomytis, V. T. G., Zuffo, A. C., & Imteaz, M. A. (2019). Detection of flood influence criteria in ungauged basins on a combined Delphi-AHP approach. *Operations Research Perspectives*, 6(June), 100116. <https://doi.org/10.1016/j.orp.2019.100116>
- BPS-Provinsi Kalimantan Timur. (2023). *Provinsi Kalimantan Timur Dalam Angka 2023 / Kalimantan Timur In Figure 2023*.
- Cea, L., & Costabile, P. (2022). Flood Risk in Urban Areas: Modelling, Management and Adaptation to Climate Change. A Review. *Hydrology* 2022, Vol. 9, 9(3). <https://doi.org/10.3390/HYDROLOGY9030050>
- Chan, S. W., Abid, S. K., Sulaiman, N., Nazir, U., & Azam, K. (2022). A systematic review of the flood vulnerability using geographic information system. *Heliyon*, 8(3), e09075. <https://doi.org/https://doi.org/10.1016/j.heliyon.2022.e09075>
- Chen, N., Yao, S., Wang, C., & Du, W. (2019). A Method for Urban Flood Risk Assessment and Zoning Considering Road Environments and Terrain. *Sustainability* 2019, Vol. 11, 11(10). <https://doi.org/10.3390/SU11102734>
- Chowdhury, M. E., Islam, A. K. M. S., Zzaman, R. U., & Khadem, S. (2025). A machine learning-based approach for flash flood susceptibility mapping considering rainfall extremes in the northeast region of Bangladesh. *Advances in Space Research*, 75(2), 1990–2017. <https://doi.org/10.1016/j.asr.2024.10.047>

- Cigarini, A., Bonhoure, I., Vicens, J., & Perelló, J. (2021). Public libraries embrace citizen science: Strengths and challenges. *Library & Information Science Research*, 43(2), 101090. <https://doi.org/https://doi.org/10.1016/j.lisr.2021.101090>
- Collier, C. G., & Fox, N. I. (2003). Assessing the flooding susceptibility of river catchments to extreme rainfall in the United Kingdom. *International Journal of River Basin Management*, 1(3), 225–235. <https://doi.org/10.1080/15715124.2003.9635209>
- Conte, N. (2022, September 14). *Mapped: Countries With the Highest Flood Risk*. <https://www.visualcapitalist.com/countries-highest-flood-risk/>
- Dahri, N., Yousfi, R., Bouamrane, A., Abida, H., Pham, Q. B., & Derdous, O. (2022). Comparison of analytic network process and artificial neural network models for flash flood susceptibility assessment. *Journal of African Earth Sciences*, 193, 104576. <https://doi.org/10.1016/J.JAFREARSCI.2022.104576>
- Das, S., & Gupta, A. (2021). Multi-criteria decision based geospatial mapping of flood susceptibility and temporal hydro-geomorphic changes in the Subarnarekha basin, India. *Geoscience Frontiers*, 12(5), 101206. <https://doi.org/10.1016/j.gsf.2021.101206>
- de Bruijn, J. A., de Moel, H., Jongman, B., de Ruiter, M. C., Wagemaker, J., & Aerts, J. C. J. H. (2019). A global database of historic and real-time flood events based on social media. *Scientific Data*, 6(1), 311. <https://doi.org/10.1038/s41597-019-0326-9>
- Diakakis, M., Deligiannakis, G., Antoniadis, Z., Melaki, M., Katsetsiadou, N. K., Andreadakis, E., Spyrou, N. I., & Gogou, M. (2020). Proposal of a flash flood impact severity scale for the classification and mapping of flash flood impacts. *Journal of Hydrology*, 590(11). <https://doi.org/10.1016/j.jhydrol.2020.125452>
- Diantika, M. W., Rusgiyono, A., & Saputra, B. A. (2025). PERBANDINGAN METODE OPTIMASI SILHOUETTE, ELBOW, DAN GAP STATISTICS DALAM MENENTUKAN NILAI K TERBAIK PADA ANALISIS K-MEANS CLUSTERING. *Jurnal Gaussian*, 14(2), 335–344. <https://doi.org/10.14710/j.gauss.14.2.335-344>
- Díaz, L., Granell, C., Huerta, J., & Gould, M. (2012). Web 2.0 Broker: A standards-based service for spatio-temporal search of crowd-sourced information. *Applied Geography*, 35(1–2), 448–459. <https://doi.org/10.1016/j.apgeog.2012.09.008>
- Dodge, M., & Kitchin, R. (2013). Crowdsourced cartography: Mapping experience and knowledge. Dalam *Environment and Planning A* (Vol. 45, Nomor 1, hlm. 19–36). <https://doi.org/10.1068/a44484>

- Elsadek, W. M., Wahba, M., Al-Arifi, N., Kanae, S., & El-Rawy, M. (2024). Scrutinizing the performance of GIS-based analytical Hierarchical process approach and frequency ratio model in flood prediction – Case study of Kakegawa, Japan. *Ain Shams Engineering Journal*, 15(2), 102453. <https://doi.org/10.1016/J.ASEJ.2023.102453>
- Feng, Y., Brenner, C., & Sester, M. (2020). Flood severity mapping from Volunteered Geographic Information by interpreting water level from images containing people: A case study of Hurricane Harvey. *ISPRS Journal of Photogrammetry and Remote Sensing*, 169, 301–319. <https://doi.org/10.1016/j.isprsjprs.2020.09.011>
- Ghosh, A., & Dey, P. (2021). Flood Severity assessment of the coastal tract situated between Muriganga and Saptamukhi estuaries of Sundarban delta of India using Frequency Ratio (FR), Fuzzy Logic (FL), Logistic Regression (LR) and Random Forest (RF) models. *Regional Studies in Marine Science*, 42. <https://doi.org/10.1016/j.rsma.2021.101624>
- Gokul Raj S. N. and Chitra, P. and S. A. K. and L. R. (2023). Flood Severity Assessment Using DistilBERT and NER. Dalam D. and T. V. and M. S. Singh Pradeep and Singh (Ed.), *Machine Learning and Computational Intelligence Techniques for Data Engineering* (hlm. 391–402). Springer Nature Singapore.
- Hamidi, E., Nazari, B., Moftakhari, H., & Moradkhani, H. (2025). Enhancing compound flood simulation accuracy and efficiency in urbanized coastal areas using hybrid meshes and modified digital elevation model. *Sustainable Cities and Society*, 121, 106184. <https://doi.org/10.1016/J.SCS.2025.106184>
- Handini, D. R., Hidayah, E., & Halik, G. (2021). Flash Flood Susceptibility Mapping at Andungbiru Watershed, East Java Using AHP-Information Weighted Method. *Geosfera Indonesia*, 6(2), 127. <https://doi.org/10.19184/geosi.v6i2.24173>
- Hidayat, S., & Umar, I. (1994). *Geological Map Of The Balikpapan Quadrangle, Kalimantan*. <https://geologi.esdm.go.id/geomap/pages/preview/peta-geologi-lembar-balikpapan-kalimantan>
- Horton, A. J., Nygren, A., Diaz-Perera, M. A., & Kumm, M. (2021). Flood severity along the Usumacinta River, Mexico: Identifying the anthropogenic signature of tropical forest conversion. *Journal of Hydrology X*, 10. <https://doi.org/10.1016/j.hydroa.2020.100072>
- Hossain M. Z. and Adhikary, S. K. (2024). Flood Susceptibility Assessment in Southwest Coastal Region of Bangladesh Using an AHP-GIS Based Approach. Dalam M. and H. A. Arthur Scott and Saitoh (Ed.), *Proceedings of the 6th International Conference on Advances in Civil Engineering* (hlm. 73–85). Springer Nature Singapore.

- House, P. K. (2005). USING GEOLOGY TO IMPROVE FLOOD HAZARD MANAGEMENT ON ALLUVIAL FANS - AN EXAMPLE FROM LAUGHLIN, NEVADA1. *JAWRA Journal of the American Water Resources Association*, 41(6), 1431–1447. <https://doi.org/10.1111/J.1752-1688.2005.TB03810.X>
- Hu, Z. jun, Wang, L. ling, Tang, H. wu, & Qi, X. ming. (2017). Prediction of the future flood severity in plain river network region based on numerical model: A case study. *Journal of Hydrodynamics*, 29(4), 586–595. [https://doi.org/10.1016/S1001-6058\(16\)60771-0](https://doi.org/10.1016/S1001-6058(16)60771-0)
- Husein, M., Takele, T., Diriba, D., & Karuppannan, S. (2025). Flood hazard and risk assessment using GIS and remote sensing in the case of Ziway Lake watershed, central Main Ethiopian Rift. *Environmental and Sustainability Indicators*, 28, 100920. <https://doi.org/10.1016/J.INDIC.2025.100920>
- Hussain, M. A., Chen, Z., Pradhan, B., Meena, S. R., & Zhou, Y. (2025). Hybrid heterogeneous ensemble learning framework for flood susceptibility mapping in Balochistan, Pakistan. *Journal of Hydrology: Regional Studies*, 61, 102718. <https://doi.org/10.1016/j.ejrh.2025.102718>
- Hussain, M., Tayyab, M., Ullah, K., Ullah, S., Rahman, Z. U., Zhang, J., & Al-Shaibah, B. (2023). Development of a new integrated flood resilience model using machine learning with GIS-based multi-criteria decision analysis. *Urban Climate*, 50, 101589. <https://doi.org/10.1016/J.UCLIM.2023.101589>
- Ignacy, D. (2025). Refining zoning of artificially-drained mine subsidence areas: Relative elevation models and hydrological hazard frameworks as decision support tools for spatial planning and mitigation of flood-related geohazards and risks regardless of prevailing water regimes. *Resources Policy*, 103, 105572. <https://doi.org/10.1016/J.RESOURPOL.2025.105572>
- Kamawan, & Kusumahbrata, Y. (1996). *Geomorphological Map of Balikpapan Sheet, East Kalimantan*. <https://geologi.esdm.go.id/geomap/index.php/pages/preview/peta-geomorfologi-lembar-balikpapan-kalimantan-timur>
- Kamoji, S., Kalla, M., & Shamshi, I. (2022). A Framework for Flood Extent Mapping using CNN Transfer Learning. *International Journal of Intelligent Systems and Applications in Engineering*, 10(3s), 150–157. <https://ijisae.org/index.php/IJISAE/article/view/2426>
- Kassambara, A. (2017). Practical guide to cluster analysis in R: unsupervised machine learning / Alboukadel Kassambara. *Practical guide to cluster analysis in R: unsupervised machine learning*.
- Khalidi, L., Elabed, A., & Khanchoufi, A. El. (2025). Multidimensional risk assessment based on flood susceptibility mapping and multiple socioeconomic

- variables under climate change. *Scientific African*, 29, e02834. <https://doi.org/10.1016/j.sciaf.2025.e02834>
- Khalid, R., & Khan, U. T. (2024). Flood susceptibility mapping using ANNs: a case study in model generalization and accuracy from Ontario, Canada. *Geocarto International*, 39(1). <https://doi.org/10.1080/10106049.2024.2316653>;WGROU:STRING:PUBLICATION
- Kumari, K., Koley, T., & Dutta, T. (2025). Assessment of flood damage severity, economic growth dynamics and relief fund allocation in the districts of Bihar: A non-parametric approach. *International Journal of Disaster Risk Reduction*, 116, 105047. <https://doi.org/10.1016/J.IJDRR.2024.105047>
- Lewis, M. A., Cheney, C. S., & O Dochartaigh, B. E. (2006). *Guide to Permeability Indices*. <http://www.bgs.ac.uk>
- Li, Z., Gao, S., Chen, M., Zhang, J., Gourley, J. J., Wen, Y., Yang, T., & Hong, Y. (2023). Introducing Flashiness-Intensity-Duration-Frequency (F-IDF): A New Metric to Quantify Flash Flood Intensity. *Geophysical Research Letters*, 50(23). <https://doi.org/10.1029/2023GL104992>
- Liao, M., Wen, H., Yang, L., Wang, G., Xiang, X., & Liang, X. (2024). Improving the model robustness of flood hazard mapping based on hyperparameter optimization of random forest. *Expert Systems with Applications*, 241, 122682. <https://doi.org/10.1016/j.eswa.2023.122682>
- Lobeck, A. K. (1939). Geomorphology: An Introduction to the Study of Landscapes. *Geological Magazine*, 77(4), 335–336. <https://doi.org/10.1017/S0016756800071466>
- Luthfi, M., & Sunarwan, B. (2009). *TINJAUAN GEOLOGI TERHADAP POTENSI DAN TINGKAT KERAWANAN BAHAYA LONGSOR DI KOTA BALIPAPAN-KALIMANTAR TIMUR*.
- Malik, H., & Zatar, W. (2020). A Real-Time and Low-Cost Flash Flood Monitoring System to Support Transportation Infrastructure. *Proceedings - 2020 IEEE 44th Annual Computers, Software, and Applications Conference, COMPSAC 2020*, 1111–1112. <https://doi.org/10.1109/COMPSAC48688.2020.0-115>
- Malik, S., Chandra Pal, S., Chowdhuri, I., Chakraborty, R., Roy, P., & Das, B. (2020). Prediction of highly flood prone areas by GIS based heuristic and statistical model in a monsoon dominated region of Bengal Basin. *Remote Sensing Applications: Society and Environment*, 19, 100343. <https://doi.org/10.1016/j.rsase.2020.100343>
- Martinez, J. L., Raiber, M., & Cendón, D. I. (2017). Using 3D geological modelling and geochemical mixing models to characterise alluvial aquifer recharge sources in the upper Condamine River catchment, Queensland, Australia.

Science of The Total Environment, 574, 1–18.
<https://doi.org/10.1016/J.SCITOTENV.2016.09.029>

- Mihret, T. T., Cherie, F. F., & Zemale, F. A. (2026). Flood susceptibility mapping in the Gumara watershed Upper Blue Nile Basin Ethiopia: AHP and Sentinel-1 SAR analysis. *Journal of Hydrology: Regional Studies*, 64, 103130. <https://doi.org/10.1016/J.EJRH.2026.103130>
- Montesinos López, O. A., Montesinos López, A., & Crossa, J. (2022). Overfitting, Model Tuning, and Evaluation of Prediction Performance. *Multivariate Statistical Machine Learning Methods for Genomic Prediction*, 109–139. https://doi.org/10.1007/978-3-030-89010-0_4
- Mosavi, A., Ozturk, P., & Chau, K. W. (2018). Flood prediction using machine learning models: Literature review. Dalam *Water (Switzerland)* (Vol. 10, Nomor 11). MDPI AG. <https://doi.org/10.3390/w10111536>
- Moss, S. J., & Chambers, J. L. C. (1999). Tertiary facies architecture in the Kutai Basin, Kalimantan, Indonesia. *Journal of Asian Earth Sciences*, 17(1–2), 157–181. [https://doi.org/10.1016/S0743-9547\(98\)00035-X](https://doi.org/10.1016/S0743-9547(98)00035-X)
- Mujib, M. A., Apriyanto, B., Kurnianto, F. A., Ikhsan, F. A., Nurdin, E. A., Pangastuti, E. I., & Astutik, S. (2021). Assessment of Flood Hazard Mapping Based on Analytical Hierarchy Process (AHP) and GIS: Application in Kencong District, Jember Regency, Indonesia. *Geosfera Indonesia*, 6(3), 353. <https://doi.org/10.19184/geosi.v6i3.21668>
- Murray, S. J., Smith, A. D., & Phillips, J. C. (2012). A modified flood severity assessment for enhanced decision support: Application to the Boscastle flash flood of 2004. *Weather and Forecasting*, 27(5), 1290–1297. <https://doi.org/10.1175/WAF-D-12-00033.1>
- Muthu, K., & Ramamoorthy, S. (2024). Urban flood risk assessment using fuzzy logic and real-time flood simulation model – a geomatics techniques. *Earth Science Informatics*, 18(1), 72. <https://doi.org/10.1007/s12145-024-01505-1>
- Nakarmi, G., Yuill, C., Strager, M. P., Butler, P., Moreira, J. C., & Burns, R. C. (2023). A crowdsourcing approach to documenting users' preferences for landscape attributes in the proposed Appalachian Geopark Project in West Virginia, United States. *International Journal of Geoheritage and Parks*, 11(2), 310–327. <https://doi.org/10.1016/j.ijgeop.2023.05.001>
- Nsangou, D., Kpoumié, A., Mfonka, Z., Ngouh, A. N., Fossi, D. H., Jourdan, C., Mbele, H. Z., Mouncherou, O. F., Vandervaere, J. P., & Ndam Ngoupayou, J. R. (2022). Urban flood susceptibility modelling using AHP and GIS approach: case of the Mfoundi watershed at Yaoundé in the South-Cameroon plateau. *Scientific African*, 15, e01043. <https://doi.org/10.1016/j.sciaf.2021.e01043>

- Nunes, I., Danilo, S. ., Spatti, H., Andrade, R., Luisa, F., Liboni, H. B., Franco, S., & Alves, R. (2017). *Artificial Neural Networks A Practical Course* (Vol. 1). Springer International . <https://doi.org/10.1007/978-3-319-43162-8>
- Osborne, A., Mossman, H., Caporn, S., & Coulthard, E. (2025). Comparing the accuracy and precision of smartphone and specialist handheld GNSS receivers for use in ecological fieldwork. *Ecological Solutions and Evidence*, 6(1), e70015. <https://doi.org/10.1002/2688-8319.70015>
- Panagiotou, C. F., Guerrisi, G., De Santis, D., Del Frate, F., & Tzouvaras, M. (2026). Investigating the mechanisms of flood susceptibility with the use of multi-basin machine learning models in data-scarce environments in Cyprus. *Journal of Hydrology: Regional Studies*, 63, 103075. <https://doi.org/10.1016/J.EJRH.2025.103075>
- Pandey, M. (2024). Artificial Intelligence Algorithms in Flood Prediction: A General Overview. *Geo-information for Disaster Monitoring and Management*, 243–296. https://doi.org/10.1007/978-3-031-51053-3_12
- Park, K., & Lee, E. H. (2024). Urban flood vulnerability analysis and prediction based on the land use using Deep Neural Network. *International Journal of Disaster Risk Reduction*, 101, 104231. <https://doi.org/10.1016/J.IJDRR.2023.104231>
- Patel, R. K., Soni, P., & Singh, P. (2026). GIS-Based Multi-criteria Flood Risk Assessment Using AHP in the Arpa River Basin, Chhattisgarh. *Journal of the Indian Society of Remote Sensing*. <https://doi.org/10.1007/s12524-025-02384-9>
- Paul, J. D., Buytaert, W., Allen, S., Ballesteros-Cánovas, J. A., Bhusal, J., Cieslik, K., Clark, J., Dugar, S., Hannah, D. M., Stoffel, M., Dewulf, A., Dhital, M. R., Liu, W., Nayaval, J. L., Neupane, B., Schiller, A., Smith, P. J., & Supper, R. (2018). Citizen science for hydrological risk reduction and resilience building. *WIREs Water*, 5(1), e1262. <https://doi.org/https://doi.org/10.1002/wat2.1262>
- Pourmatin, M., Ajorlou, E., Farhadzadeh, A., Ghayoomi, M., & Hewitt, E. (2025). Human dimensions in flood risk management: Exploring risk perception and climate change considerations among engineers in the US. *Progress in Disaster Science*, 27, 100453. <https://doi.org/10.1016/J.PDISAS.2025.100453>
- Powell, S. J., Jakeman, A., & Croke, B. (2014). Can NDVI response indicate the effective flood extent in macrophyte dominated floodplain wetlands? *Ecological Indicators*, 45, 486–493. <https://doi.org/10.1016/J.ECOLIND.2014.05.009>
- Priscillia, S., Schillaci, C., & Lipani, A. (2021). Flood susceptibility assessment using artificial neural networks in Indonesia. *Artificial Intelligence in Geosciences*, 2, 215–222. <https://doi.org/10.1016/J.AIIG.2022.03.002>

- Quang, N. H., Hanh, L. N., & Van An, N. (2025). Boosting vs. traditional machine learning models for flood susceptibility mapping: insights from a case study in central Vietnam. *Advances in Space Research*, 76(9), 5058–5084. <https://doi.org/10.1016/J.ASR.2025.07.105>
- Rahman, M., Ningsheng, C., Islam, M. M., Dewan, A., Iqbal, J., Washakh, R. M. A., & Shufeng, T. (2019). Flood Susceptibility Assessment in Bangladesh Using Machine Learning and Multi-criteria Decision Analysis. *Earth Systems and Environment* 2019 3:3, 3(3), 585–601. <https://doi.org/10.1007/S41748-019-00123-Y>
- Rambau, L. D., Mativenga, P. T., & Marnewick, A. L. (2024). Enhancing frameworks for utilising Sankey diagrams in modelling the water-energy nexus and circularity. *Journal of Cleaner Production*, 456, 142355. <https://doi.org/10.1016/J.JCLEPRO.2024.142355>
- Rentschler, J., Salhab, M., & Jafino, B. A. (2022). Flood exposure and poverty in 188 countries. *Nature Communications* 2022 13:1, 13(1), 1–11. <https://doi.org/10.1038/s41467-022-30727-4>
- Respati, S., & Sulisty, T. (2023). The effect of the number of inputs on the spatial interpolation of elevation data using IDW and ANNs. *Geodesy and Cartography*, 49(1), 60–65–60–65. <https://doi.org/10.3846/GAC.2023.16591>
- Rezaeianzadeh, M., Tabari, H., Arabi Yazdi, A., Isik, S., & Kalin, L. (2014). Flood flow forecasting using ANN, ANFIS and regression models. *Neural Computing and Applications*, 25(1), 25–37. <https://doi.org/10.1007/S00521-013-1443-6/FIGURES/10>
- Riley, S. J. (1999). Index that quantifies topographic heterogeneity. *intermountain Journal of sciences*, 5(1–4), 23–27.
- Rios, N. N., Torcivia, C. G., & Onorato, M. R. (2025). Assessment of flash floods occurrence and the spatial distribution by inventory and morphometry of the Bermejo Basin, San Juan, Argentina. *Journal of South American Earth Sciences*, 164, 105665. <https://doi.org/10.1016/J.JSAMES.2025.105665>
- Rossmiller. (1980). The Rational Formula Revisited. *International Symposium on Urban Storm Runoff*. University of Kentucky, Lexington, KY.
- Rouse, J. W. , Jr., Haas, R. H., Deering, D. W., Schell, J. A., & Harlan, J. C. (1974). *Monitoring the Vernal Advancement and Retrogradation (Green Wave Effect) of Natural Vegetation*.
- Sadler, J. M., Goodall, J. L., Morsy, M. M., & Spencer, K. (2018). Modeling urban coastal flood severity from crowd-sourced flood reports using Poisson regression and Random Forest. *Journal of Hydrology*, 559, 43–55. <https://doi.org/10.1016/j.jhydrol.2018.01.044>

- Sar, N., Ryngha, P. K., & De, D. K. (2025). Application of the analytical hierarchy process (AHP) for flood susceptibility mapping using GIS techniques in lower reach of Keleghai River Basin, West Bengal, India. *Geohazard Mechanics*, 3(2), 123–135. <https://doi.org/10.1016/J.GHM.2025.06.002>
- Scheiber, L., Hoballah Jalloul, M., Jordan, C., Visscher, J., Nguyen, H. Q., & Schlurmann, T. (2023). The potential of open-access data for flood estimations: uncovering inundation hotspots in Ho Chi Minh City, Vietnam, through a normalized flood severity index. *Natural Hazards and Earth System Sciences*, 23(6), 2313–2332. <https://doi.org/10.5194/nhess-23-2313-2023>
- Schroeder, A. J., Gourley, J. J., Hardy, J., Henderson, J. J., Parhi, P., Rahmani, V., Reed, K. A., Schumacher, R. S., Smith, B. K., & Taraldsen, M. J. (2016). The development of a flash flood severity index. *Journal of Hydrology*, 541, 523–532. <https://doi.org/10.1016/j.jhydrol.2016.04.005>
- Selvi, C. T., Subramanian, R. S. S., Krishnan, M. M., & Priya, P. G. (2024). IoT-Enabled Flood Monitoring System for Enhanced Dam Surveillance and Risk Mitigation. *International Research Journal of Multidisciplinary Technovation*, 6(3), 144–153. <https://doi.org/10.54392/irjmt24311>
- Shadmaan, M. S., & Hassan, K. M. (2024). Assessment of flood susceptibility in Sylhet using analytical hierarchy process and geospatial technique. *Geomatica*, 76(1), 100003. <https://doi.org/10.1016/J.GEOMAT.2024.100003>
- Shah, S. A., & Ai, S. (2024). Flood susceptibility mapping contributes to disaster risk reduction: A case study in Sindh, Pakistan. *International Journal of Disaster Risk Reduction*, 108, 104503. <https://doi.org/10.1016/J.IJDRR.2024.104503>
- Shahiri Tabarestani, E., & Afzalimehr, H. (2021). Artificial neural network and multi-criteria decision-making models for flood simulation in GIS: Mazandaran Province, Iran. *Stochastic Environmental Research and Risk Assessment* 2021 35:12, 35(12), 2439–2457. <https://doi.org/10.1007/S00477-021-01997-Z>
- Shrestha, R., Di, L., Yu, E. G., Kang, L., SHAO, Y. zheng, & BAI, Y. qi. (2017). Regression model to estimate flood impact on corn yield using MODIS NDVI and USDA cropland data layer. *Journal of Integrative Agriculture*, 16(2), 398–407. [https://doi.org/10.1016/S2095-3119\(16\)61502-2](https://doi.org/10.1016/S2095-3119(16)61502-2)
- Silva Júnior, F. V. Da, Cunha, M. X. C. Da, & Souza Júnior, M. F. De. (2021). IOTFlood: hardware and software platform using internet of things to monitor floods in real time. *Ambiente e Agua - An Interdisciplinary Journal of Applied Science*, 16(4), 1. <https://doi.org/10.4136/ambi-agua.2675>
- Silvestro, F., Molini, L., Guzzetti, F., Schiavi, F., Castelli, F., & Ferraris, L. (2024). Severe floods predictive ability: A proxy based probabilistic assessment of the

- Italian early warning system. *Journal of Flood Risk Management*. <https://doi.org/10.1111/jfr3.12970>
- Silvestro, F., Rebora, N., Ferraris, L., Silvestro, F., Rebora, N., & Ferraris, L. (2011). Quantitative Flood Forecasting on Small- and Medium-Sized Basins: A Probabilistic Approach for Operational Purposes. *Journal of Hydrometeorology*, 12(6), 1432–1446. <https://doi.org/10.1175/JHM-D-10-05022.1>
- Sinaga, K. P., & Yang, M. S. (2020). Unsupervised K-means clustering algorithm. *IEEE Access*, 8, 80716–80727. <https://doi.org/10.1109/ACCESS.2020.2988796>
- Singh, S., Singh, H., Bueno, G., Deniz, O., Singh, S., Monga, H., Hrisheeksha, P. N., & Pedraza, A. (2023). A review of image fusion: Methods, applications and performance metrics. *Digital Signal Processing: A Review Journal*, 137. <https://doi.org/10.1016/j.dsp.2023.104020>
- Strahler, A. N. (1957). Quantitative analysis of watershed geomorphology. *Eos, Transactions American Geophysical Union*, 38, 913–920. <https://api.semanticscholar.org/CorpusID:16517141>
- Subbulakshmi, M., & Nanda, S. (2024). Futuristic flood risks assessment, in the Upper Vellar Basin, integrating AHP and bivariate analysis. *Advances in Space Research*, 74(11), 5395–5416. <https://doi.org/10.1016/J.ASR.2024.08.030>
- Sulistyo, T. (2003). *Studi On Slope Stability In Vulnerable landslide Area For Evaluation Of General City Spatial Arrangement Plan In South Balikpapan* [UPN “Veteran” Yogyakarta]. [http://opac.upnyk.ac.id/libsys-integrasi/opac/index.php/home/detail_koleksi?kd_buku=00000000000000020017&id=1&title=Studi+On+Slope+Stability+In+Vulnerable+Landslide+Area+For+Evaluation+Of+General+City+Spatial+Arrangement+Plan+In+Sout h+Balik+Papan&kd_jns_buku=SK](http://opac.upnyk.ac.id/libsys-integrasi/opac/index.php/home/detail_koleksi?kd_buku=00000000000000020017&id=1&title=Studi+On+Slope+Stability+In+Vulnerable+Landslide+Area+For+Evaluation+Of+General+City+Spatial+Arrangement+Plan+In+South+Balikpapan&kd_jns_buku=SK)
- Sulistyo, T., & Fauzi, R. (2023). Soil Infiltration Rate Prediction using Machine Learning Regression Model: A Case Study on Sepinggan River Basin, Balikpapan, Indonesia. *Indonesian Journal on Geoscience*, 10(3), 335–347. <https://doi.org/10.17014/IJOG.10.3.335-347>
- Sulistyo, T., Kusumayudha, S. B., Cahyadi, T. A., & Fajar, R. A. (2026). Flood severity assessment using K-means and K-medoids clustering based on flood height and duration in Balikpapan City, Indonesia. *Natural Hazards* 2025 122:1, 122(1), 38-. <https://doi.org/10.1007/s11069-025-07881-1>
- Sulistyo, T., Kusumayudha, S. B., Cahyadi, T. A., Fajar, R. A., & Kiptiah, M. (2026). Geologic Control of Soil-Infiltration Rate Based on Artificial Neural Network Models. *Geomatics and Environmental Engineering*, 20(1), 69–92. <https://doi.org/10.7494/GEOM.2026.20.1.69>

- Sulistyo, T., & Respati, S. (2023a). The estimation of flood area based on a few selected and weighted parameters: case study of the Nangka River basin, Balikpapan (Indonesia). *Journal of the Geographical Institute Jovan Cvijic SASA*, 73(2), 123–137. <https://doi.org/10.2298/IJGI2302123S>
- Sulistyo, T., & Respati, S. (2023b). THE ESTIMATION OF FLOOD AREA BASED ON A FEW SELECTED AND WEIGHTED PARAMETERS: CASE STUDY OF THE NANGKA RIVER BASIN, BALIKPAPAN (INDONESIA). *J. Geogr. Inst. Cvijic*, 2023(2), 123–137. <https://doi.org/10.2298/IJGI2302123S>
- Tarigan, A. K. M., Samsura, D. A. A., Sagala, S., & Wimbardana, R. (2017). Balikpapan: Urban planning and development in anticipation of the post-oil industry era. *Cities*, 60, 246–259. <https://doi.org/10.1016/J.CITIES.2016.09.012>
- Tudunwada, I. Y., & Abbas, A. (2022). Flood vulnerability mapping and prediction for early warning in Jigawa State, Northern Nigeria, using geospatial techniques. *International Journal of Disaster Risk Reduction*, 79, 103156. <https://doi.org/10.1016/J.IJDRR.2022.103156>
- Vajeethaveesin, T., Panboonyuen, T., Lawawironjwong, S., Srestasathiern, P., Jaiyen, S., & Jitkajornwanich, K. (2022). A Performance Comparison between GIS-based and Neuron Network Methods for Flood Susceptibility Assessment in Ayutthaya Province. *Trends in Sciences*, 19(2), 2038. <https://doi.org/10.48048/tis.2022.2038>
- Van Bemmelen R. W. (1949). *The Geology of Indonesia: 1 A*. Government Printing Office.
- van Eck, N. J., & Waltman, L. (2010). Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics*, 84(2), 523–538. <https://doi.org/10.1007/s11192-009-0146-3>
- Vorst, R. C., Priyarsono, D., & Budiman, A. (2018). *Manajemen Risiko Berbasis SNI ISO 31000*. BSN, Badan Standarisasi Nasional.
- Wang, H., Meng, Y., Wang, H., Wu, Z., & Guan, X. (2023). The application of integrating comprehensive evaluation and clustering algorithms weighted by maximal information coefficient for urban flood susceptibility. *Journal of Environmental Management*, 344, 118846. <https://doi.org/10.1016/J.JENVMAN.2023.118846>
- Wang, L., Cui, S., Li, Y., Huang, H., Manandhar, B., Nitivattananon, V., Fang, X., & Huang, W. (2017). A review of the flood management: from flood control to flood resilience. *Heliyon*, 8, e11763. <https://doi.org/10.1016/j.heliyon.2022.e11763>

- Wang, X., & Xu, Y. (2019). An improved index for clustering validation based on Silhouette index and Calinski-Harabasz index. *IOP Conference Series: Materials Science and Engineering*, 569(5). <https://doi.org/10.1088/1757-899X/569/5/052024>
- Waseem, M., Ahmad, S., Ahmad, I., Wahab, H., & Leta, M. K. (2023). Urban flood risk assessment using AHP and geospatial techniques in swat Pakistan. *SN Applied Sciences*, 5(8). <https://doi.org/10.1007/s42452-023-05445-1>
- Whitmeyer, S. J., Pyle, E. J., Pavlis, T. L., Swanger, W., & Roberts, L. (2019). Modern approaches to field data collection and mapping: Digital methods, crowdsourcing, and the future of statistical analyses. *Journal of Structural Geology*, 125, 29–40. <https://doi.org/10.1016/j.jsg.2018.06.023>
- Wierzbicki, G., Ostrowski, P., Falkowski, T., & Mazgajski, M. (2018). Geological setting control of flood dynamics in lowland rivers (Poland). *Science of The Total Environment*, 636, 367–382. <https://doi.org/10.1016/J.SCITOTENV.2018.04.250>
- Winn, J. (2023). Model-based machine learning. *Model-Based Machine Learning*, 1–450. <https://doi.org/10.1201/9780429192685>
- Zellou, B., & Rahali, H. (2019). Assessment of the joint impact of extreme rainfall and storm surge on the risk of flooding in a coastal area. *Journal of Hydrology*, 569, 647–665. <https://doi.org/https://doi.org/10.1016/j.jhydrol.2018.12.028>
- Zhang, J., Cheng, Y., Ge, W., Li, S., He, Q., & Zhang, T. (2025). Quantifying the mixed uncertainty for calculating slope from a gridded digital elevation model. *Geocarto International*, 40(1). <https://doi.org/10.1080/10106049.2025.2480307>
- Zheng, Q., Shen, S.-L., Zhou, A., & Lyu, H.-M. (2022). *Inundation risk assessment based on G-DEMATEL-AHP and its application to Zhengzhou flooding disaster*. <https://doi.org/10.1016/j.scs.2022.104138>