

DAFTAR PUSTAKA

- Araque-Perez, C. J. (2024). Reevaluating soil amplification using multi-spectral HVSr technique in La Chana Neighborhood, Granada, Spain. *Journal of Seismology*, 28(4), 921-949.
- Arifin, S. S., Mulyanto, B. S., Marjiyono & Setianegara, R., (2014). Penentuan Zona Rawan Guncangan Bencana Gempa Bumi Berdasarkan Analisis Nilai Amplifikasi HVSr Mikrotremor dan Analisis Periode Dominan Daerah Liwa dan Sekitarnya. *Jurnal Geofisika Eksplorasi*, 2(1).
- Arintalofa, V., Yulianto, G., & Harmoko, U. (2020). Analisa mikrotremor menggunakan metode HVSr untuk mengetahui karakteristik bawah permukaan manifestasi panas bumi Diwak dan Derekan berdasarkan nilai V_p . *Jurnal Energi Baru dan Terbarukan*, 1(2), 54-61.
- Artati, H. K., Arifudin, A. M., Saputra, E., & Pawirodikromo, W. (2026). *Geoteknik dan Kerentanan Seismik di Wilayah Rawan Gempa*. Deepublish.
- Bachri, S. (2014). Pengaruh Tektonik Regional Terhadap Pola Struktur dan Tektonik Pulau Jawa. *Jurnal Geologi dan Sumberdaya Mineral*, 15(4), 215-221.
- Badan Meteorologi, Klimatologi, dan Geofisika. (2016). *Skala Intensitas Gempa Bumi*.
- Badan Meteorologi, Klimatologi, dan Geofisika. (2024). *Peta isoseismal gempa Tuban 22 Maret 2024*. Diakses dari <https://www.bmkg.go.id/gempabumi/ulasan-guncangan-tanah/peta-iseisimal-gempabumi-bawean-jawa-timur-22-maret-2024> pada 3 Juni 2026.
- Badan Standarisasi Nasional (BSN). (2019). *SNI 1726:2019 Tata Cara Perencanaan Ketahanan Gempa Bangunan Gedung dan Non Gedung*. BSN, Jakarta.
- Bard, P. Y. (1999). *Microtremor Measurement: A Tool for Site Estimates*. Yokohama, s.n., pp. 1252-1279.
- Bour, M., Fouissac, D. & Martin, C. (1998). *On the Use of Microtremor Recording in Seismic Microzonation*. *Soil Dynamics and Earthquake Engineering* 17.

- Candraningtyas, S. A. N., & Susanti, D. B. (2024). Mikrozonasi Frekuensi Dominan (F0) dan Faktor Amplifikasi (A0) Di Desa Pacarejo Bagian Barat, Semanu, Gunungkidul, Yogyakarta. *Jurnal Stasiun Geofisika Sleman*, 2(2), 07-12.
- Demulawa, M. (2022). Analisis Frekuensi Alami Tanah di Daerah Rawan Longsor di Kecamatan Tomilito Menggunakan Metode Mikrotremor. *Jurnal Ilmiah Wahana Pendidikan*, 8(9), 405-410.
- Daryono, Sutikno, Prayitni, & Setio, B. (2009). *Data Mikrotremor dan Pemanfaatannya untuk Pengkajian Bahaya Gempa Bumi*. BMKG: Yogyakarta.
- Das, B. M. (1990). *Principles of Foundation Engineering (Second Edition, PWS Kent Publishing Company, Boston)*.
- Dewi, S. R., Darmawan, D., & Irsyam, M. (2016). Penggunaan Nilai V_{s30} untuk Klasifikasi Tanah dan Perkiraan Bahaya Gempa Bumi. *Jurnal Teknik Sipil*, 24(1), 87-96.
- Douglas, J. (2011). *Ground-motion prediction equations 1964-2010*. Pacific Earthquake Engineering Research Center.
- Essien, U. E., Akankpo, A. O., & Igboekwe, M. U. (2014). Poisson Ratio of Surface Soils and Shallow Sediments Determined from Seismic Compressional and Share Wave Velocities. *International Journal of Geosciences*, 5(12), 1540 - 1546.
- Fathan, F., & Martha, A. A. (2025). Seismic Microzonation of Dusun Langkob, Majalaya, Cianjur, Using HVSR and V_{s30} Inversion. In *Journal of Physics: Conference Series* (Vol. 3139, No. 1, p. 012078). IOP Publishing.
- Handayani, D., Pratama, D. A., & Koagouw, J. E. (2023). ANALISIS MIKROTREMOR UNTUK MENGETAHUI KARAKTERISTIK TANAH DI SEKITAR JEMBATAN AMURANG, MINAHASA SELATAN:- *Jurnal Widya Climago*, 5(1), 119-124.
- Hidayati, S. (2010). *Pengenalan Seismologi Gunungapi*. Bandung: Diklat Pelaksana Pemula Pengamat Gunungapi Baru, Pusat Vulkanologi dan Mitigasi Bencana Geologi.
- Hobiger, M. (2011). *Polarization of surface waves: characterization, inversion and application to seismic hazard assessment* (Doctoral dissertation, Université de Grenoble).
- Ishida, H., Nozawa, T. & Niwa, M. (1998). *Estimation of Deep Surface Structure based on Phase Velocities and Spectral Ratios of Long-Period Microtremors*, Second

- International Symposium on The Effects of Surface Geology on Seismic Motion.*
Yokohama, December 1-3, 1998, Balkema, 2, 697-704.
- Ishihara, K. (1978). *Introduction to dynamic soil mechanism.* Tokyo, Japan: University of Tokyo.
- Kanai K. (1966). *An empirical formula for the spectrum of strong earthquake motions* Bull. Earthq. Res. Inst. 39 85-95
- Kanai, K. (1966). *Seismology in Engineering.* Tokyo University. Japan
- Kayal, J. (2008). *Microearthquake Seismology and Seismotectonics of South Asia.* India: Capital Publishing Company.
- Kiyoshi, K. (1966). *Improved empirical formula for characteristics of stray [sic] earthquake motions.* s.l., s.n., pp. 1-4. Pages 1–4 of: *Proceedings of the Japanese Earthquake Symposium.*
- Kiyoshi, K. (1983). *Seismology in Engineering.* Tokyo University. Japan.
- Lay, Thorne dan Terry C. Wallace. (1995). *Modern Global Sesmology.* California: Academic Press.
- Manan, A., Puspitafuri, C., Pertiwi, I. I., & Chahyani, R. (2023). Identification of Peak Ground Acceleration and hazard potency of earthquake disaster on the mainland surface of Wangi-Wangi Island, Wakatobi Regency, Southeast Sulawesi, Indonesia. In *Journal of Physics: Conference Series* (Vol. 2498, No. 1, p. 012040). IOP Publishing.
- Manzella, A. (1990). *Geophysical Methods in Geothermal Exploration.* Italian National Research Council : Italy.
- Mirzaoglu, M. and Dykmen, U. (2003). *Application of Microtremor to Seismic Microzoning Procedure, Journal of The Balkan Geophysical Society*, Vol.6 No.3, hal. 143-156.
- Muzli, M., Masturyono, M., Murjaya, J., & Riyadi, M. (2016). Studi awal penyusunan skala intensitas gempabumi Badan Meteorologi Klimatologi dan Geofisika. *Jurnal Meteorologi dan Geofisika*, 17(2).
- Nakamura, Y. (2008). *On the H/V Spectrum. The 14th World Conference on Earthquake Engineering Beijing, China.*

- Nakamura, Y., (1989). *A Method for Dynamic Characteristics Estimation of Subsurface using Microtremor on The Ground Surface*, s.l.: The Railway Technology Research Institute Japan.
- Nakamura, Y., (1997). *Seismic Vulnerability for Ground and Structures using Microtremor*. s.l., *World Congress on Railway Research*.
- Nakamura, Y., (2000). *Clear Identification of Fundamental Idea of Nakamura's Technique and Its Application*. Tokyo, s.n.
- Nandi, H., Fikri, A., Rustadi. (2019). *Mikroseismik, Mikrotremor, dan Mikroearthquake Dalam Ilmu Kebumihan*. Lampung : Pusaka Media.
- Noya, Y., Suwarti, T., & Suharsono, S. L. (1992). Geological map of the Mojokerto quadrangle, Jawa. *Geological Research and Development Centre, Bandung, Indonesia*.
- Paripurno, E. T., dkk. (2025, April). The Influence of Geological Conditions for the Level of Building Damages a Preliminary Study on the Impact of The Bawean Island Earthquake, East Java, Indonesia. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1486, No. 1, p. 012039). IOP Publishing.
- Philip, S., (2007). *Planet yang Bergolak*. Jakarta: PT. Gelora Aksara.
- Pringgoprawiro, H. (1983). Biostratigrafi dan Paleogeografi Cekungan Jawa Timur Utara, Suatu Pendekatan Baru. *Desertasi Doktor, Institut Teknologi Bandung*.
- Putri, S. P., Hidajat, W. K., & Setyawan, R. (2023). Studi Mikrofases dan Diagenesis Batugamping Formasi Paciran, Desa Tegaldowo, Kecamatan Gunem, Kabupaten Rembang, Provinsi Jawa Tengah. *Jurnal Geosains dan Teknologi*, 6(2), 104-120.
- Refrizon, dkk. (2013). *Analisis Percepatan Getaran Tanah Maksimum dan Tingkat Kerentanan Seismik Daerah Ratu Agung Kota Bengkulu*. Lampung: Universitas Lampung.
- Santika, A. W., & Mulyadi, D. (2017). Geokimia Batugamping Daerah Montong, Tuban, Jawa Timur. *Riset Geologi dan Pertambangan*, 27(2).
- Scherbaum, F., Hinzen, K. G., & Ohrnberger, M. (2003). *Determination of Shallow Shear Wave Velocity Profiles in The Cologne, Germany Area Using Ambient Vibrations*. *Geophysical Journal International*, 152(3), 597-612.

- SESAME. (2004). *Guidelines For The Implementation of The H/V Spectral Ratio Technique on Ambient Vibration Measurements and Interpretation, Deliverable D23.12*, University of Potsdam
- Setiawan, H. D., & Palevi, B. R. P. D. (2025). RANCANG BANGUN ALAT DETEKSI GELOMBANG SEISMIK. STUDI KASUS GELOMBANG RAYLEIGH. *Magnetika: Jurnal Mahasiswa Teknik Elektro*, 9(2), 173-182.
- Setiawan J.R. (2009). *Mikrozonasi Seismitas Daerah Yogyakarta Dan Sekitarnya*. Tesis. Bandung: Institut Teknologi Bandung.
- Shearer, P. M. (2009). *Introduction to Seismologi Second Edition*. Cambridge University Press. New York.
- Slob, S. (2007). *Micro Seismic Hazard Analys, Earthquake Vulnerability, and Multi Hazard Risk Assesment: Geospatial Tools for Rehabilitation and Reconstruction Efforts*. The Netherlands: ITC.
- Sunardi, B., dkk. (2023). Pemetaan Kecepatan Gelombang Geser Hingga Kedalaman 30 Meter di Wilayah Jakarta Selatan Menggunakan Inversi Eliptisitas Rayleigh. *Jurnal Stasiun Geofisika Sleman*, 1(1), 01-08.
- Tanjung, N. A. F., Yuniarto, H. P., & Widyawarman, D. (2019). Analisis amplifikasi dan indeks kerentanan seismik di kawasan FMIPA UGM menggunakan metode HVSr. *Jurnal Geosaintek*, 5(2), 61-68.
- Telaumbanua, J. A., dkk. (2019). Analisis Sedimentologi Formasi Ngrayong Daerah Mulyoagung, Jawa Timur: Karakter Reservoar Hidrokarbon Ideal di Zona Cekungan Rembang. In *Prosiding TAU SNARS-TEK Seminar Nasional Rekayasa dan Teknologi* (Vol. 1, No. 1, pp. 142-147).
- Telford, W., Geldart, L., Sheriff, R., and Keys, D. (1976). *Applied Geophysics*. Cambridge University Press, New York.
- Telford, W.M., Geldart, L.P. and Sheriff, R.E. (1990). *Applied Geophysics*. 2nd Edition. Cambridge University Press, Cambridge.
- Tokimatsu, K., (1997). *Geotechnical Site Characterization using Surface Waves, Earthquake Geotech. Eng.*, Ishihara (ed.), Balkema, Rotterdam, 1333-1368.

- Tuladhar, R., Cuong, N. N. H. & Yamasaki, F., (2004). *Seismic Microzonation of Hanoi, Vietnam Using Microtremor Observations. Vancouver, 13th World Conference on Earthquake Engineering.*
- Van Bemmelen, R. W. (1949). The geology of Indonesia.
- Wahyuni, Y. T., Mardiatno, D., & Samodra, G. (2025). ANALISIS KERENTANAN SEISMIK DAN KLASIFIKASI TANAH DI WILAYAH SEKITAR SESAR OPAK MENGGUNAKAN DATA MIKROTREMOR. *JOURNAL ONLINE OF PHYSICS*, 10(2), 54-65.
- Wibowo, N. B., & Huda, I. (2020). Analisis Amplifikasi, Indeks Kerentanan Seismik Dan Klasifikasi Tanah Berdasarkan Distribusi Vs30 DI Yogyakarta. *Buletin Meteorologi, Klimatologi, Dan Geofisika*, 1(2), 21-31.
- Widyadarsana, S. N., & Hartantyo, E. 2021. Lithological modelling based on shear wave velocity using horizontal to vertical spectral ratio (HVSr) inversion of ellipticity curve method to mitigate landslide hazards at the main road Of Samigaluh District, Kulon Progo Regency, Yogyakarta. In *E3S Web of conferences* (Vol. 325, p. 01009). EDP Sciences.
- Wintoro, B., Paripurno, E. T., Nugroho, A. R. B., Purwanta, J., & Maharani, Y. N. (2025). Estimasi Vs30 Dan Pemetaan Klasifikasi Tanah Berbasis HVSr di Wilayah Sesar Lasem, Jawa Tengah. *Journal Online Of Physics*, 10(3), 33-43.