DAFTAR PUSTAKA

Adkins, S., Arachchilage, P., Solairaj, S., Lu, J., Weerasooriya, U., & Pope, G. (2012). *SPE 154256 Development of Thermally and Chemically Stable Large-Hydrophobe Alkoxy Carboxylate Surfactants*.

Afari, S. A., Sarkodie, K., Aggrey, W. N., & Morgan, A. (2015). Assessment of Petroleum Reservoir Recovery Factor Using Complexity Scoring and Artificial Neural Network. *International Journal of Scientific Engineering and Research (IJSER)*, *3*(7), 124–129. https://doi.org/DOI:10.70729/IJSER15342

Akbari, S., Abdurahman, N. H., Yunus, R. M., Fayaz, F., & Alara, O. R. (2018). Biosurfactants—A New Frontier for Social and Environmental Safety: A Mini Review. *Biotechnology Research and Innovation*, *2*(1), 81–90. https://doi.org/10.1016/j.biori.2018.09.001

Alameri, W., Teklu, W., Graves, R. M., Kazemi, H., & Alsumaiti, A. M. (2014). Wettability Alteration during Low-Salinity Waterflooding in Carbonate Reservoir Cores. *SPE Asia Pacific Oil & Gas Conference and Exhibition*, 14–16. https://doi.org/https://doi.org/10.2118/171529-MS

Ansyori, M. R. (2018). Mengenal Enhanced Oil Recovery (EOR) Sebagai Solusi Meningkatkan Produksi Minyak. *Swara patra*, *8*(2). www.nap.edu

Anwar, R., & Hidayat, B. (2022). Kajian Penerapan Chemical EOR di Lapangan Minyak Tua Indonesia. *Jurnal Energi Nasional*, *10*(1), 44–52.

Attama, A. A., Reginald-Opara, J. N., Uronnachi, E. M., & Onuigbo, E. B. (2016). Nanomedicines for the Eye: Current Status and Future Development. Dalam *Nanoscience in Dermatology* (hlm. 323–336). Elsevier Inc. https://doi.org/10.1016/B978-0-12-802926-8.00025-2

Aubry, J. M., Ontiveros, J. F., Salager, J. L., & Nardello-Rataj, V. (2020). Use of the normalized hydrophilic-lipophilic-deviation (HLDN) equation for determining the equivalent alkane carbon number (EACN) of oils and the preferred alkane carbon number (PACN) of nonionic surfactants by the fish-tail method (FTM). Dalam *Advances in Colloid and Interface Science* (Vol. 276). Elsevier B.V. https://doi.org/10.1016/j.cis.2019.102099

Belhaj, A. F., Elraies, K. A., Mahmood, S. M., Zulkifli, N. N., Akbari, S., & Hussien, O. S. E. (2020). The effect of surfactant concentration, salinity, temperature, and pH on surfactant adsorption for chemical enhanced oil recovery: a review. *Journal of Petroleum Exploration and Production Technology*, *10*(1), 125–137. https://doi.org/10.1007/s13202-019-0685-y

Candra, R., Rosiani, D., Nirmala, G. S., & Eni, H. (2025a). Analisa Pengujian Coreflooding Test Menggunakan Injeksi Surfaktan dan Polimer. Dalam *Rafly*

Candra, SNTEM (Vol. 5). https://doi.org/https://doi.org/10.53026/prosidingsntem.v5i1.616

Candra, R., Rosiani, D., Nirmala, G. S., & Eni, H. (2025b). Analisa Pengujian Coreflooding Test Menggunakan Injeksi Surfaktan dan Polimer. *SNTEM*, *5*(1), 640–646. https://doi.org/https://doi.org/10.53026/prosidingsntem.v5i1.616

Faozani, A. Y., & Tobing, E. M. (2016). Pengaruh Salinitas Optimal Terhadap Pembentukan Mikroemulsi Untuk Mencapai Tegangan Antar Muka Terendah Dalam Aplikasi Pendesakan Kimia. *SCIENTIFIC CONTRIBUTIONS OIL AND GAS*, *39*(2), 63–69. https://doi.org/https://doi.org/10.29017/SCOG.39.2.103

Gomaa, E. (1995). *Enhanced Oil Recovery Concepts and Mechanisms*.

Green, D. W., & Willhite, G. P. (1998). Enhanced Oil Recovery. *Society of Petroleum Engineers* . https://doi.org/https://doi.org/10.2118/9781613994948

Hastuti, R., Ariadi, B., & Hudiyanti, D. (1999). Penentuan Bilangan Hidrophile-Lipophile Balance (HLB) Fosfolipida Dari Buah Kelapa. *Jurnal Sainds dan Aplikasi*, *2*(4), 122–127. https://doi.org/https://doi.org/10.14710/jksa.2.4.122-127

Herawati, I. (2022). *Pengaruh Penambahan Surfaktan Anionik Alkil Etoksi Karboksilat Terhadap Keterbatasan Batu Pasir (Sintesis) yang Mengandung Mineral Clay*. Institut Teknologi Bandung.

Hidayat, B., & Anwar, R. (2022). Kajian penerapan chemical EOR di lapangan minyak tua Indonesia. *Jurnal Energi Nasional*, *10*(1), 44–52.

Hisprastin, Y., & Nuwarda, R. F. (2018). Perbedaan Emulsi dan Mikroemulsi Pada Minyak Nabati. *Farmaka*, *16*(1). https://doi.org/https://doi.org/10.24198/jf.v16i1.17424

Huh, C. (1979). Interfacial Tensions and Solubilizing Ability of a Microemulsion Phase That Coexists with Oil and Brine. *Journal of Colloid and Interface*, *71*(2). https://doi.org/https://doi.org/10.1016/0021-9797(79)90249-2

Isaac, O. T., Pu, H., Oni, B. A., & Samson, F. A. (2022). Surfactants Employed In Conventional and Unconventional Reservoirs for Enhanced Oil Recovery. *Energy Reports*, *8*, 2806–2830. https://doi.org/10.1016/j.egyr.2022.01.187

Juita, R., Arnelli, & Yusniati. (2016). Telaah Surfaktan untuk Proses Enhanced oil Recovery (EOR dan Profil Adsorpsi Surfaktan A-Olefin Sulfanotes (AOS). *Jurnal Kimia Sains dan Aplikasi* , *19*(1). https://doi.org/https://doi.org/10.14710/jksa.19.1.27-31

Jurgenson, A., Bittner C, Oetter, J., & Tinsley. (2015). Alkyl Ether Carboxylate Surfactants for Chemically Enhanced Oil Recovery in Harsh Field Conditions. *SPE Journal*, 11–13. https://doi.org/https://doi.org/10.2118/174589-MS

Lake, L., Johns, R. T., Rossen, R. W., & Pope, G. A. (2014). *Fundamentals of enhanced oil recovery*. Society of Petroleum Engineers.

Lestari, & Viriya, T. (2015). Studi Laboratorium Mengenai Pengaruh Peningkatan Konsentrasi Surfaktan Terhadap Peningkatan Produksi Minyak Pada injeksi Surfaktan dengan Kadar Salinitas Air Formasi yang Bervariasi. *Seminar Nasional Cendekiawan* , 550–554.

Levitt, D. B. (2006). *Experimental Evaluation of High Performance EOR Surfactants for a Dolomite Oil Reservoir*. University of Texas.

Maissa, S., Aodia, M., Al-Maamari, R., & Al-Badi, A. (2023). Impact of The Molecular Structural Variation of Alkyl Ether Carboxylate Surfactant on IFT Reduction and Wettability Alteration Capabilities in Carbonates. *Geoenergy Science and Engineering*, *222*, 91–95. https://doi.org/10.1016/j.geoen.2022.211395

Muslim, & Kadir, E. A. (2022). *Screening Chemical (Surfaktan dan Polimer) Enhanced Oil Recovery di SPR Langgak*. Pusat Studi Pengembangan dan Peningkatan Produksi Minyak Bumi .

Negin, C., Ali, S., & Xie, Q. (2017). Most Common Surfactants Employed in Chemical Oil Recovery. *Petroleum*, *3*(2), 197–211. https://doi.org/https://doi.org/10.1016/j.petlm.2016.11.007

Pauhesti, Kasmungin, S., & Hartono, K. F. (2018). Uji Laboratorium Untuk Meningkatkan Perolehan Minyak Menggunakan Injeksi Surfaktan AOS Konsentrasi Rendah. *Jurnal Petro*, *6*(2), 66–0. https://doi.org/DOI:10.25105/petro.v6i2.3107

Pilla, A. (2018). IMPORTANCE OF POLYMERIZATION IN EOR. *International Journal of Scientific Development and Research*, *3*, 24–110. www.ijsdr.org

Pour, M. J., Manshad, A. K., Zargar, G., & Akbari, M. (2024). Application of Alkali-Novel Green Extracted Surfactant (AS) for Sustainable Chemical Enhanced Oil Recovery (CEOR) in Carbonate Petroleum Reservoirs. *Energy & Fuels*, *38*(3), 1744–1765. https://doi.org/https://doi.org/10.1021/acs.energyfuels.3c03584

Pratama, K. A. (2013). *Studi Pemilihan Surfaktan Sebagai Fluida InjeksiUntuk Reservoir Sandstone dengan Minyak Ringan dengan Metoda Coreflooding dan Simulasi Numerik*. Institut Teknologi Bandung.

Purnomo, H., & Makmur, T. (2009). Pengaruh Surfaktan (DBS dan Fael) dan Kosurfaktan Iso-alkil alkohol terhadap Pembentukan Kelakuan Fase dari

Campuran Minyak - Surfaktan - Kosurfaktan - Air Injeksi. *Lembaran Publikasi Minyak dan Gas Bumi*, *43*(1), 24–28.

Putra, A. A. (2020). *Evaluasi Perhitungan Cadangan Minyak Menggunakan Metode Volumetrik dan Decline Curve Analysis Pda Reservoir UIR Sand Area XYZ Lapangan AR*. Universitas Islam Riau.

Raeisi, F., Mousavi, S. M., Hashemi, S. A., Malekpour, L., Bahrani, S., Lai, C. W., Chiang, W. H., Babapoor, A., Mazraedoost, S., & Esmaeili, H. (2021). Application of biosurfactant as a demulsifying and Emulsifying Agent In the Formulation of Petrochemical Products. Dalam *Green Sustainable Process for Chemical and Environmental Engineering and Science: Microbially-Derived Biosurfactants for Improving Sustainability in Industry* (hlm. 399–422). Elsevier. https://doi.org/10.1016/B978-0-12-823380-1.00016-2

Ranjan, S., Thomas, S., & Mohapatra, S. (2019). *Characterization and Biology of Nanomaterials for Drug Delivery* (1st ed.). Elsevier.

Reningtyas, R., & Mahreni, M. (2015). Biosurfaktan. *Eksergi*, *12*(2), 12–22. https://doi.org/https://doi.org/10.31315/e.v12i2.1354

Rita, N. (2012). Studi Mekanisme Injeksi Surfaktan-Polimer pada Reservoir Berlapis Lapangan NR Menggunakan Simulasi Reservoir. *Journal of Earth Energy Engineers*, (1), 22–36. https://doi.org/DOI:10.22549/jeee.v1i1.926

Rofienda. (1989). Penentuan HLB-Butuh Suatu Bahan Dengan Sistem HLB. *Jurnal Kimia dan Kemasan* , 11–17. https://doi.org/10.24817/jkk.v0i0.4979.

Sakinah, I. F. (2019). *Karakteristik Surfaktan Pada proses Perolehan Minyak dari Air Formasi*. Universitas Islam Negeri Syarif Hidayatullah Jakarta.

Salager, J. louis, Molinier Valerie, & Aldo Pizzino. (2013). Relationship between Phase Behavior and Emulsion Inversion for a Well-Defined Surfactant (C10E4)/n-Octane/Water Ternary System at Different Temperatures and Water/Oil Ratios. *Industrial & Engineering Chemistry Research*, *52*(12). https://doi.org/https://doi.org/10.1021/ie302772u

Schramm, L. L. (2010). *Surfactants: Fundamentals and Applications in the Petroleum Industry*. Cambridge University Press.

Sheng, J. J. (2011). *Modern chemical enhanced oil recovery: Theory and Practice*. Gulf Professional Publishing .

Soesanto, E., Nisrina, N. J. Z., Utami, P. D., Endika, R., & Refangga, B. H. (2025). Optimalisasi produksi Minyak Melalui Penerapan Teknologi EOR dengan Injeksi Polimerdi Lapangan X. *Journal of Innovation Research and Knowleadge*, *4*(9).

Speight, J. G. (2016). *Introduction to Enhanced Recovery Methods for Heavy Oil and Tar Sands*. Gulf Professional Publishing.

Sugihardjo, E., Tobing, & Pratomo, S. W. (2001). Kelakuan Fasa Campuran Antara "Reservoar-Injeksi Surfaktan" Untuk Implementasi Enhanced Water Flooding. *Proceeding Simposium IATMI*.

Suparmanto, A. K., Satiawati, L., Pramadika, H., & Kunci, K. (2023). Study Laboratorium Injeksi Surfaktan ABS Dengan Konsentrasi Rendah Pada Batuan Barea Sandstone. *Jurnal Ilmiah TeknikPerminyakan*, *12*, 183–190. https://doi.org/10.25105/petro.v12i3.17300

Suparwoto, S., Setiati, R., Rahkmanto, P. A., Fathaddin, Muh. T., Prakoso, S., & Mardiana, D. A. (2024). Uji Kestabilan Larutan Dan Perubahan Fasa Sebagai Karakteristik Dari Screening Surfaktan Metil Ester Sulfonate Kelapa Sawit Terhadap Minyak Ringan Lapangan "X". *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, *9*, 268–275. https://doi.org/10.25105/pdk.v9i1.18790

Swadesi, B., Azmi, F. B., Pratiknyo, A. K., Kurniawan, A., & Suwardi, S. (2025). Salinity Effects on Anionic AEC Surfactant with n-Decane: IFT, Phase Behavior, Solubilization, Microemulsion Viscosity. *RSF Conference Series: Engineering and Technology*, *4*(1), 239–251. https://doi.org/10.31098/cset.v4i1.1042

Taber, J. J., Martin, F. D., & Seright, R. S. (1997). EOR Screening Criteria Revisitedd Part 1: Introduction to Screening Criteria and Enhanced Recovery Field Projects. Dalam *SPE Reservoir Engineering*. https://doi.org/https://doi.org/10.2118/35385-PA

Tongkun Material. (2025, September). *What are Surfactants and How Do They Work?* https://www.zjhxgf.com/what-are-surfactants-and-how-do-they-work.html

Widyaningsih, R. (2017). Pengaruh Konsentrasi Surfaktan Anionik Terhadap Salinitas Optimum dalam Mikroemulsi Spontan dengan Sample Minyak Lapangan M. *Jurnal Mineral, Energi dan Lingkungan*, *1*(1), 60–65. https://doi.org/https://doi.org/10.31315/jmel.v1i1.1774

Winarno, F. G. (1997). *Kimia Pangan dan Gizi*. Gramedia Pustaka.

Winsor, P. A. (1954). *Solvent properties of amphiphilic compounds*. The University of California: Butterworths Scientific Publications.

Yulianti, E. (2022). *Pengujian Surfaktan (Compatibility dan Phase Behavior) sebagai Screening awal Chemical EOR dalam Upaya Peningkatan Produksi Minyak Bumi di Lapangan X dengan Kategori High Temperature & Salinity*. Universitas Islam riau.

Zhu, Y., Cao, F., Bai, Z., Wang, Z., Wang, H., & Zhao, S. (2014). Studies on ASP Flooding Formulations Based on Alkylbenzene Sulfonate Surfactants. *Society of Petroleum Engineers*, 1–160.