DAFTAR PUSTAKA

Advanced Resources International. (2018). *Reservoir properties and oil composition data for Eagle Ford Shale reservoir simulation study*. Advanced Resources International, Inc.

Ahmadi, K., & Johns, R. T. (2011). Multiple-cell methods for calculation of minimum miscibility pressure. *SPE Journal*, *16*(4), 793–803.

Alfarge, D., Wei, M., & Bai, B. (2017a). Applicability of CO_2-EOR in shale-oil reservoirs using diagnostic plots (CMTC-502143-MS). Carbon Management Technology Conference.

Alfarge, D., Wei, M., Bai, B., & Almansour, A. (2017b). Optimizing injector-producer spacing for CO_2 injection in unconventional reservoirs of North America (SPE-188002-MS). Society of Petroleum Engineers.

Alston, R. B., Kokolis, G. P., & James, C. F. (1985). CO_2 minimum miscibility pressure: A correlation for impure CO_2 streams and live oil systems. SPE Journal, 25(2), 268–274.

Ampomah, W., Balch, R. S., Cather, M., Will, R., Gunda, S., Dai, Z., & Soltanian, M. R. (2016). Evaluation of CO_2 storage mechanisms in Morrow Formation, Clark County, Kansas. *Fuel*, *184*, 281–291.

Azin, R., et al. (2022). Thermodynamic insights into CO_2-oil minimum miscibility pressure (MMP) mechanisms. *Journal of Petroleum Science and Engineering*.

Aziz, K., & Settari, A. (1979). *Petroleum reservoir simulation*. Applied Science Publishers.

Bachu, S. (2008). CO_2 storage in geological media: Role, means, status and barriers. *Progress in Energy and Combustion Science*, *34*(2), 254–273.

Balasubramanian, S., Chen, P., Bose, S., Alzahabi, A., & Thakur, G. C. (2018). Recent advances in enhanced oil recovery technologies for unconventional oil reservoirs (OTC-28973-MS). Offshore Technology Conference.

Bandyopadhyay, P., Sharma, P., & Poddar, S. (2020). Experimental and numerical investigation of proppant embedment in shale reservoirs: A review. *Journal of Petroleum Science and Engineering*, *195*, Article 107612.

DAFTAR PUSTAKA
(Lanjutan)

Box, G. E. P., Hunter, J. S., & Hunter, W. G. (2005). *Statistics for experimenters: Design, innovation, and discovery* (2nd ed.). Wiley-Interscience.

Cander, H. (2012). What are unconventional resources? A simple definition for shale oil, shale gas, and tight gas. *AAPG Search and Discovery*, Article 90159.

Chiaramonte, L., Zoback, M. D., Friedmann, S. J., & Stamp, V. W. (2012). 3D stochastic reservoir model and fluid flow simulation of a CO_2-EOR pilot in a fractured reservoir (CMTC 151480). Carbon Management Technology Conference.

Choi, Y. S., Nesic, S., & Young, D. (2010). Effect of impurities on the corrosion behavior of carbon steel in supercritical CO_2-water environments. *Environmental Science & Technology*, *44*(23), 9233–9238.

Christensen, J. R., Stenby, E. H., & Skauge, A. (2001). Review of WAG field experience. *SPE Reservoir Evaluation & Engineering*, *4*(2), 97–106.

Coats, K. H. (1982). An equation of state compositional model. *Society of Petroleum Engineers Journal*, *22*(5), 729–747.

Cronquist, C. (1978). Carbon dioxide dynamic miscibility with light reservoir oils. Proceedings of the Fourth Annual US DOE Symposium, Tulsa, 28–30.

Ertekin, T., King, G. R., & Flinders, L. (2001). *Basic applied reservoir simulation*. SPE Textbook Series Vol. 7. Society of Petroleum Engineers.

Evans, S., Al-Shawaf, A., Ezeuko, C., & Hale, A. (2025). Benchmarking well spacing in unconventional reservoirs: Optimizing production and efficiency (URTeC 4220778). Unconventional Resources Technology Conference.

Fowler, G. J., McClure, M. W., Singh, A., Irvin, R., Ratcliff, D., Ponners, C., & Rondon, J. (2024). Case studies in integrated fracture design and well spacing optimization in shale (IPTC-24396-MS). International Petroleum Technology Conference.

Gala, D., & Sharma, M. (2018). *Compositional and geomechanical effects in huff-n-puff gas injection IOR in tight oil reservoirs* (SPE-191488-MS). Society of Petroleum Engineers. https://doi.org/10.2118/191488-MS

DAFTAR PUSTAKA
(Lanjutan)

Godec, M., Koperna, G., Petrovich, R., & Melzer, L. S. (2013). Global technology roadmap for CO_2-enhanced oil recovery. *Energy Procedia*, *37*, 6862–6872.

Green, D. W., & Willhite, G. P. (2018). *Enhanced oil recovery* (2nd ed.). SPE Textbook Series Vol. 6. Society of Petroleum Engineers.

Hawthorne, S. B., Gorecki, C. D., & Sorensen, J. A. (2013). Chemical/physical mechanisms of CO_2 EOR in tight/shale oil reservoirs based on next-to-thin-section laboratory experiments. *Fuel*, *112*, 127–135.

Holditch, S. A. (2006). Tight gas sands. *Journal of Petroleum Technology*, *58*(6), 86–93.

Jarrell, P. M., Fox, C. E., Stein, M. H., & Webb, S. L. (2002). *Practical aspects of CO_2 flooding*. SPE Monograph Series Vol. 22. Society of Petroleum Engineers.

Kennedy, J., & Eberhart, R. (1995). Particle swarm optimization. *Proceedings of ICNN'95 — International Conference on Neural Networks*, *4*, 1942–1948. IEEE.

Kuuskraa, V. A., Oudinot, A., & Koperna, G. J., Jr. (2019). Reservoir simulation of enhanced tight oil recovery: Eagle Ford Shale. U.S. Department of Energy, National Energy Technology Laboratory.

Lake, L. W., Schmidt, R. L., & Venuto, P. B. (2014). *Fundamentals of enhanced oil recovery*. Society of Petroleum Engineers.

Loucks, R. G., Reed, R. M., Ruppel, S. C., & Hammes, U. (2012). Spectrum of pore types and networks in topographically and compositionally diverse shale gas reservoirs. *AAPG Bulletin*, *96*(6), 1071–1098.

Mac Dowell, N., Florin, N., Buchard, A., Hallett, J., Galindo, A., Jackson, G., & Shah, N. (2010). An overview of CO_2 capture technologies. *Energy & Environmental Science*, *3*(11), 1645–1669.

Mansour, A. G. H., Khalil, R., & Gamadi, T. (2017a). Compositional simulation evaluation of miscible gas injection performance in tight oil formation (SPE-185680-MS). Society of Petroleum Engineers.

DAFTAR PUSTAKA
(Lanjutan)

Mansour, A., Gamadi, T., Emadibaladehi, H., & Watson, M. (2017b). Limitation of EOR applications in tight oil formation (SPE-187542-MS). Society of Petroleum Engineers.

Mattax, C. C., & Dalton, R. L. (1990). *Reservoir simulation*. SPE Monograph Series Vol. 13. Society of Petroleum Engineers.

Metz, B., Davidson, O., De Coninck, H., Loos, M., & Meyer, L. (2005). *IPCC special report on carbon dioxide capture and storage*. Cambridge University Press.

Nasralla, R., Gavnholt, J., Al Baloshi, S., Amrani, R., Aljiroudi, F., Borner, N., & Al Bulushi, N. (2024). Comprehensive piloting strategy to de-risk first CO_2 EOR development in Sultanate of Oman (IPTC-24484-MS). International Petroleum Technology Conference.

Nasralla, R., Gavnholt, J., Valdez, R., Al Baloshi, S., Aljiroudi, F., Borner, N., & Al Bulushi, N. (2025). CO_2 EOR pilot in tight and thin carbonate reservoir in the Sultanate of Oman: Results and interpretation (SPE-225039-MS). Society of Petroleum Engineers.

Mian, M. A. (2011). *Project economics and decision analysis, volume II: Probabilistic models*. PennWell Books.

Newendorp, P., & Schuyler, J. (2000). *Decision analysis for petroleum exploration* (2nd ed.). Planning Press.

Orr, F. M. (2007). *Theory of gas injection processes*. Tie-Line Publications.

Petrohawk. (2009). IPAA & TIPRO Leaders in Industry Luncheon, July 8, 2009.

Ridley, K., Jurgens, K., & Billa, R. J. (2015). *Well design and completion practices for Eagle Ford Shale horizontal wells*. Paper presented at the SPE Middle East Unconventional Resources Conference and Exhibition, Muscat, Oman. Society of Petroleum Engineers.

Rochelle, G. T. (2009). Amine scrubbing for CO_2 capture. *Science*, *325*(5948), 1652–1654.

DAFTAR PUSTAKA
(Lanjutan)

Rock Flow Dynamics. (2026). *tNavigator user guide: Assisted history matching and optimization module — Module 6.8: Particle swarm optimization*. RFD.

Rutqvist, J., & Stephansson, O. (2003). The role of hydromechanical coupling in fractured rock engineering. *Hydrogeology Journal*, *11*(1), 7–40.

Saltelli, A., Ratto, M., Andres, T., Campolongo, F., Cariboni, J., Gatelli, D., Saisana, M., & Tarantola, S. (2008). *Global sensitivity analysis: The primer*. John Wiley & Sons.

Sanchez Energy Corporation. (2014). Analyst Day Presentation, August 26, 2014.

Schmoker, J. W. (2002). Resource-assessment applications of continuous-type petroleum accumulations. *US Geological Survey Bulletin*, *2168*, 1–7.

Sheng, J. J. (2015). Enhanced oil recovery in shale reservoirs by gas injection. *Petroleum*, *1*(2), 97–102.

Sheng, J. J. (2017). Critical review of EOR technologies in shale and tight reservoirs. *Journal of Natural Gas Science and Engineering*, *47*, 59–75.

Sheng, J. J., Norris, J. W., & Chisaria, J. A. (2016). Critical review of CO_2 huff-n-puff in unconventional reservoirs. *Fuel*, *174*, 121–137.

Sigmund, P. M. (1976a). Prediction of molecular diffusion coefficients at reservoir conditions. *Journal of Canadian Petroleum Technology*, *15*(2), 48–57.

Sigmund, P. M. (1976b). Correlation for predicting diffusion coefficients of non-associated multicomponent mixtures. *Chemical Engineering Science*, *31*(12), 1105–1110.

Song, J., Yu, H., Jin, R., Shi, J., Zhang, S., & Yang, H. (2025). Investigation on the influencing factors of enhanced oil recovery and CO_2 storage by impure CO_2 flooding in tight oil reservoirs (SPE-229414-MS). Society of Petroleum Engineers.

Stalkup, F. I. (1983). *Miscible displacement*. SPE Monograph Series Vol. 8. Society of Petroleum Engineers.

DAFTAR PUSTAKA
(Lanjutan)

Sungkono, A., Pratama, R., & Hidayat, F. (2021). Potential of CCUS-EOR implementation in Indonesia utilizing industrial anthropogenic CO_2 sources. *Proceedings of the Indonesian Petroleum Association*, IPA21-G-45.

TXCO Resources. (2009). Howard Weil 37th Annual Energy Conference, New Orleans, March 22–26, 2009.

U.S. Energy Information Administration. (2014). *Updates to the EIA Eagle Ford play maps* (December 2014). U.S. Department of Energy. https://www.eia.gov

Walsh, J. B. (1981). Effect of pore pressure and confining pressure on fracture permeability. *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, *18*(5), 429–435.

Wan, T., Sheng, J. J., & Soliman, M. Y. (2018). Evaluation of the EOR potential in shale oil reservoirs by cyclic gas injection. *Petroleum Science*, *15*(1), 86–98.

Whitson, C. H., & Brulé, M. R. (2000). *Phase behavior*. SPE Monograph Series Vol. 20. Society of Petroleum Engineers.

Yang, J., Oruganti, Y., & Karam, P. (2017). Miscible CO_2 flooding using horizontal multi-fractured wells in San Andres Formation, TX – A feasibility study (CMTC-486335-MS). Carbon Management Technology Conference.

Yin, M. (2015). Screening criteria and technology evaluation for CO_2 miscible flooding based on global field datasets. *Journal of Petroleum Science and Engineering*.

Yu, W., & Sepehrnoori, K. (2014). Optimization of multiple hydraulic fractures in shale gas reservoirs. *Journal of Petroleum Engineering*, *2014*, Article 739748.

Yuan, H., & Johns, R. T. (2005). A simplified method for calculation of minimum miscibility pressure. *SPE Journal*, *10*(4), 416–425.

Zhang, F., Zhu, H., Zhou, H., Guo, J., & Huang, B. (2015). Experimental investigation of proppant crushing and its evaluation on fracture conductivity in tight reservoirs. *Journal of Natural Gas Science and Engineering*, *26*, 731–741.

DAFTAR PUSTAKA
(Lanjutan)

Zou, C., Zhang, G., Yang, Z., Tao, S., Hou, L., Zhu, R., & Koo, O. (2013). Concepts, characteristics, potential and technology of unconventional petroleum geology. *Petroleum Exploration and Development*, *40*(4), 417–433.

Al-Tailji, W.H., Shah, K., and Davidson, B.M. 2016. *The Application and Misapplication of 100-Mesh Sand in Multi-Fractured Horizontal Wells in Low-Permeability Reservoirs*. SPE-179163-MS. Society of Petroleum Engineers.

Cooke, C.E. Jr. 1973. Conductivity of Fracture Proppants in Multiple Layers. *Journal of Petroleum Technology*, 25(09): 1101-1107. SPE-4117-PA.

Ghosh, S., Rai, C.S., Sondergeld, C.H., and Larese, R.E. 2014. *Experimental Investigation of Proppant Diagenesis*. SPE-171604-MS. Presented at SPE/CSUR Unconventional Resources Conference – Canada.

Mittal, A., Rai, C.S., and Sondergeld, C.H. 2018. *Experimental Proppant Conductivity Observations: Evaluating Impact of Proppant Size and Fluid Chemistry on Long-Term Production in Shales*. SPE-191741-MS. Presented at the 2018 SPE Annual Technical Conference and Exhibition, Dallas, Texas, 24-26 September.